

Heinrich E Lob

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11569122/publications.pdf>

Version: 2024-02-01

17
papers

2,738
citations

706676

14
h-index

1113639

15
g-index

17
all docs

17
docs citations

17
times ranked

4396
citing authors

#	ARTICLE	IF	CITATIONS
1	Adverse metabolic phenotype of female offspring exposed to preeclampsia in utero: a characterization of the BPH/5 mouse in postnatal life. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R485-R491.	0.9	26
2	Deletion of p22phox-dependent oxidative stress in the hypothalamus protects against obesity by modulating I ² 3-adrenergic mechanisms. <i>JCI Insight</i> , 2017, 2, e87094.	2.3	10
3	Decidual Cox2 inhibition improves fetal and maternal outcomes in a preeclampsia-like mouse model. <i>JCI Insight</i> , 2016, 1, .	2.3	44
4	Role of chemokine RANTES in the regulation of perivascular inflammation, T _H 1 cell accumulation, and vascular dysfunction in hypertension. <i>FASEB Journal</i> , 2016, 30, 1987-1999.	0.2	185
5	Role of decidual natural killer cells, interleukin-15, and interferon- γ in placental development and preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 307, R490-R492.	0.9	30
6	Role of Vascular Oxidative Stress in Obesity and Metabolic Syndrome. <i>Diabetes</i> , 2014, 63, 2344-2355.	0.3	116
7	Role of the NADPH Oxidases in the Subfornical Organ in Angiotensin II-Induced Hypertension. <i>Hypertension</i> , 2013, 61, 382-387.	1.3	95
8	Abstract 442: Endoplasmic Reticulum (ER) Stress in the Subfornical Organ (SFO) Induces Peripheral Inflammation in Angiotensin II (Ang-II)-dependent Hypertension. <i>Hypertension</i> , 2013, 62, .	1.3	0
9	T Lymphocytes and Vascular Inflammation Contribute to Stress-Dependent Hypertension. <i>Biological Psychiatry</i> , 2012, 71, 774-782.	0.7	78
10	Inflammation, Immunity, and Hypertension. <i>Hypertension</i> , 2011, 57, 132-140.	1.3	718
11	Role of Vascular Extracellular Superoxide Dismutase in Hypertension. <i>Hypertension</i> , 2011, 58, 232-239.	1.3	50
12	Role of Interleukin 17 in Inflammation, Atherosclerosis, and Vascular Function in Apolipoprotein E ^{-/-} Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1565-1572.	1.1	182
13	Interleukin 17 Promotes Angiotensin II-Induced Hypertension and Vascular Dysfunction. <i>Hypertension</i> , 2010, 55, 500-507.	1.3	662
14	Induction of Hypertension and Peripheral Inflammation by Reduction of Extracellular Superoxide Dismutase in the Central Nervous System. <i>Hypertension</i> , 2010, 55, 277-283.	1.3	154
15	Central and Peripheral Mechanisms of T-Lymphocyte Activation and Vascular Inflammation Produced by Angiotensin II-Induced Hypertension. <i>Circulation Research</i> , 2010, 107, 263-270.	2.0	280
16	Loss of Extracellular Superoxide Dismutase Leads to Acute Lung Damage in the Presence of Ambient Air. <i>American Journal of Pathology</i> , 2008, 173, 915-926.	1.9	108
17	Importance of the chemokine RANTES in the development of angiotensin II-induced hypertension and vascular dysfunction. <i>FASEB Journal</i> , 2008, 22, 1210.8.	0.2	0