Ryoichi Ito

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11575309/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Accurate measurement of second-order nonlinear-optical coefficients of near-stoichiometric LiNbO3. , 2006, , .		0
2	Two-dimensional Wannier excitons in a layered-perovskite-type crystal (C6H13NH3)2PbI4. Solid State Communications, 2002, 122, 249-252.	1.9	77
3	Second-order nonlinear susceptibilities of various dielectric and semiconductor materials. Optical and Quantum Electronics, 2002, 34, 797-833.	3.3	74
4	Electric-field effect on 2s excitons of a natural-quantum-well crystal (C6H13NH3)2PbI4. , 2002, , .		0
5	GaAs/Ge/GaAs sublattice reversal epitaxy and its application to nonlinear optical devices. Journal of Crystal Growth, 2001, 227-228, 183-192.	1.5	65
6	Study of sublattice inversion in GaAs/Ge/GaAs(001) crystal by X-ray diffraction. Applied Surface Science, 2000, 159-160, 256-259.	6.1	4
7	Periodically Domain-Inverted AlGaAs Quasi-Phase-Matched Frequency-Conversion Waveguides. , 2000, ,		0
8	GaAs/Ge/GaAs Sublattice Reversal Epitaxy on GaAs (100) and (111) Substrates for Nonlinear Optical Devices. Japanese Journal of Applied Physics, 1999, 38, L508-L511.	1.5	77
9	Biexciton lasing in the layered perovskite-type material (C6H13NH3)2PbI4. Solid State Communications, 1998, 105, 253-255.	1.9	139
10	Resonant third-order optical nonlinearity in the layered perovskite-type material (C6H13NH3)2PbI4. Solid State Communications, 1998, 105, 503-506.	1.9	114
11	Fabrication of Periodic Waveguides Using Organic Crystals and Fluorinated Polyimides for Quasi-Phase-Matched Second-Harmonic Generation. Optical Review, 1997, 4, 316-320.	2.0	5
12	Absolute Measurement of Second-Order Nonlinear Optical Coefficient of LiNbO3 by Parametric Processes. Optical Review, 1995, 2, 280-284.	2.0	10
13	Direct observation of exciton localization in a GaAs/AlGaAs quantum well. Applied Physics Letters, 1994, 64, 1845-1847.	3.3	10
14	Magneto-optical effects of excitons in the layered perovskite-type material (C6H13NH3)2(CH3NH3)Pb2I7. Physica B: Condensed Matter, 1994, 201, 423-426.	2.7	14
15	The effect of electric field on the excitonic states in coupled quantum well structures. Journal of Applied Physics, 1994, 76, 2299-2305.	2.5	25
16	Well Width Dependence of the Exciton Phonon Interaction in Semiconductor Quantum Wells. Journal of the Physical Society of Japan, 1994, 63, 358-362.	1.6	6
17	Magneto-optical study on excitonic spectra in (C6H13NH3)2PbI4. Physical Review B, 1993, 47, 2010-2018.	3.2	107
18	Organic-Crystalline Waveguiding SHG Devices The Review of Laser Engineering, 1992, 20, 214-222.	0.0	0

Куоісні Іто

#	Article	IF	CITATIONS
19	Anomalous electro-absorption in the low-temperature phase of (C10H21NH3)2PbI4. Solid State Communications, 1991, 77, 923-926.	1.9	41
20	Optical third-harmonic generation in layered perovskite-type material (C10H21NH3)2PbI4. Solid State Communications, 1991, 79, 245-248.	1.9	59
21	Magneto-optical effects of excitons in (C10H21NH3)2PbI4 under high magnetic fields up to 40 T. Solid State Communications, 1991, 79, 249-253.	1.9	37
22	Transient frequency and temperature variation of GaInPAs lasers under pulsed excitation. Applied Physics Letters, 1982, 40, 214-216.	3.3	13
23	Comparison Between Mechanical Relaxations Associated with Volume and shear Deformations in Styrene-Butadiene Rubber. Journal of the Physical Society of Japan, 1962, 17, 213-218.	1.6	25