

Adrian Bauman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11577093/adrian-bauman-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

13,166
citations

38
h-index

75
g-index

75
ext. papers

14,612
ext. citations

4.6
avg, IF

6.08
L-index

#	Paper	IF	Citations
75	Sitting Time, Physical Activity, and Risk of Mortality in Adults. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 2062-2072	15.1	177
74	Area-Level Walkability and the Geographic Distribution of High Body Mass in Sydney, Australia: A Spatial Analysis Using the 45 and Up Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
73	"In Initiative Overload": Australian Perspectives on Promoting Physical Activity in the Workplace from Diverse Industries. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	7
72	Time trends between 2002 and 2017 in correlates of self-reported sitting time in European adults. <i>PLoS ONE</i> , 2019 , 14, e0225228	3.7	8
71	Defining Adherence 2018 , 2, 1-22		23
70	Physical activity, obesity and sedentary behaviour and the risks of colon and rectal cancers in the 45 and up study. <i>BMC Public Health</i> , 2018 , 18, 325	4.1	15
69	Does Physically Demanding Work Hinder a Physically Active Lifestyle in Low Socioeconomic Workers? A Compositional Data Analysis Based on Accelerometer Data. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	18
68	Does Walkability Contribute to Geographic Variation in Psychosocial Distress? A Spatial Analysis of 91,142 Members of the 45 and Up Study in Sydney, Australia. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	4
67	A global systematic scoping review of studies analysing indicators, development, and content of national-level physical activity and sedentary behaviour policies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 123	8.4	22
66	Recent trends in population levels and correlates of occupational and leisure sitting time in full-time employed Australian adults. <i>PLoS ONE</i> , 2018 , 13, e0195177	3.7	9
65	The associations of sitting time and physical activity on total and site-specific cancer incidence: Results from the HUNT study, Norway. <i>PLoS ONE</i> , 2018 , 13, e0206015	3.7	15
64	Sitting ducks face chronic disease: an analysis of newspaper coverage of sedentary behaviour as a health issue in Australia 2000-2012. <i>Health Promotion Journal of Australia</i> , 2017 , 28, 139-143	1.7	11
63	Prolonged sitting may increase diabetes risk in physically inactive individuals: an 11 year follow-up of the HUNT Study, Norway. <i>Diabetologia</i> , 2017 , 60, 830-835	10.3	25
62	Effects of early physical exercise on later health - Authors' reply. <i>Lancet, The</i> , 2017 , 389, 801	40	1
61	Reducing Office Workers' Sitting Time at Work Using Sit-Stand Protocols: Results From a Pilot Randomized Controlled Trial. <i>Journal of Occupational and Environmental Medicine</i> , 2017 , 59, 543-549	2	19
60	Who is at risk of chronic disease? Associations between risk profiles of physical activity, sitting and cardio-metabolic disease in Australian adults. <i>Australian and New Zealand Journal of Public Health</i> , 2017 , 41, 178-183	2.3	16
59	Exercise barriers and the relationship to self-efficacy for exercise over 12 months of a lifestyle-change program for people with heart disease and/or diabetes. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 309-317	3.3	24

58	Does physical activity attenuate, or even eliminate, the detrimental association of sitting time with mortality? A harmonised meta-analysis of data from more than 1 million men and women. <i>Lancet, The</i> , 2016 , 388, 1302-10	4.0	1242
57	Neighbourhood walkability, road density and socio-economic status in Sydney, Australia. <i>Environmental Health</i> , 2016 , 15, 58	6	16
56	Daily & Hourly Adherence 2016 ,		7
55	Total sitting time and risk of myocardial infarction, coronary heart disease and all-cause mortality in a prospective cohort of Danish adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 13	8.4	76
54	Barriers and enablers to physical activity among older Australians who want to increase their physical activity levels. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 1420-9	2.5	12
53	An objective index of walkability for research and planning in the Sydney metropolitan region of New South Wales, Australia: an ecological study. <i>International Journal of Health Geographics</i> , 2013 , 12, 61	3.5	21
52	Dog ownership and physical activity: a review of the evidence. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 750-9	2.5	174
51	A review of population-based prevalence studies of physical activity in adults in the Asia-Pacific region. <i>BMC Public Health</i> , 2012 , 12, 41	4.1	42
50	Sitting time and all-cause mortality risk in 222 497 Australian adults. <i>Archives of Internal Medicine</i> , 2012 , 172, 494-500		557
49	Current cycling, bicycle path use, and willingness to cycle more-findings from a community survey of cycling in southwest sydney, australia. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 267-72	2.5	12
48	Bicycle use for transport in an Australian and a Belgian city: associations with built-environment attributes. <i>Journal of Urban Health</i> , 2010 , 87, 189-198	5.8	42
47	Correlates of non-concordance between perceived and objective measures of walkability. <i>Annals of Behavioral Medicine</i> , 2009 , 37, 228-38	4.5	196
46	Can a motivational intervention overcome an unsupportive environment for walking--findings from the Step-by-Step Study. <i>Annals of Behavioral Medicine</i> , 2009 , 38, 137-46	4.5	21
45	Neighborhood environments and physical activity among adults in 11 countries. <i>American Journal of Preventive Medicine</i> , 2009 , 36, 484-90	6.1	331
44	Adherence to physical activity recommendations and the influence of socio-demographic correlates - a population-based cross-sectional study. <i>BMC Public Health</i> , 2008 , 8, 367	4.1	73
43	An Australian Version of the Neighborhood Environment Walkability Scale: Validity Evidence. <i>Measurement in Physical Education and Exercise Science</i> , 2008 , 12, 31-51	1.9	62
42	Walkability of local communities: using geographic information systems to objectively assess relevant environmental attributes. <i>Health and Place</i> , 2007 , 13, 111-22	4.6	387
41	Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. <i>Medicine and Science in Sports and Exercise</i> , 2007 , 39, 1423-34	1.2	3330

40	Gender differences in influences of perceived environmental and psychosocial correlates on recommended level of physical activity among New Zealanders. <i>Psychology of Sport and Exercise</i> , 2007 , 8, 939-950	4.2	26
39	Applying GIS in Physical Activity Research: Community Walkability and Walking Behaviors. <i>Lecture Notes in Geoinformation and Cartography</i> , 2007 , 72-89	0.3	7
38	Objectively Assessing Walkability of Local Communities: Using GIS to Identify the Relevant Environmental Attributes 2007 , 91-104		9
37	Physical activity measurement--a primer for health promotion. <i>Global Health Promotion</i> , 2006 , 13, 92-103		93
36	Socio-Demographic Variations in Walking for Transport and for Recreation or Exercise Among Adult Australians. <i>Journal of Physical Activity and Health</i> , 2006 , 3, 164-178	2.5	47
35	Wheeling walks: evaluation of a media-based community intervention. <i>Family and Community Health</i> , 2005 , 28, 64-78	1.6	34
34	Prevalence and Factors Associated with Walking and Bicycling for Transport Among Young Adults in Two Low-Income Localities of Bogotá, Colombia. <i>Journal of Physical Activity and Health</i> , 2005 , 2, 445-459	2.5	31
33	Neighborhood influences on physical activity in middle-aged and older adults: a multilevel perspective. <i>Journal of Aging and Physical Activity</i> , 2005 , 13, 87-114	1.6	87
32	Residents' perceptions of walkability attributes in objectively different neighbourhoods: a pilot study. <i>Health and Place</i> , 2005 , 11, 227-36	4.6	273
31	The physical environment and physical activity: moving from ecological associations to intervention evidence. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 535-6	5.1	29
30	Physical Activity Policy Development: a synopsis of the WHO/CDC Consultation, September 29 through October 2, 2002, Atlanta, Georgia. <i>Public Health Reports</i> , 2004 , 119, 346-51	2.5	17
29	Parental safety concerns--a barrier to sport and physical activity in children?. <i>Australian and New Zealand Journal of Public Health</i> , 2004 , 28, 482-6	2.3	19
28	Changes in neighborhood walking are related to changes in perceptions of environmental attributes. <i>Annals of Behavioral Medicine</i> , 2004 , 27, 60-7	4.5	179
27	Changing the way people think about health-enhancing physical activity: do mass media campaigns have a role?. <i>Journal of Sports Sciences</i> , 2004 , 22, 771-90	3.6	175
26	Perceived environment attributes, residential location, and walking for particular purposes. <i>American Journal of Preventive Medicine</i> , 2004 , 26, 119-25	6.1	287
25	Understanding environmental influences on walking; Review and research agenda. <i>American Journal of Preventive Medicine</i> , 2004 , 27, 67-76	6.1	917
24	Gender, Age, and Educational-Attainment Differences in Australian Adults' Participation in Vigorous Sporting and Fitness Activities. <i>Journal of Physical Activity and Health</i> , 2004 , 1, 377-388	2.5	11
23	Parental safety concerns -- a barrier to sport and physical activity in children?. <i>Australian and New Zealand Journal of Public Health</i> , 2004 , 28, 482-486	2.3	26

22	Trends in physical activity participation and the impact of integrated campaigns among Australian adults, 1997-99. <i>Australian and New Zealand Journal of Public Health</i> , 2003 , 27, 76-9	2.3	85
21	An environmental intervention to promote walking and cycling--the impact of a newly constructed Rail Trail in Western Sydney. <i>Preventive Medicine</i> , 2003 , 36, 235-42	4.3	118
20	Physical activity and sedentary behavior: A population-based study of barriers, enjoyment, and preference.. <i>Health Psychology</i> , 2003 , 22, 178-188	5	595
19	Promoting physical activity in women: evaluation of a 2-year community-based intervention in Sydney, Australia. <i>Health Promotion International</i> , 2002 , 17, 127-37	3	27
18	Age-related differences in physical activity levels of young adults. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 255-8	1.2	58
17	Perceived environmental aesthetics and convenience and company are associated with walking for exercise among Australian adults. <i>Preventive Medicine</i> , 2001 , 33, 434-40	4.3	339
16	Factors associated with delayed tobacco uptake among Vietnamese/Asian and Arabic youth in Sydney, NSW. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 22-8	2.3	23
15	Social-cognitive and perceived environment influences associated with physical activity in older Australians. <i>Preventive Medicine</i> , 2000 , 31, 15-22	4.3	509
14	Leisure time physical activity in Australian women: relationship with well being and symptoms. <i>Research Quarterly for Exercise and Sport</i> , 2000 , 71, 206-16	1.9	182
13	Socio-economic, migrant and geographic differentials in coronary heart disease occurrence in New South Wales. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 20-6	2.3	40
12	Geographical influences upon physical activity participation: evidence of a 'coastal effect'. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 322-4	2.3	109
11	Insufficiently active Australian college students: perceived personal, social, and environmental influences. <i>Preventive Medicine</i> , 1999 , 28, 20-7	4.3	198
10	Environmental and policy interventions to promote physical activity. <i>American Journal of Preventive Medicine</i> , 1998 , 15, 379-97	6.1	828
9	Physical activity preferences, preferred sources of assistance, and perceived barriers to increased activity among physically inactive Australians. <i>Preventive Medicine</i> , 1997 , 26, 131-7	4.3	394
8	Relating physical activity to health status, social connections and community facilities. <i>Australian and New Zealand Journal of Public Health</i> , 1997 , 21, 631-7	2.3	21
7	Obstetric profiles and pregnancy outcomes of immigrant women in New South Wales, 1990-1992. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1996 , 36, 119-25	1.7	23
6	Asthma management in eastern Australia, 1990 and 1993. <i>Medical Journal of Australia</i> , 1996 , 164, 403-6	4	49
5	Relationship between a 14-day recall measure of leisure-time physical activity and a submaximal test of physical work capacity in a population sample of Australian adults. <i>Research Quarterly for Exercise and Sport</i> , 1996 , 67, 221-7	1.9	60

4	Incidental depiction of cigarettes and smoking in Australian magazines, 1990-1993. <i>Australian Journal of Public Health</i> , 1995 , 19, 313-5		7
3	Population prevalence and correlates of stages of change in physical activity. <i>Health Education Quarterly</i> , 1993 , 20, 431-40		73
2	The descriptive epidemiology of a sedentary lifestyle in adult Australians. <i>International Journal of Epidemiology</i> , 1992 , 21, 305-10	7.8	110
1	Effects of a national mass-media campaign on physical activity participation. <i>Health Promotion International</i> , 1992 , 7, 241-247	3	52