

Ersan Altun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11580492/publications.pdf>

Version: 2024-02-01

38
papers

1,333
citations

430874

18
h-index

395702

33
g-index

51
all docs

51
docs citations

51
times ranked

1633
citing authors

#	ARTICLE	IF	CITATIONS
1	Current Opinion on the Use of Magnetic Resonance Imaging in Staging Prostate Cancer: A Narrative Review. <i>Cancer Management and Research</i> , 2022, Volume 14, 937-951.	1.9	4
2	Conventional and Investigational Imaging Modalities. , 2021, , 73-96.		0
3	Uncommon Liver Tumors. <i>Medical Radiology</i> , 2021, , 111-122.	0.1	0
4	Pilot Study of [18F] Fluorodeoxyglucose Positron Emission Tomography (FDG-PET)/Magnetic Resonance Imaging (MRI) for Staging of Muscle-invasive Bladder Cancer (MIBC). <i>Clinical Genitourinary Cancer</i> , 2020, 18, 378-386.e1.	1.9	15
5	Secondary Immune Thrombocytopenia in Metastatic Renal Cell Carcinoma: A Case Report and Discussion of the Literature. <i>Case Reports in Oncology</i> , 2020, 13, 1349-1356.	0.7	0
6	MR Imaging of the Urinary Bladder. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2019, 27, 105-115.	1.1	11
7	MR Imaging of the Penis and Urethra. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2019, 27, 139-150.	1.1	7
8	Update on Genitourinary MR Imaging. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2019, 27, xiii-xiv.	1.1	0
9	MRI features of primary rare malignancies of the liver: A report from four university centres. <i>European Radiology</i> , 2018, 28, 1529-1539.	4.5	27
10	Multiparametric Magnetic Resonance Imaging for Bladder Cancer: Development of VI-RADS (Vesical) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.9	372
11	Diagnostic accuracy of contrast-enhanced ultrasound for characterization of kidney lesions in patients with and without chronic kidney disease. <i>BMC Nephrology</i> , 2017, 18, 266.	1.8	37
12	Magnetic resonance imaging of the cirrhotic liver: diagnosis of hepatocellular carcinoma and evaluation of response to treatment - Part 1. <i>Radiologia Brasileira</i> , 2017, 50, 38-47.	0.7	19
13	Magnetic resonance imaging of the cirrhotic liver: diagnosis of hepatocellular carcinoma and evaluation of response to treatment " Part 2. <i>Radiologia Brasileira</i> , 2017, 50, 115-125.	0.7	11
14	Bone Metastases of Hepatocellular Carcinoma: Appearance on MRI Using a Standard Abdominal Protocol. <i>American Journal of Roentgenology</i> , 2016, 206, 1003-1012.	2.2	8
15	Comparison of Doppler ultrasound and transient elastography in the diagnosis of significant fibrosis in patients with nonalcoholic steatohepatitis. <i>Abdominal Radiology</i> , 2016, 41, 1505-1510.	2.1	8
16	Surrogate arterial phase imaging using a long duration (1.5 min) radial acquisition T1-weighted sequence: an alternative in patients unable to breath-hold. <i>Acta Radiologica</i> , 2016, 57, 955-963.	1.1	1
17	Imaging in Oncology. , 2016, , 186-205.e3.		1
18	Inter- and intra-individual comparative study of two gadolinium-based agents: A pilot study. <i>Abdominal Imaging</i> , 2015, 40, 865-874.	2.0	4

#	ARTICLE	IF	CITATIONS
19	High-resolution 3D-GRE imaging of the abdomen using controlled aliasing acceleration technique "a feasibility study. <i>European Radiology</i> , 2015, 25, 3596-3605.	4.5	9
20	An overview of imaging techniques for liver metastases management. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1561-1576.	3.0	10
21	Quantitative and qualitative comparison of 0.025 mmol/kg gadobenate dimeglumine for abdominal MRI at 1.5 T and 3 T MRI in patients with low estimated glomerular filtration rate. <i>European Journal of Radiology</i> , 2015, 84, 26-32.	2.6	6
22	Gastrointestinal imaging-practical magnetic resonance imaging approach. <i>World Journal of Radiology</i> , 2014, 6, 544.	1.1	28
23	Mass-forming cholangiocarcinoma and adenocarcinoma of unknown primary: can they be distinguished on liver MRI?. <i>Abdominal Imaging</i> , 2014, 39, 1228-1240.	2.0	12
24	Enhancement of abdominal organs on hepatic arterial phase: quantitative comparison between 1.5- and 3.0-T magnetic resonance imaging. <i>Magnetic Resonance Imaging</i> , 2010, 28, 47-55.	1.8	27
25	Nephrogenic Systemic Fibrosis: Change in Incidence Following a Switch in Gadolinium Agents and Adoption of a Gadolinium Policy"Report from Two U.S. Universities. <i>Radiology</i> , 2009, 253, 689-696.	7.3	141
26	Quantitative and qualitative comparison of 1.5 and 3.0 tesla MRI in patients with chronic liver diseases. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 869-879.	3.4	39
27	MRI findings in nonalcoholic steatohepatitis: correlation with histopathology and clinical staging. <i>Magnetic Resonance Imaging</i> , 2009, 27, 976-987.	1.8	25
28	Early contrast enhancement of the liver: exact description of subphases using MRI. <i>Magnetic Resonance Imaging</i> , 2009, 27, 792-800.	1.8	22
29	Feasibility of post-gadolinium three-dimensional gradient-echo sequence to evaluate the pulmonary arterial vasculature. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1198-1207.	1.8	8
30	Nephrogenic Systemic Fibrosis and Management of High-risk Patients. <i>Academic Radiology</i> , 2009, 16, 897-905.	2.5	37
31	Water excitation MPRAGE: An alternative sequence for postcontrast imaging of the abdomen in noncooperative patients at 1.5 Tesla and 3.0 Tesla MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 1146-1154.	3.4	31
32	3.0-T MRI evaluation of patients with chronic liver diseases: initial observations. <i>Magnetic Resonance Imaging</i> , 2008, 26, 650-660.	1.8	24
33	Gadolinium- and superparamagnetic-iron-oxide-enhanced MR findings of intrapancreatic accessory spleen in five patients. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1273-1278.	1.8	35
34	Risk of Nephrogenic Systemic Fibrosis: Evaluation of Gadolinium Chelate Contrast Agents at Four American Universities. <i>Radiology</i> , 2008, 248, 799-806.	7.3	175
35	Primary Peritoneal Carcinoma. <i>Journal of Computer Assisted Tomography</i> , 2008, 32, 541-547.	0.9	7
36	Acute Cholecystitis: MR Findings and Differentiation from Chronic Cholecystitis. <i>Radiology</i> , 2007, 244, 174-183.	7.3	75

#	ARTICLE	IF	CITATIONS
37	Liver MR Imaging: 1.5T versus 3T. Magnetic Resonance Imaging Clinics of North America, 2007, 15, 321-347.	1.1	65
38	Accuracy of magnetic resonance imaging for preoperative detection of portal vein thrombosis in liver transplant candidates. Liver Transplantation, 2006, 12, 1682-1688.	2.4	28