
Rolv Skjaerven

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11586226/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Cohort profile: The Norwegian Mother and Child Cohort Study (MoBa). International Journal of Epidemiology, 2006, 35, 1146-1150. | 1.9 | 886 |
| 2 | Selfâ€selection and bias in a large prospective pregnancy cohort in Norway. Paediatric and Perinatal Epidemiology, 2009, 23, 597-608. | 1.7 | 665 |
| 3 | Preeclampsia and the Risk of End-Stage Renal Disease. New England Journal of Medicine, 2008, 359, 800-809. | 27.0 | 569 |
| 4 | The Interval between Pregnancies and the Risk of Preeclampsia. New England Journal of Medicine, 2002, 346, 33-38. | 27.0 | 349 |
| 5 | Genetic and Environmental Influences on Birth Weight, Birth Length, Head Circumference, and Gestational Age by Use of Population-based Parent-Offspring Data. American Journal of Epidemiology, 2007, 165, 734-741. | 3.4 | 324 |
| 6 | Effects of technology or maternal factors on perinatal outcome after assisted fertilisation: a population-based cohort study. Lancet, The, 2008, 372, 737-743. | 13.7 | 321 |
| 7 | Perinatal outcomes of children born after frozen-thawed embryo transfer: a Nordic cohort study from the CoNARTaS group. Human Reproduction, 2013, 28, 2545-2553. | 0.9 | 303 |
| 8 | Association of Preterm Birth With Long-term Survival, Reproduction, and Next-Generation Preterm Birth. JAMA - Journal of the American Medical Association, 2008, 299, 1429. | 7.4 | 279 |
| 9 | Recurrence of pre-eclampsia across generations: exploring fetal and maternal genetic components in a population based cohort. BMJ: British Medical Journal, 2005, 331, 877. | 2.3 | 252 |
| 10 | Men's body mass index and infertility. Human Reproduction, 2007, 22, 2488-2493. | 0.9 | 251 |
| 11 | Increased risk of placenta previa in pregnancies following IVF/ICSI; a comparison of ART and non-ART pregnancies in the same mother. Human Reproduction, 2006, 21, 2353-2358. | 0.9 | 246 |
| 12 | Is preâ€eclampsia more than one disease?. BJOG: an International Journal of Obstetrics and Gynaecology, 2004, 111, 298-302. | 2.3 | 245 |
| 13 | The spectrum of congenital anomalies of the VATER association: An international study. American Journal of Medical Genetics Part A, 1997, 71, 8-15. | 2.4 | 226 |
| 14 | Offspring sex and pregnancy outcome by length of gestation. Early Human Development, 2004, 76, 47-54. | 1.8 | 223 |
| 15 | Birthweight by gestational age in Norway. Acta Obstetricia Et Gynecologica Scandinavica, 2000, 79, 440-449. | 2.8 | 216 |
| 16 | Trends in Fetal and Infant Survival Following Preeclampsia. JAMA - Journal of the American Medical Association, 2006, 296, 1357. | 7.4 | 200 |
| 17 | A Population-Based Study of the Risk of Recurrence of Birth Defects. New England Journal of Medicine, 1994, 331, 1-4. | 27.0 | 182 |
| 18 | Familial risk of oral clefts by morphological type and severity: population based cohort study of first degree relatives. BMJ: British Medical Journal, 2008, 336, 432-434. | 2.3 | 170 |

Rolv Skjaerven

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cardiovascular mortality after pre-eclampsia in one child mothers: prospective, population based cohort study. BMJ, The, 2012, 345, e7677-e7677. | 6.0 | 159 |
| 20 | Familial Patterns of Preterm Delivery: Maternal and Fetal Contributions. American Journal of Epidemiology, 2008, 167, 474-479. | 3.4 | 137 |
| 21 | Size at Birth and Gestational Age as Predictors of Adult Height and Weight. Epidemiology, 2005, 16, 175-181. | 2.7 | 121 |
| 22 | Perfluorinated Compounds and Subfecundity in Pregnant Women. Epidemiology, 2012, 23, 257-263. | 2.7 | 116 |
| 23 | Recurrence risk in hyperemesis gravidarum. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 1641-1645. | 2.3 | 102 |
| 24 | Perfluorinated Compounds in Relation to Birth Weight in the Norwegian Mother and Child Cohort Study. American Journal of Epidemiology, 2012, 175, 1209-1216. | 3.4 | 100 |
| 25 | Secular trends in the epidemiology of preâ€eclampsia throughout 40 years in Norway: prevalence, risk factors and perinatal survival. Paediatric and Perinatal Epidemiology, 2012, 26, 190-198. | 1.7 | 96 |
| 26 | Parent-Offspring Body Mass Index Associations in the Norwegian Mother and Child Cohort Study: A Family-based Approach to Studying the Role of the Intrauterine Environment in Childhood Adiposity. American Journal of Epidemiology, 2012, 176, 83-92. | 3.4 | 95 |
| 27 | <i>In Utero</i> Exposure to Maternal Tobacco Smoke and Subsequent Obesity, Hypertension, and Gestational Diabetes Among Women in The MoBa Cohort. Environmental Health Perspectives, 2012, 120, 355-360. | 6.0 | 76 |
| 28 | Associations of Birth Size, Gestational Age, and Adult Size with Intellectual Performance: Evidence From a Cohort of Norwegian Men. Pediatric Research, 2007, 62, 636-642. | 2.3 | 73 |
| 29 | Cancer in children and young adults born after assisted reproductive technology: a Nordic cohort study from the Committee of Nordic ART and Safety (CoNARTaS). Human Reproduction, 2014, 29, 2050-2057. | 0.9 | 65 |
| 30 | In utero exposure to tobacco smoke and subsequent reduced fertility in females. Human Reproduction, 2010, 25, 2901-2906. | 0.9 | 58 |
| 31 | Maternal and Paternal Influences on Length of Pregnancy. Obstetrics and Gynecology, 2006, 107, 880-885. | 2.4 | 57 |
| 32 | Exercise during Pregnancy and the Gestational Age Distribution. Medicine and Science in Sports and Exercise, 2012, 44, 1067-1074. | 0.4 | 50 |
| 33 | Paternal age and the risk of birth defects in Norway. Annals of Epidemiology, 2004, 14, 566-570. | 1.9 | 49 |
| 34 | Monitoring For Multiple Congenital Anomalies: An International Perspective. Epidemiologic Reviews, 1994, 16, 335-350. | 3.5 | 43 |
| 35 | Previous abortions and risk of pre-eclampsia. International Journal of Epidemiology, 2008, 37, 1333-1340. | 1.9 | 43 |
| 36 | Infant and maternal health monitoring using a combined Nordic database on ART and safety. Acta Obstetricia Et Gynecologica Scandinavica, 2011, 90, 683-691. | 2.8 | 43 |

ROLV SKJAERVEN

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Preâ€pregnant body mass index, gestational weight gain and the risk of operative delivery. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 809-815. | 2.8 | 39 |
| 38 | Breech Delivery and Intelligence: A Population-Based Study of 8,738 Breech Infants. Obstetrics and Gynecology, 2005, 105, 4-11. | 2.4 | 38 |
| 39 | Birth outcomes among offspring of adult cancer survivors: A population-based study. International Journal of Cancer, 2013, 133, n/a-n/a. | 5.1 | 36 |
| 40 | Effects on pregnancy outcome of changing partner between first two births: prospective population study. BMJ: British Medical Journal, 2003, 327, 1138-0. | 2.3 | 35 |
| 41 | Recurrence of hyperemesis gravidarum across generations: population based cohort study. BMJ, The, 2010, 340, c2050. | 6.0 | 34 |
| 42 | Smoking during pregnancy from 1999 to 2004: a study from the Medical Birth Registry of Norway. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 280-285. | 2.8 | 30 |
| 43 | Birthweight and perinatal mortality: paradoxes, social class, and sibling dependencies. International Journal of Epidemiology, 2003, 32, 625-632. | 1.9 | 29 |
| 44 | Assisted fertilization and breech delivery: risks and obstetric management. Human Reproduction, 2009, 24, 3205-3210. | 0.9 | 25 |
| 45 | Are adverse pregnancy outcomes risk factors for development of end-stage renal disease in women with diabetes?. Nephrology Dialysis Transplantation, 2010, 25, 3600-3607. | 0.7 | 25 |
| 46 | Exposure to Tobacco Smoke <i>in Utero</i> and Subsequent Plasma Lipids, ApoB, and CRP among Adult Women in the MoBa Cohort. Environmental Health Perspectives, 2012, 120, 1532-1537. | 6.0 | 25 |
| 47 | Risk factors for recurrence of hypertensive disorders of pregnancy, a populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2017, 96, 243-250. | 2.8 | 25 |
| 48 | Maternal Epilepsy and Offsprings' Adult Intelligence: A Population-Based Study from Norway. Epilepsia, 2007, 48, 1731-1738. | 5.1 | 20 |
| 49 | Families with Birth Defects: Is Birth Weight of Nonmalformed Siblings Affected?. American Journal of Epidemiology, 2002, 155, 932-940. | 3.4 | 14 |
| 50 | Recurrence of Stillbirth in Sibships: Population-based Cohort Study. American Journal of Epidemiology, 2010, 172, 1123-1130. | 3.4 | 14 |
| 51 | Low birthweight and mortality: the tendency to repeat low birthweight and its association with early neonatal and infant morbidity and mortality. Paediatric and Perinatal Epidemiology, 2006, 20, 507-511. | 1.7 | 13 |
| 52 | Change in paternity, risk of placental abruption and confounding by birth interval: a population-based prospective cohort study in Norway, 1967-2009. BMJ Open, 2015, 5, e007023-e007023. | 1.9 | 12 |
| 53 | Prenatal exposure to dental amalgam and pregnancy outcome. Community Dentistry and Oral Epidemiology, 2016, 44, 442-449. | 1.9 | 12 |
| 54 | Intergenerational birth weight associations by mother's birth order — The mechanisms behind the paradox: A population-based cohort study. Early Human Development, 2009, 85, 577-581. | 1.8 | 10 |

Rolv Skjaerven

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Sex differences in parent–offspring recurrence of attentionâ€deficit/hyperactivity disorder. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2021, 62, 1010-1018. | 5.2 | 10 |
| 56 | Exposure to dental amalgam restorations in pregnant women. Community Dentistry and Oral Epidemiology, 2010, 38, 460-469. | 1.9 | 9 |
| 57 | Adverse Infant Outcomes Associated with Discordant Gestational Age Estimates. Paediatric and Perinatal Epidemiology, 2016, 30, 541-549. | 1.7 | 9 |
| 58 | Chronic Hypertension in Women after Perinatal Exposure to Preeclampsia, Being Born Small for Gestational Age or Preterm. Paediatric and Perinatal Epidemiology, 2017, 31, 89-98. | 1.7 | 9 |
| 59 | Maternal Smoking Status in Successive Pregnancies and Risk of Having a Small for Gestational Age Infant. Paediatric and Perinatal Epidemiology, 2017, 31, 21-28. | 1.7 | 9 |
| 60 | Mothers' and fathers' birth characteristics and perinatal mortality in their offspring: a populationâ€based cohort study. Paediatric and Perinatal Epidemiology, 2010, 24, 282-292. | 1.7 | 7 |
| 61 | Reproducibility of Reported In Utero Exposure to Tobacco Smoke. Annals of Epidemiology, 2011, 21, 48-52. | 1.9 | 6 |
| 62 | Outcomes of pregnancies following a birth with major birth defects: A population based study. Early Human Development, 2008, 84, 651-657. | 1.8 | 5 |
| 63 | Can â€ ⁻ Early Programming' Be Partly Explained by Smoking? Results from a Prospective, Populationâ€Based Cohort Study. Paediatric and Perinatal Epidemiology, 2015, 29, 50-59. | 1.7 | 3 |
| 64 | Sex of the firstâ€born and obstetric complications in the subsequent birth. A study of 2.3 million second births from Denmark, Finland, Norway, and Sweden. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 1381-1386. | 2.8 | 3 |
| 65 | Risk of having one lifetime pregnancy and modification by outcome of pregnancy and perinatal loss. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 753-760. | 2.8 | 2 |