
Debkumar Pain

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11588204/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	lonizing radiation-induced metabolic oxidative stress and prolonged cell injury. Cancer Letters, 2012, 327, 48-60.	3.2	1,019
2	Identification of a receptor for protein import into chloroplasts and its localization to envelope contact zones. Nature, 1988, 331, 232-237.	13.7	210
3	Yeast Mitochondrial Protein, Nfs1p, Coordinately Regulates Iron-Sulfur Cluster Proteins, Cellular Iron Uptake, and Iron Distribution. Journal of Biological Chemistry, 1999, 274, 33025-33034.	1.6	172
4	Mt-Hsp70 Homolog, Ssc2p, Required for Maturation of Yeast Frataxin and Mitochondrial Iron Homeostasis. Journal of Biological Chemistry, 1998, 273, 18389-18393.	1.6	160
5	Dre2, a Conserved Eukaryotic Fe/S Cluster Protein, Functions in Cytosolic Fe/S Protein Biogenesis. Molecular and Cellular Biology, 2008, 28, 5569-5582.	1.1	145
6	Bimodal Targeting of Microsomal CYP2E1 to Mitochondria through Activation of an N-terminal Chimeric Signal by cAMP-mediated Phosphorylation. Journal of Biological Chemistry, 2002, 277, 40583-40593.	1.6	135
7	Long-Term Consequences of Radiation-Induced Bystander Effects Depend on Radiation Quality and Dose and Correlate with Oxidative Stress. Radiation Research, 2011, 175, 405-415.	0.7	130
8	Frataxin and Mitochondrial FeS Cluster Biogenesis. Journal of Biological Chemistry, 2010, 285, 26737-26743.	1.6	128
9	Identification of a receptor for protein import into mitochondria. Nature, 1990, 347, 444-449.	13.7	123
10	Adrenodoxin Reductase Homolog (Arh1p) of Yeast Mitochondria Required for Iron Homeostasis. Journal of Biological Chemistry, 2001, 276, 1503-1509.	1.6	111
11	Protein A: nature's universal anti-antibody. Trends in Biochemical Sciences, 1982, 7, 74-76.	3.7	108
12	Mrs3p, Mrs4p, and Frataxin Provide Iron for Fe-S Cluster Synthesis in Mitochondria. Journal of Biological Chemistry, 2006, 281, 22493-22502.	1.6	91
13	Frataxin Directly Stimulates Mitochondrial Cysteine Desulfurase by Exposing Substrate-binding Sites, and a Mutant Fe-S Cluster Scaffold Protein with Frataxin-bypassing Ability Acts Similarly. Journal of Biological Chemistry, 2013, 288, 36773-36786.	1.6	85
14	Mitochondrial Complex II Dysfunction Can Contribute Significantly to Genomic Instability after Exposure to Ionizing Radiation. Radiation Research, 2009, 172, 737-745.	0.7	83
15	lsolation and characterization of the gene for a yeast mitochondrial import receptor. Nature, 1990, 347, 488-491.	13.7	82
16	Role of the translationally controlled tumor protein in DNA damage sensing and repair. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E926-33.	3.3	78
17	J-domain Protein, Jac1p, of Yeast Mitochondria Required for Iron Homeostasis and Activity of Fe-S Cluster Proteins. Journal of Biological Chemistry, 2001, 276, 17524-17532.	1.6	71
18	A novel role of Mgm1p, a dynamin-related GTPase, in ATP synthase assembly and cristae formation/maintenance. Biochemical Journal, 2004, 381, 19-23.	1.7	71

Debkumar Pain

#	Article	IF	CITATIONS
19	Persulfide formation on mitochondrial cysteine desulfurase: enzyme activation by a eukaryote-specific interacting protein and Fe–S cluster synthesis. Biochemical Journal, 2012, 448, 171-187.	1.7	58
20	Roles of Fe–S proteins: from cofactor synthesis to iron homeostasis to protein synthesis. Current Opinion in Genetics and Development, 2016, 38, 45-51.	1.5	55
21	Mitochondria export iron–sulfur and sulfur intermediates to the cytoplasm for iron–sulfur cluster assembly and tRNA thiolation in yeast. Journal of Biological Chemistry, 2019, 294, 9489-9502.	1.6	54
22	The Yeast Connection to Friedreich Ataxia. American Journal of Human Genetics, 1999, 64, 365-371.	2.6	47
23	Normal Human Fibroblasts Exposed to High- or Low-Dose Ionizing Radiation: Differential Effects on Mitochondrial Protein Import and Membrane Potential. Antioxidants and Redox Signaling, 2006, 8, 1253-1261.	2.5	45
24	Mutation in the Fe–S scaffold protein Isu bypasses frataxin deletion. Biochemical Journal, 2012, 441, 473-480.	1.7	43
25	Rim2, a pyrimidine nucleotide exchanger, is needed for iron utilization in mitochondria. Biochemical Journal, 2011, 440, 137-146.	1.7	42
26	A Multisubunit Complex of Outer and Inner Mitochondrial Membrane Protein Translocases Stabilized in Vivo by Translocation Intermediates. Journal of Biological Chemistry, 1999, 274, 22847-22854.	1.6	41
27	Nucleoside diphosphate kinase of Saccharomyces cerevisiae, Ynk1p: localization to the mitochondrial intermembrane space. Biochemical Journal, 2003, 370, 805-815.	1.7	41
28	GTP in the mitochondrial matrix plays a crucial role in organellar iron homoeostasis1. Biochemical Journal, 2006, 400, 163-168.	1.7	41
29	Health Risks of Space Exploration: Targeted and Nontargeted Oxidative Injury by High-Charge and High-Energy Particles. Antioxidants and Redox Signaling, 2014, 20, 1501-1523.	2.5	40
30	GTP Is Required for Iron-Sulfur Cluster Biogenesis in Mitochondria. Journal of Biological Chemistry, 2008, 283, 1362-1371.	1.6	36
31	Preparation of protein A-peroxidase monoconjugate using a heterobifunctional reagent, and its use in enzyme immunoassays. Journal of Immunological Methods, 1981, 40, 219-230.	0.6	34
32	Distinct roles for two N-terminal cleaved domains in mitochondrial import of the yeast frataxin homolog, Yfh1p. Human Molecular Genetics, 2001, 10, 259-269.	1.4	34
33	Frataxin-bypassing Isu1: characterization of the bypass activity in cells and mitochondria. Biochemical Journal, 2014, 459, 71-81.	1.7	34
34	GTP Hydrolysis Is Essential for Protein Import into the Mitochondrial Matrix. Journal of Biological Chemistry, 1998, 273, 1420-1424.	1.6	33
35	Turning Saccharomyces cerevisiae into a Frataxin-Independent Organism. PLoS Genetics, 2015, 11, e1005135.	1.5	33
36	Mitochondrial NADH Kinase, Pos5p, Is Required for Efficient Iron-Sulfur Cluster Biogenesis in Saccharomyces cerevisiae. Journal of Biological Chemistry, 2010, 285, 39409-39424.	1.6	32

Debkumar Pain

#	Article	IF	CITATIONS
37	A GTP-dependent "Push―Is Generally Required for Efficient Protein Translocation across the Mitochondrial Inner Membrane into the Matrix. Journal of Biological Chemistry, 1998, 273, 20941-20950.	1.6	28
38	Fe-S Cluster Biogenesis in Isolated Mammalian Mitochondria. Journal of Biological Chemistry, 2015, 290, 640-657.	1.6	28
39	Mitochondria Export Sulfur Species Required for Cytosolic tRNA Thiolation. Cell Chemical Biology, 2018, 25, 738-748.e3.	2.5	28
40	Mitochondrial Two-Component Signaling Systems in Candida albicans. Eukaryotic Cell, 2013, 12, 913-922.	3.4	27
41	Self-association and precursor protein binding of Saccharomyces cerevisiae Tom40p, the core component of the protein translocation channel of the mitochondrial outer membrane. Biochemical Journal, 2001, 356, 207-215.	1.7	24
42	Identification of a Nfs1p-bound persulfide intermediate in Fe–S cluster synthesis by intact mitochondria. Mitochondrion, 2012, 12, 539-549.	1.6	23
43	Mechanisms of mitochondrial protein import. Essays in Biochemistry, 2000, 36, 61-73.	2.1	23
44	Chapter 14 Nucleotideâ€Dependent Ironâ€Sulfur Cluster Biogenesis of Endogenous and Imported Apoproteins in Isolated Intact Mitochondria. Methods in Enzymology, 2009, 456, 247-266.	0.4	21
45	Self-association and precursor protein binding of Saccharomyces cerevisiae Tom40p, the core component of the protein translocation channel of the mitochondrial outer membrane. Biochemical Journal, 2001, 356, 207.	1.7	21
46	Co-precipitation of Phosphate and Iron Limits Mitochondrial Phosphate Availability in Saccharomyces cerevisiae Lacking the Yeast Frataxin Homologue (YFH1). Journal of Biological Chemistry, 2011, 286, 6071-6079.	1.6	18
47	In vitro characterization of a novel Isu homologue from Drosophila melanogaster for de novo FeS-cluster formation. Metallomics, 2017, 9, 48-60.	1.0	16
48	Cysteine desulfurase is regulated by phosphorylation of Nfs1 in yeast mitochondria. Mitochondrion, 2018, 40, 29-41.	1.6	10
49	lsd11p Protein Activates the Mitochondrial Cysteine Desulfurase Nfs1p Protein. Journal of Biological Chemistry, 2011, 286, 38242-38252.	1.6	9
50	Protein a-enzyme monoconjugate as a versatile tool for enzyme immunoassays. FEBS Letters, 1979, 107, 73-76.	1.3	8
51	A GTP:AMP Phosphotransferase, Adk2p, in Saccharomyces cerevisiae. Journal of Biological Chemistry, 2005, 280, 18604-18609.	1.6	8
52	Splitting the functions of Rim2, a mitochondrial iron/pyrimidine carrier. Mitochondrion, 2019, 47, 256-265.	1.6	8
53	[11] Preparation of protein A—Enzyme monoconjugate and its use as a reagent in enzyme immunoassays. Methods in Enzymology, 1981, , 176-191.	0.4	6
54	Import receptor in chloroplast envelope. Nature, 1988, 333, 307-307.	13.7	4

#	Article	IF	CITATIONS
55	Machinery for Protein Import into Chloroplasts and Mitochondria. , 1991, 13, 153-166.		3
56	Nfs1 cysteine desulfurase protein complexes and phosphorylation sites as assessed by mass spectrometry. Data in Brief, 2017, 15, 775-799.	0.5	2
57	15. Fe-S cluster assembly and regulation in yeast. , 2014, , 367-410.		0
58	6 Fe-S cluster assembly and regulation in yeast. , 2017, , 117-160.		0
59	Frataxin or a mutant Feâ€S cluster scaffold protein with frataxinâ€bypassing ability directly stimulates mitochondrial cysteine desulfurase by exposing substrateâ€binding sites (578.4). FASEB Journal, 2014, 28, 578.4.	0.2	0