

# Debkumar Pain

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11588204/publications.pdf>

Version: 2024-02-01

59  
papers

4,060  
citations

136740

32  
h-index

155451

55  
g-index

59  
all docs

59  
docs citations

59  
times ranked

4600  
citing authors

#	ARTICLE	IF	CITATIONS
1	Splitting the functions of Rim2, a mitochondrial iron/pyrimidine carrier. <i>Mitochondrion</i> , 2019, 47, 256-265.	1.6	8
2	Mitochondria export iron-sulfur and sulfur intermediates to the cytoplasm for iron-sulfur cluster assembly and tRNA thiolation in yeast. <i>Journal of Biological Chemistry</i> , 2019, 294, 9489-9502.	1.6	54
3	Mitochondria Export Sulfur Species Required for Cytosolic tRNA Thiolation. <i>Cell Chemical Biology</i> , 2018, 25, 738-748.e3.	2.5	28
4	Cysteine desulfurase is regulated by phosphorylation of Nfs1 in yeast mitochondria. <i>Mitochondrion</i> , 2018, 40, 29-41.	1.6	10
5	Nfs1 cysteine desulfurase protein complexes and phosphorylation sites as assessed by mass spectrometry. <i>Data in Brief</i> , 2017, 15, 775-799.	0.5	2
6	In vitro characterization of a novel Isu homologue from <i>Drosophila melanogaster</i> for de novo Fe-S-cluster formation. <i>Metallomics</i> , 2017, 9, 48-60.	1.0	16
7	6 Fe-S cluster assembly and regulation in yeast. , 2017, , 117-160.		0
8	Roles of Fe-S proteins: from cofactor synthesis to iron homeostasis to protein synthesis. <i>Current Opinion in Genetics and Development</i> , 2016, 38, 45-51.	1.5	55
9	Fe-S Cluster Biogenesis in Isolated Mammalian Mitochondria. <i>Journal of Biological Chemistry</i> , 2015, 290, 640-657.	1.6	28
10	Turning <i>Saccharomyces cerevisiae</i> into a Frataxin-Independent Organism. <i>PLoS Genetics</i> , 2015, 11, e1005135.	1.5	33
11	15. Fe-S cluster assembly and regulation in yeast. , 2014, , 367-410.		0
12	Health Risks of Space Exploration: Targeted and Nontargeted Oxidative Injury by High-Charge and High-Energy Particles. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 1501-1523.	2.5	40
13	Frataxin-bypassing Isu1: characterization of the bypass activity in cells and mitochondria. <i>Biochemical Journal</i> , 2014, 459, 71-81.	1.7	34
14	Frataxin or a mutant Fe-S cluster scaffold protein with frataxin-bypassing ability directly stimulates mitochondrial cysteine desulfurase by exposing substrate-binding sites (578.4). <i>FASEB Journal</i> , 2014, 28, 578.4.	0.2	0
15	Frataxin Directly Stimulates Mitochondrial Cysteine Desulfurase by Exposing Substrate-binding Sites, and a Mutant Fe-S Cluster Scaffold Protein with Frataxin-bypassing Ability Acts Similarly. <i>Journal of Biological Chemistry</i> , 2013, 288, 36773-36786.	1.6	85
16	Mitochondrial Two-Component Signaling Systems in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2013, 12, 913-922.	3.4	27
17	Persulfide formation on mitochondrial cysteine desulfurase: enzyme activation by a eukaryote-specific interacting protein and Fe-S cluster synthesis. <i>Biochemical Journal</i> , 2012, 448, 171-187.	1.7	58
18	Role of the translationally controlled tumor protein in DNA damage sensing and repair. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E926-33.	3.3	78

#	ARTICLE	IF	CITATIONS
19	Mutation in the Fe-S scaffold protein Isu bypasses frataxin deletion. <i>Biochemical Journal</i> , 2012, 441, 473-480.	1.7	43
20	Ionizing radiation-induced metabolic oxidative stress and prolonged cell injury. <i>Cancer Letters</i> , 2012, 327, 48-60.	3.2	1,019
21	Identification of a Nfs1p-bound persulfide intermediate in Fe-S cluster synthesis by intact mitochondria. <i>Mitochondrion</i> , 2012, 12, 539-549.	1.6	23
22	Rim2, a pyrimidine nucleotide exchanger, is needed for iron utilization in mitochondria. <i>Biochemical Journal</i> , 2011, 440, 137-146.	1.7	42
23	Long-Term Consequences of Radiation-Induced Bystander Effects Depend on Radiation Quality and Dose and Correlate with Oxidative Stress. <i>Radiation Research</i> , 2011, 175, 405-415.	0.7	130
24	Co-precipitation of Phosphate and Iron Limits Mitochondrial Phosphate Availability in <i>Saccharomyces cerevisiae</i> Lacking the Yeast Frataxin Homologue (YFH1). <i>Journal of Biological Chemistry</i> , 2011, 286, 6071-6079.	1.6	18
25	Isd11p Protein Activates the Mitochondrial Cysteine Desulfurase Nfs1p Protein. <i>Journal of Biological Chemistry</i> , 2011, 286, 38242-38252.	1.6	9
26	Mitochondrial NADH Kinase, Pos5p, Is Required for Efficient Iron-Sulfur Cluster Biogenesis in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2010, 285, 39409-39424.	1.6	32
27	Frataxin and Mitochondrial FeS Cluster Biogenesis. <i>Journal of Biological Chemistry</i> , 2010, 285, 26737-26743.	1.6	128
28	Mitochondrial Complex II Dysfunction Can Contribute Significantly to Genomic Instability after Exposure to Ionizing Radiation. <i>Radiation Research</i> , 2009, 172, 737-745.	0.7	83
29	Chapter 14 Nucleotide-Dependent Iron-Sulfur Cluster Biogenesis of Endogenous and Imported Apoproteins in Isolated Intact Mitochondria. <i>Methods in Enzymology</i> , 2009, 456, 247-266.	0.4	21
30	GTP Is Required for Iron-Sulfur Cluster Biogenesis in Mitochondria. <i>Journal of Biological Chemistry</i> , 2008, 283, 1362-1371.	1.6	36
31	Dre2, a Conserved Eukaryotic Fe/S Cluster Protein, Functions in Cytosolic Fe/S Protein Biogenesis. <i>Molecular and Cellular Biology</i> , 2008, 28, 5569-5582.	1.1	145
32	GTP in the mitochondrial matrix plays a crucial role in organellar iron homeostasis. <i>Biochemical Journal</i> , 2006, 400, 163-168.	1.7	41
33	Mrs3p, Mrs4p, and Frataxin Provide Iron for Fe-S Cluster Synthesis in Mitochondria. <i>Journal of Biological Chemistry</i> , 2006, 281, 22493-22502.	1.6	91
34	Normal Human Fibroblasts Exposed to High- or Low-Dose Ionizing Radiation: Differential Effects on Mitochondrial Protein Import and Membrane Potential. <i>Antioxidants and Redox Signaling</i> , 2006, 8, 1253-1261.	2.5	45
35	A GTP:AMP Phosphotransferase, Adk2p, in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 18604-18609.	1.6	8
36	A novel role of Mgm1p, a dynamin-related GTPase, in ATP synthase assembly and cristae formation/maintenance. <i>Biochemical Journal</i> , 2004, 381, 19-23.	1.7	71

#	ARTICLE	IF	CITATIONS
37	Nucleoside diphosphate kinase of <i>Saccharomyces cerevisiae</i> , Ynk1p: localization to the mitochondrial intermembrane space. <i>Biochemical Journal</i> , 2003, 370, 805-815.	1.7	41
38	Bimodal Targeting of Microsomal CYP2E1 to Mitochondria through Activation of an N-terminal Chimeric Signal by cAMP-mediated Phosphorylation. <i>Journal of Biological Chemistry</i> , 2002, 277, 40583-40593.	1.6	135
39	Self-association and precursor protein binding of <i>Saccharomyces cerevisiae</i> Tom40p, the core component of the protein translocation channel of the mitochondrial outer membrane. <i>Biochemical Journal</i> , 2001, 356, 207-215.	1.7	24
40	Adrenodoxin Reductase Homolog (Arh1p) of Yeast Mitochondria Required for Iron Homeostasis. <i>Journal of Biological Chemistry</i> , 2001, 276, 1503-1509.	1.6	111
41	Distinct roles for two N-terminal cleaved domains in mitochondrial import of the yeast frataxin homolog, Yfh1p. <i>Human Molecular Genetics</i> , 2001, 10, 259-269.	1.4	34
42	J-domain Protein, Jac1p, of Yeast Mitochondria Required for Iron Homeostasis and Activity of Fe-S Cluster Proteins. <i>Journal of Biological Chemistry</i> , 2001, 276, 17524-17532.	1.6	71
43	Self-association and precursor protein binding of <i>Saccharomyces cerevisiae</i> Tom40p, the core component of the protein translocation channel of the mitochondrial outer membrane. <i>Biochemical Journal</i> , 2001, 356, 207.	1.7	21
44	Mechanisms of mitochondrial protein import. <i>Essays in Biochemistry</i> , 2000, 36, 61-73.	2.1	23
45	Yeast Mitochondrial Protein, Nfs1p, Coordinately Regulates Iron-Sulfur Cluster Proteins, Cellular Iron Uptake, and Iron Distribution. <i>Journal of Biological Chemistry</i> , 1999, 274, 33025-33034.	1.6	172
46	A Multisubunit Complex of Outer and Inner Mitochondrial Membrane Protein Translocases Stabilized in Vivo by Translocation Intermediates. <i>Journal of Biological Chemistry</i> , 1999, 274, 22847-22854.	1.6	41
47	The Yeast Connection to Friedreich Ataxia. <i>American Journal of Human Genetics</i> , 1999, 64, 365-371.	2.6	47
48	A GTP-dependent "Push" Is Generally Required for Efficient Protein Translocation across the Mitochondrial Inner Membrane into the Matrix. <i>Journal of Biological Chemistry</i> , 1998, 273, 20941-20950.	1.6	28
49	Mt-Hsp70 Homolog, Ssc2p, Required for Maturation of Yeast Frataxin and Mitochondrial Iron Homeostasis. <i>Journal of Biological Chemistry</i> , 1998, 273, 18389-18393.	1.6	160
50	GTP Hydrolysis Is Essential for Protein Import into the Mitochondrial Matrix. <i>Journal of Biological Chemistry</i> , 1998, 273, 1420-1424.	1.6	33
51	Machinery for Protein Import into Chloroplasts and Mitochondria. , 1991, 13, 153-166.		3
52	Identification of a receptor for protein import into mitochondria. <i>Nature</i> , 1990, 347, 444-449.	13.7	123
53	Isolation and characterization of the gene for a yeast mitochondrial import receptor. <i>Nature</i> , 1990, 347, 488-491.	13.7	82
54	Identification of a receptor for protein import into chloroplasts and its localization to envelope contact zones. <i>Nature</i> , 1988, 331, 232-237.	13.7	210

#	ARTICLE	IF	CITATIONS
55	Import receptor in chloroplast envelope. <i>Nature</i> , 1988, 333, 307-307.	13.7	4
56	Protein A: nature's universal anti-antibody. <i>Trends in Biochemical Sciences</i> , 1982, 7, 74-76.	3.7	108
57	Preparation of protein A-peroxidase monoconjugate using a heterobifunctional reagent, and its use in enzyme immunoassays. <i>Journal of Immunological Methods</i> , 1981, 40, 219-230.	0.6	34
58	[11] Preparation of protein A-Enzyme monoconjugate and its use as a reagent in enzyme immunoassays. <i>Methods in Enzymology</i> , 1981, , 176-191.	0.4	6
59	Protein a-enzyme monoconjugate as a versatile tool for enzyme immunoassays. <i>FEBS Letters</i> , 1979, 107, 73-76.	1.3	8