

Markku J Kauppi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1159243/markku-j-kauppi-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

1,132
citations

19
h-index

33
g-index

55
ext. papers

1,307
ext. citations

3.9
avg, IF

3.69
L-index

#	Paper	IF	Citations
54	Psoriatic arthritis, axial spondyloarthritis and rheumatoid arthritis in Norway: nationwide prevalence and use of biologic agents.. <i>Scandinavian Journal of Rheumatology</i> , 2022 , 1-9	1.9	0
53	Adalimumab and sulfasalazine in alleviating sacroiliac and aortic inflammation detected in PET/CT in patients with axial spondyloarthritis: PETSPA. <i>Immunity, Inflammation and Disease</i> , 2021 ,	2.4	1
52	Analgesic purchases among older adults - a population-based study. <i>BMC Public Health</i> , 2021 , 21, 256	4.1	2
51	Decreasing trend in the incidence of serious pneumonias in Finnish children with juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2020 , 39, 853-860	3.9	1
50	Cervical Spine Involvement among Patients with Rheumatoid Arthritis Treated Actively with Treat-to-target Strategy: 10-year Results of the NEO-RACo Study. <i>Journal of Rheumatology</i> , 2020 , 47, 1160-1164	4.1	9
49	Pain-related factors in older adults. <i>Scandinavian Journal of Pain</i> , 2019 , 19, 797-803	1.9	3
48	Early Targeted Combination Treatment With Conventional Synthetic Disease-Modifying Antirheumatic Drugs and Long-Term Outcomes in Rheumatoid Arthritis: Ten-Year Follow-Up Results of a Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2019 , 71, 1450-1458	4.7	3
47	The spectrum of early rheumatoid arthritis practice across the globe: results from a multinational cross sectional survey. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 477-483	2.2	4
46	No increased cardiovascular mortality among early rheumatoid arthritis patients: a nationwide register study in 2000-2008. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 391-8	2.2	18
45	Targeted treatment with a combination of traditional DMARDs produces excellent clinical and radiographic long-term outcomes in early rheumatoid arthritis regardless of initial infliximab. The 5-year follow-up results of a randomised clinical trial, the NEO-RACo trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1954-61	2.4	31
44	The decline in joint replacement surgery in rheumatoid arthritis is associated with a concomitant increase in the intensity of anti-rheumatic therapy: a nationwide register-based study from 1995 through 2010. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 84, 331-7	4.3	69
43	Infliximab for 6 months added on combination therapy in early rheumatoid arthritis: 2-year results from an investigator-initiated, randomised, double-blind, placebo-controlled study (the NEO-RACo Study). <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 851-7	2.4	65
42	The 2010 ACR/EULAR classification criteria for rheumatoid arthritis in the Heinola inception cohort--diagnoses confirmed by long-term follow-up. <i>Clinical Rheumatology</i> , 2012 , 31, 547-51	3.9	14
41	Beware of the biologicals--hospitals may die: the Rheumatism Foundation Hospital, Heinola, Finland (1951-2010). <i>Clinical Rheumatology</i> , 2012 , 31, 1151-4	3.9	3
40	The clinical picture of atlantoaxial subluxation changes when atlantoaxial impaction develops. <i>Joint Bone Spine</i> , 2010 , 77, 159-64	2.9	2
39	Présentation clinique des subluxations atlanto-axoïenne antérieure et verticale. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2010 , 77, 188-193	0.1	
38	Rheumatoid atlantoaxial subluxation can be prevented by intensive use of traditional disease modifying antirheumatic drugs. <i>Journal of Rheumatology</i> , 2009 , 36, 273-8	4.1	37

37	Subaxial cervical vertebrae in patients with juvenile idiopathic arthritis--something special?. <i>Joint Bone Spine</i> , 2009 , 76, 519-23	2.9	14
36	Dimension des vertèbres du rachis cervical subaxial chez les patients atteints d'arthrite juvénile idiopathique : un particularisme ?. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009 , 76, 892-897	0.1	
35	An evaluation of dry eye symptoms and signs in a cohort of children with juvenile idiopathic arthritis. <i>Clinical Ophthalmology</i> , 2009 , 3, 271-5	2.5	7
34	High prevalence of asymptomatic cervical spine subluxation in patients with rheumatoid arthritis waiting for orthopaedic surgery. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 884-8	2.4	95
33	Decreased muscle strength and mobility of the neck in patients with rheumatoid arthritis and atlantoaxial disorders. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005 , 86, 1603-8	2.8	10
32	Why Atlas, why not Heracles: reflections on the rheumatoid cervical spine. <i>Seminars in Arthritis and Rheumatism</i> , 2005 , 34, 637-41	5.3	2
31	Fracture of axial spinous process in a patient with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2005 , 24, 308-9	3.9	1
30	Can we rely on magnetic resonance imaging when evaluating unstable atlantoaxial subluxation?. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 254-6	2.4	25
29	Early and extensive erosiveness in peripheral joints predicts atlantoaxial subluxations in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1808-13		60
28	Cervical spine disorders in patients with rheumatoid arthritis and amyloidosis. <i>Clinical Rheumatology</i> , 2002 , 21, 227-30	3.9	12
27	The cervical spine in patients with psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 650-2	2.4	31
26	The cervical spine in juvenile chronic arthritis. <i>Spine Journal</i> , 2002 , 2, 89-94	4	35
25	The cervical spine in mutilant rheumatoid arthritis. <i>Rheumatology International</i> , 2001 , 20, 225-8	3.6	20
24	Clinical images: Cervical spinal cord compression. <i>Arthritis and Rheumatism</i> , 2001 , 44, 241		1
23	Étude du rachis cervical dans les arthrites chroniques juvéniles mutilantes. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2001 , 68, 859-864	0.1	
22	Exocrine dysfunction of the pancreas in patients with chronic polyarthritis. <i>Journal of Clinical Rheumatology</i> , 2001 , 7, 166-9	1.1	5
21	Cervical spine in patients with juvenile chronic arthritis and amyloidosis. <i>Clinical and Experimental Rheumatology</i> , 2001 , 19, 345-8	2.2	8
20	Combination drug therapy retards the development of rheumatoid atlantoaxial subluxations. <i>Arthritis and Rheumatism</i> , 2000 , 43, 2397-401		73

19	Prevalence of radiological changes in the cervical spine--a cross sectional study after 20 years from presentation of rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2000 , 27, 90-3	4.1	52
18	Primary rheumatic diseases of secondary Sjögren's syndrome. <i>Japanese Journal of Rheumatology</i> , 1999 , 9, 65-68		1
17	Primary rheumatic diseases of secondary Sjögren's syndrome. <i>Japanese Journal of Rheumatology</i> , 1999 , 9, 65-68		
16	Headmaster collar restricts rheumatoid atlantoaxial subluxation. <i>Spine</i> , 1999 , 24, 526-8	3.3	7
15	Sensitivity of lateral view cervical spine radiographs taken in the neutral position in atlantoaxial subluxation in rheumatic diseases. <i>Clinical Rheumatology</i> , 1998 , 17, 511-4	3.9	34
14	Active conservative treatment of atlantoaxial subluxation in rheumatoid arthritis. <i>British Journal of Rheumatology</i> , 1998 , 37, 417-20		35
13	Elevated incidence of hematologic malignancies in patients with Sjögren's syndrome compared with patients with rheumatoid arthritis (Finland). <i>Cancer Causes and Control</i> , 1997 , 8, 201-4	2.8	102
12	A stiff collar for the treatment of rheumatoid atlantoaxial subluxation. <i>Rheumatology</i> , 1996 , 35, 771-4	3.9	17
11	Conservative treatment for rheumatoid cervical spine. <i>Lancet, The</i> , 1996 , 347, 1695	4.0	2
10	Pathogenetic mechanism and prevalence of the stable atlantoaxial subluxation in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 1996 , 23, 831-4	4.1	29
9	A stiff collar can restrict atlantoaxial instability in rheumatoid cervical spine in selected cases. <i>Annals of the Rheumatic Diseases</i> , 1995 , 54, 305-7	2.4	11
8	A method for classification of the posterior atlanto-axial subluxation. <i>Clinical Rheumatology</i> , 1994 , 13, 492-5	3.9	15
7	Prevalence of cervical spine subluxations and dislocations in a community-based rheumatoid arthritis population. <i>Scandinavian Journal of Rheumatology</i> , 1994 , 23, 133-6	1.9	57
6	The rheumatoid cervical spine. <i>Current Opinion in Rheumatology</i> , 1991 , 3, 429-40	5.3	11
5	A multivariate analysis of risk factors for anterior atlantoaxial subluxation and an evaluation of the effect of glucocorticoid treatment on the upper rheumatoid cervical spine. <i>Clinical Rheumatology</i> , 1991 , 10, 413-8	3.9	1
4	Ten-year results of operations for rheumatoid cervical spine disorders. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1991 , 73, 116-20		47
3	The effect of flexion-extension movement on vertical atlantoaxial subluxation measurements. <i>Journal of Rheumatology</i> , 1991 , 18, 1804-9	4.1	5
2	A new method of screening for vertical atlantoaxial dislocation. <i>Journal of Rheumatology</i> , 1990 , 17, 167-72	4.1	40

- 1 Atlantoaxial laxity in rheumatoid arthritis. *Acta Orthopaedica*, **1989**, 60, 379-82