

Angelo Gatta

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11592506/angelo-gatta-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

7,380
citations

49
h-index

82
g-index

152
ext. papers

8,353
ext. citations

6.1
avg, IF

5.14
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 147 | Reversal of type 1 hepatorenal syndrome with the administration of midodrine and octreotide. <i>Hepatology</i> , 1999 , 29, 1690-7 | 11.2 | 424 |
| 146 | Nutrition and survival in patients with liver cirrhosis. <i>Nutrition</i> , 2001 , 17, 445-50 | 4.8 | 369 |
| 145 | Renal failure and bacterial infections in patients with cirrhosis: epidemiology and clinical features. <i>Hepatology</i> , 2007 , 45, 223-9 | 11.2 | 233 |
| 144 | A placebo-controlled clinical trial of nadolol in the prophylaxis of growth of small esophageal varices in cirrhosis. <i>Gastroenterology</i> , 2004 , 127, 476-84 | 13.3 | 221 |
| 143 | Characteristics of minimal hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 2004 , 19, 253-67 | 3.9 | 198 |
| 142 | Clinical features and survival of cirrhotic patients with subclinical cognitive alterations detected by the number connection test and computerized psychometric tests. <i>Hepatology</i> , 1999 , 29, 1662-7 | 11.2 | 194 |
| 141 | Terlipressin plus albumin versus midodrine and octreotide plus albumin in the treatment of hepatorenal syndrome: A randomized trial. <i>Hepatology</i> , 2015 , 62, 567-74 | 11.2 | 193 |
| 140 | Hypoalbuminemia. <i>Internal and Emergency Medicine</i> , 2012 , 7 Suppl 3, S193-9 | 3.7 | 187 |
| 139 | Prevalence and prognostic value of quantified electroencephalogram (EEG) alterations in cirrhotic patients. <i>Journal of Hepatology</i> , 2001 , 35, 37-45 | 13.4 | 186 |
| 138 | The hemodynamic response to medical treatment of portal hypertension as a predictor of clinical effectiveness in the primary prophylaxis of variceal bleeding in cirrhosis. <i>Hepatology</i> , 2000 , 32, 930-4 | 11.2 | 172 |
| 137 | Evaluation of the Acute Kidney Injury Network criteria in hospitalized patients with cirrhosis and ascites. <i>Journal of Hepatology</i> , 2013 , 59, 482-9 | 13.4 | 170 |
| 136 | Prognostic usefulness of hepatic vein catheterization in patients with cirrhosis and esophageal varices. <i>Gastroenterology</i> , 1992 , 102, 973-9 | 13.3 | 156 |
| 135 | Detection of minimal hepatic encephalopathy: normalization and optimization of the Psychometric Hepatic Encephalopathy Score. A neuropsychological and quantified EEG study. <i>Journal of Hepatology</i> , 2008 , 49, 346-53 | 13.4 | 144 |
| 134 | Hepatic arterial resistance in cirrhosis with and without portal vein thrombosis: relationships with portal hemodynamics. <i>Gastroenterology</i> , 1995 , 108, 1152-8 | 13.3 | 119 |
| 133 | Splanchnic vasodilation and hyperdynamic circulatory syndrome in cirrhosis. <i>World Journal of Gastroenterology</i> , 2014 , 20, 2555-63 | 5.6 | 116 |
| 132 | Variability of trail making test, symbol digit test and line trait test in normal people. A normative study taking into account age-dependent decline and sociobiological variables. <i>Aging Clinical and Experimental Research</i> , 2002 , 14, 117-31 | 4.8 | 116 |
| 131 | How to improve care in outpatients with cirrhosis and ascites: a new model of care coordination by consultant hepatologists. <i>Journal of Hepatology</i> , 2013 , 59, 257-64 | 13.4 | 108 |

| | | | |
|-----|---|------|-----|
| 130 | Long-term results of a clinical trial of nadolol with or without isosorbide mononitrate for primary prophylaxis of variceal bleeding in cirrhosis. <i>Hepatology</i> , 2000 , 31, 324-9 | 11.2 | 104 |
| 129 | Squamous cell carcinoma antigen-immunoglobulin M complexes as novel biomarkers for hepatocellular carcinoma. <i>Cancer</i> , 2005 , 103, 2558-65 | 6.4 | 100 |
| 128 | Change in portal flow after liver transplantation: effect on hepatic arterial resistance indices and role of spleen size. <i>Hepatology</i> , 2002 , 35, 601-8 | 11.2 | 82 |
| 127 | Prognostic indicators of risk for first variceal bleeding in cirrhosis: a multicenter study in 711 patients to validate and improve the North Italian Endoscopic Club (NIEC) index. <i>American Journal of Gastroenterology</i> , 2000 , 95, 2915-20 | 0.7 | 82 |
| 126 | Renal vasoconstriction in cirrhosis evaluated by duplex doppler ultrasonography. <i>Hepatology</i> , 1993 , 17, 219-224 | 11.2 | 79 |
| 125 | Role of cytochrome P450-dependent arachidonic acid metabolites in liver physiology and pathophysiology. <i>Prostaglandins and Other Lipid Mediators</i> , 2003 , 72, 51-71 | 3.7 | 78 |
| 124 | Positive cardiac inotropic effect of albumin infusion in rodents with cirrhosis and ascites: molecular mechanisms. <i>Hepatology</i> , 2013 , 57, 266-76 | 11.2 | 77 |
| 123 | Natural history of cirrhotic patients with small esophageal varices: a prospective study. <i>American Journal of Gastroenterology</i> , 2000 , 95, 503-8 | 0.7 | 72 |
| 122 | Randomized clinical study of the efficacy of amiloride and potassium canrenoate in nonazotemic cirrhotic patients with ascites. <i>Hepatology</i> , 1994 , 19, 72-79 | 11.2 | 72 |
| 121 | Prognostic value of galactose elimination capacity, aminopyrine breath test, and ICG clearance in patients with cirrhosis. Comparison with the Pugh score. <i>Digestive Diseases and Sciences</i> , 1991 , 36, 1197-203 | 4 | 72 |
| 120 | Improving the inhibitory control task to detect minimal hepatic encephalopathy. <i>Gastroenterology</i> , 2010 , 139, 510-8, 518.e1-2 | 13.3 | 71 |
| 119 | Prognostic significance of portal hemodynamics in patients with compensated cirrhosis. <i>Journal of Hepatology</i> , 1993 , 17, 56-61 | 13.4 | 71 |
| 118 | SERPINB3, apoptosis and autoimmunity. <i>Autoimmunity Reviews</i> , 2009 , 9, 108-12 | 13.6 | 68 |
| 117 | A pathophysiological interpretation of unresponsiveness to spironolactone in a stepped-care approach to the diuretic treatment of ascites in nonazotemic cirrhotic patients. <i>Hepatology</i> , 1991 , 14, 231-236 | 11.2 | 67 |
| 116 | SERPINB3 induces epithelial-mesenchymal transition. <i>Journal of Pathology</i> , 2010 , 221, 343-56 | 9.4 | 65 |
| 115 | The effect of aging on auditory components of event-related brain potentials. <i>Clinical Neurophysiology</i> , 2008 , 119, 1795-1802 | 4.3 | 65 |
| 114 | Progressive increase of SCCA-IgM immune complexes in cirrhotic patients is associated with development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2006 , 119, 735-40 | 7.5 | 65 |
| 113 | Clinical significance of the evaluation of hepatic reticuloendothelial removal capacity in patients with cirrhosis. <i>Hepatology</i> , 1994 , 19, 628-34 | 11.2 | 65 |

| | | | |
|-----|--|------|----|
| 112 | Sleep-wake abnormalities in patients with cirrhosis. <i>Hepatology</i> , 2014 , 59, 705-12 | 11.2 | 64 |
| 111 | Portal vein thrombosis relevance on liver cirrhosis: Italian Venous Thrombotic Events Registry. <i>Internal and Emergency Medicine</i> , 2016 , 11, 1059-1066 | 3.7 | 62 |
| 110 | Carbon monoxide-mediated activation of large-conductance calcium-activated potassium channels contributes to mesenteric vasodilatation in cirrhotic rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 321, 187-94 | 4.7 | 58 |
| 109 | Diagnostic tools for the detection of subclinical hepatic encephalopathy: comparison of standard and computerized psychometric tests with spectral-EEG. <i>Metabolic Brain Disease</i> , 1996 , 11, 315-27 | 3.9 | 58 |
| 108 | Attention dysfunction in cirrhotic patients: an inquiry on the role of executive control, attention orienting and focusing. <i>Metabolic Brain Disease</i> , 2005 , 20, 115-27 | 3.9 | 57 |
| 107 | Doppler sonography and hepatic vein catheterization in portal hypertension: assessment of agreement in evaluating severity and response to treatment. <i>Journal of Hepatology</i> , 1998 , 28, 622-30 | 13.4 | 56 |
| 106 | Noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler. <i>Ultrasound in Medicine and Biology</i> , 2001 , 27, 901-7 | 3.5 | 55 |
| 105 | Two PKR inhibitor HCV proteins correlate with early but not sustained response to interferon. <i>Gastroenterology</i> , 2000 , 119, 1649-55 | 13.3 | 55 |
| 104 | Different biochemical correlates for different neuropsychiatric abnormalities in patients with cirrhosis. <i>Hepatology</i> , 2011 , 53, 558-66 | 11.2 | 54 |
| 103 | Impairment of response inhibition precedes motor alteration in the early stage of liver cirrhosis: a behavioral and electrophysiological study. <i>Metabolic Brain Disease</i> , 2005 , 20, 381-92 | 3.9 | 52 |
| 102 | Nutritional and prognostic significance of insulin-like growth factor 1 in patients with liver cirrhosis. <i>Nutrition</i> , 1997 , 13, 185-90 | 4.8 | 50 |
| 101 | Visual attention in cirrhotic patients: a study on covert visual attention orienting. <i>Hepatology</i> , 1998 , 27, 1517-23 | 11.2 | 50 |
| 100 | Biological and clinical implications of HBV infection in peripheral blood mononuclear cells. <i>Autoimmunity Reviews</i> , 2008 , 8, 13-7 | 13.6 | 50 |
| 99 | Effects of isosorbide dinitrate on portal hypertension in alcoholic cirrhosis. <i>Journal of Hepatology</i> , 1987 , 4, 174-80 | 13.4 | 49 |
| 98 | Rat mesenteric arterial dilator response to 11,12-epoxyeicosatrienoic acid is mediated by activating heme oxygenase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006 , 291, H1999-2002 | 5.2 | 48 |
| 97 | Cognitive impairment and electroencephalographic alterations before and after liver transplantation: what is reversible?. <i>Liver Transplantation</i> , 2014 , 20, 977-86 | 4.5 | 45 |
| 96 | Mood, cognition and EEG changes during interferon alpha (alpha-IFN) treatment for chronic hepatitis C. <i>Journal of Affective Disorders</i> , 2005 , 84, 93-8 | 6.6 | 45 |
| 95 | Adherence to a moderate sodium restriction diet in outpatients with cirrhosis and ascites: a real-life cross-sectional study. <i>Liver International</i> , 2015 , 35, 1508-15 | 7.9 | 42 |

| | | | |
|----|--|------|----|
| 94 | Study on the Sternberg paradigm in cirrhotic patients without overt hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 1998 , 13, 159-72 | 3.9 | 42 |
| 93 | Electroencephalography in patients with cirrhosis. <i>Gastroenterology</i> , 2011 , 141, 1680-9.e1-2 | 13.3 | 40 |
| 92 | 11,12-epoxyeicosatrienoic acid stimulates heme-oxygenase-1 in endothelial cells. <i>Prostaglandins and Other Lipid Mediators</i> , 2007 , 82, 155-61 | 3.7 | 40 |
| 91 | Treatment of patients with cirrhosis and refractory ascites using LeVeen shunt with titanium tip: Comparison with therapeutic paracentesis*1. <i>Hepatology</i> , 1995 , 22, 124-131 | 11.2 | 40 |
| 90 | Hemodynamic changes of systemic, hepatic, and splenic circulation following triglycyl-lysine-vasopressin administration in alcoholic cirrhosis. <i>Digestive Diseases and Sciences</i> , 1988 , 33, 1103-9 | 4 | 39 |
| 89 | Effects of nadolol treatment on renal and hepatic hemodynamics and function in cirrhotic patients with portal hypertension. <i>American Heart Journal</i> , 1984 , 108, 1167-72 | 4.9 | 39 |
| 88 | Covert hepatic encephalopathy: agreement and predictive validity of different indices. <i>World Journal of Gastroenterology</i> , 2014 , 20, 15756-62 | 5.6 | 39 |
| 87 | Vasoactive factors and hemodynamic mechanisms in the pathophysiology of portal hypertension in cirrhosis. <i>Molecular Aspects of Medicine</i> , 2008 , 29, 119-29 | 16.7 | 38 |
| 86 | Comparison between two high-dose methylprednisolone schedules in the treatment of acute hepatic cellular rejection in liver transplant recipients: a controlled clinical trial. <i>Liver Transplantation</i> , 2002 , 8, 527-34 | 4.5 | 36 |
| 85 | Over-expression of SERPINB3 in hepatoblastoma: a possible insight into the genesis of this tumour?. <i>European Journal of Cancer</i> , 2012 , 48, 1219-26 | 7.5 | 35 |
| 84 | Assessment of alcohol consumption in liver transplant candidates and recipients: the best combination of the tools available. <i>Liver Transplantation</i> , 2014 , 20, 815-22 | 4.5 | 34 |
| 83 | Arterioportal fistulas in patients with liver cirrhosis: usefulness of color Doppler US for screening. <i>Radiology</i> , 2000 , 216, 738-43 | 20.5 | 33 |
| 82 | Neurophysiological investigation of hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 2005 , 20, 369-79 | 3.9 | 32 |
| 81 | Q-T interval prolongation in liver cirrhosis. Reversibility after orthotopic liver transplantation. <i>International Heart Journal</i> , 1998 , 39, 321-9 | | 32 |
| 80 | SERPINB3 modulates TGF-beta expression in chronic liver disease. <i>Laboratory Investigation</i> , 2010 , 90, 1016-23 | 5.9 | 31 |
| 79 | Parenchymal transforming growth factor beta-1: its type II receptor and Smad signaling pathway correlate with inflammation and fibrosis in chronic liver disease of viral etiology. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003 , 18, 1302-8 | 4 | 31 |
| 78 | Induced hyperammonemia may compromise the ability to generate restful sleep in patients with cirrhosis. <i>Hepatology</i> , 2012 , 55, 869-78 | 11.2 | 30 |
| 77 | The influence of environmental factors on sleep quality in hospitalized medical patients. <i>Frontiers in Neurology</i> , 2014 , 5, 267 | 4.1 | 30 |

| | | | |
|----|--|------|----|
| 76 | Simple tools for complex syndromes: a three-level difficulty test for hepatic encephalopathy. <i>Digestive and Liver Disease</i> , 2012 , 44, 957-60 | 3.3 | 30 |
| 75 | Continuous recurrence of type 1 hepatorenal syndrome and long-term treatment with terlipressin and albumin: a new exception to MELD score in the allocation system to liver transplantation?. <i>Journal of Hepatology</i> , 2011 , 55, 491-6 | 13.4 | 30 |
| 74 | Paraumbilical vein patency in cirrhosis: Effects on hepatic hemodynamics evaluated by doppler sonography. <i>Hepatology</i> , 1995 , 22, 1689-1694 | 11.2 | 28 |
| 73 | Importance of the 1-month-effect of nadolol on portal pressure in predicting failure of prevention of rebleeding in cirrhosis. <i>Journal of Hepatology</i> , 1991 , 12, 124-5 | 13.4 | 28 |
| 72 | Nutritional and prognostic significance of serum hypothyroxinemia in hospitalized patients with liver cirrhosis. <i>Journal of Hepatology</i> , 1998 , 28, 115-21 | 13.4 | 27 |
| 71 | Different hemodynamic patterns of alcoholic and viral endstage cirrhosis: analysis of explanted liver weight, degree of fibrosis and splanchnic Doppler parameters. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 256-62 | 2.4 | 27 |
| 70 | Role of the heme oxygenases in abnormalities of the mesenteric circulation in cirrhotic rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 308, 636-43 | 4.7 | 27 |
| 69 | Excessive daytime sleepiness and hepatic encephalopathy: it is worth asking. <i>Metabolic Brain Disease</i> , 2013 , 28, 245-8 | 3.9 | 26 |
| 68 | Top-down and bottom-up processes in the extrastriate cortex of cirrhotic patients: an ERP study. <i>Clinical Neurophysiology</i> , 2006 , 117, 1728-36 | 4.3 | 26 |
| 67 | The role of nitric oxide in the pathogenesis of systemic and splanchnic vasodilation in cirrhotic rats before and after the onset of ascites. <i>Liver International</i> , 2005 , 25, 429-37 | 7.9 | 26 |
| 66 | Prognostic benefit of the addition of a quantitative index of hepatic encephalopathy to the MELD score: the MELD-EEG. <i>Liver International</i> , 2015 , 35, 58-64 | 7.9 | 25 |
| 65 | Clinical significance of worsening portal hypertension during long-term medical treatment in patients with cirrhosis who had been classified as early good-responders on haemodynamic criteria. <i>Journal of Hepatology</i> , 2010 , 52, 45-53 | 13.4 | 25 |
| 64 | Effects of chronic therapy with nadolol on portal hemodynamics and on splanchnic impedance indices using Doppler sonography: comparison between acute and chronic effects. <i>Journal of Hepatology</i> , 1997 , 26, 305-11 | 13.4 | 25 |
| 63 | An abnormal gene expression of the beta-adrenergic system contributes to the pathogenesis of cardiomyopathy in cirrhotic rats. <i>Hepatology</i> , 2008 , 48, 1913-23 | 11.2 | 25 |
| 62 | Acute liver rejection: accuracy and predictive values of doppler US measurements--initial experience. <i>Radiology</i> , 2005 , 235, 651-8 | 20.5 | 25 |
| 61 | The pattern of response to interferon alpha (alpha-IFN) predicts sustained response to a 6-month alpha-IFN and ribavirin retreatment for chronic hepatitis C. TVVH Study Group. <i>Journal of Hepatology</i> , 2000 , 33, 128-34 | 13.4 | 25 |
| 60 | Long-term effect of nadolol or nadolol plus isosorbide-5-mononitrate on renal function and ascites formation in patients with cirrhosis. GTIP Gruppo Triveneto per l'Ipertensione Portale. <i>Hepatology</i> , 1995 , 22, 808-13 | 11.2 | 25 |
| 59 | Hypophosphatemia and renal tubular dysfunction in alcoholics. Are they related to liver function impairment?. <i>Gastroenterology</i> , 1991 , 100, 502-12 | 13.3 | 25 |

| | | | |
|----|--|------|----|
| 58 | Hepatic osteodystrophy. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2014 , 11, 185-91 | | 24 |
| 57 | New ICA criteria for the diagnosis of acute kidney injury in cirrhotic patients: can we use an imputed value of serum creatinine?. <i>Liver International</i> , 2015 , 35, 2108-14 | 7.9 | 23 |
| 56 | Increased myoendothelial gap junctions mediate the enhanced response to epoxyeicosatrienoic acid and acetylcholine in mesenteric arterial vessels of cirrhotic rats. <i>Liver International</i> , 2011 , 31, 881-907 | 7.9 | 20 |
| 55 | Binding and Uptake into Human Hepatocellular Carcinoma Cells of Peptide-Functionalized Gold Nanoparticles. <i>Bioconjugate Chemistry</i> , 2017 , 28, 222-229 | 6.3 | 19 |
| 54 | Olfactory deficits in patients affected by minimal hepatic encephalopathy: a pilot study. <i>Chemical Senses</i> , 2006 , 31, 273-8 | 4.8 | 19 |
| 53 | Effects of amiloride on renal lithium handling in nonazotemic ascitic cirrhotic patients with avid sodium retention. <i>Hepatology</i> , 1992 , 15, 651-4 | 11.2 | 19 |
| 52 | Redistribution of renal blood flow in patients with liver cirrhosis. The role of renal PGE2. <i>Journal of Hepatology</i> , 1986 , 2, 253-61 | 13.4 | 19 |
| 51 | Spontaneous bacterial peritonitis due to carbapenemase-producing <i>Klebsiella pneumoniae</i> : the last therapeutic challenge. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 1234-7 | 2.2 | 18 |
| 50 | Variability of atrial natriuretic peptide plasma levels in ascitic cirrhotics: pathophysiological and clinical implications. <i>Hepatology</i> , 1992 , 16, 1389-94 | 11.2 | 18 |
| 49 | Role of squamous cell carcinoma antigen-1 on liver cells after partial hepatectomy in transgenic mice. <i>International Journal of Molecular Medicine</i> , 2010 , 25, 137-43 | 4.4 | 18 |
| 48 | Hepatic progenitor cells express SerpinB3. <i>BMC Cell Biology</i> , 2014 , 15, 5 | | 17 |
| 47 | Hospitalizations Due to Cirrhosis: Clinical Aspects in a Large Cohort of Italian Patients and Cost Analysis Report. <i>Digestive Diseases</i> , 2017 , 35, 433-438 | 3.2 | 16 |
| 46 | SerpinB3 and Yap Interplay Increases Myc Oncogenic Activity. <i>Scientific Reports</i> , 2015 , 5, 17701 | 4.9 | 16 |
| 45 | SERPINB3 expression on B-cell surface in autoimmune diseases and hepatitis C virus-related chronic liver infection. <i>Experimental Biology and Medicine</i> , 2012 , 237, 793-802 | 3.7 | 16 |
| 44 | Splenic impedance indices: a useful method to monitor patients after liver transplantation?. <i>Hepatology</i> , 1998 , 27, 674-8 | 11.2 | 16 |
| 43 | Relationship between portal blood flow measured by image-directed Doppler ultrasonography and hepatic blood flow measured by indocyanine green constant infusion in patients with cirrhosis. <i>Journal of Clinical Ultrasound</i> , 1995 , 23, 297-303 | 1 | 16 |
| 42 | IgM-linked SerpinB3 and SerpinB4 in sera of patients with chronic liver disease. <i>PLoS ONE</i> , 2012 , 7, e40658 | 5.87 | 16 |
| 41 | Confounders in the detection of minimal hepatic encephalopathy: a neuropsychological and quantified EEG study. <i>Liver International</i> , 2015 , 35, 1524-32 | 7.9 | 15 |

| | | | |
|----|---|------|----|
| 40 | Profiles of HCV core protein and viremia in chronic hepatitis C: possible protective role of core antigen in liver damage. <i>Journal of Medical Virology</i> , 2005 , 76, 55-60 | 19.7 | 15 |
| 39 | Increased activity of guanosine 3R5Rcyclic monophosphate phosphodiesterase in the renal tissue of cirrhotic rats with ascites. <i>Hepatology</i> , 2000 , 31, 304-10 | 11.2 | 15 |
| 38 | MicroRNAs and SerpinB3 in hepatocellular carcinoma. <i>Life Sciences</i> , 2014 , 100, 9-17 | 6.8 | 13 |
| 37 | Visual attention orienting in liver cirrhosis without overt hepatic encephalopathy. <i>Metabolic Brain Disease</i> , 1995 , 10, 335-45 | 3.9 | 13 |
| 36 | Squamous cell carcinoma antigen-IgM is associated with hepatocellular carcinoma in patients with cirrhosis: A prospective study. <i>Digestive and Liver Disease</i> , 2016 , 48, 197-202 | 3.3 | 12 |
| 35 | Specificity of squamous cell carcinoma antigen (SCCA)-IgM detection in patients with HCV infection and rheumatoid factor seropositivity. <i>Journal of Medical Virology</i> , 2013 , 85, 1005-8 | 19.7 | 12 |
| 34 | Central nervous system alterations in liver cirrhosis: the role of portal-systemic shunt and portal hypoperfusion. <i>Metabolic Brain Disease</i> , 2003 , 18, 51-62 | 3.9 | 12 |
| 33 | Session 8 - Complications in the Medical Treatment of Portal Hypertension180-203 | | 12 |
| 32 | Experimental validation of specificity of the squamous cell carcinoma antigen-immunoglobulin M (SCCA-IgM) assay in patients with cirrhosis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010 , 48, 217-23 | 5.9 | 11 |
| 31 | Effect of chronic treatment with nadolol plus isosorbide mononitrate on liver blood flow and liver metabolic activity in cirrhosis. <i>European Journal of Gastroenterology and Hepatology</i> , 1999 , 11, 1221-5 | 2.2 | 11 |
| 30 | The use of human albumin millimicrospheres tagged with 99mTc in the evaluation of the removal capacity of the reticuloendothelial system. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1987 , 13, 254-7 | | 11 |
| 29 | Reference ranges and methodological aspects in the urinary measuring of lysozyme, malate-dehydrogenase, gamma-glutamyltransferase and alpha-glucosidase. <i>Enzyme</i> , 1985 , 33, 216-25 | | 11 |
| 28 | Increased EETs participate in peripheral endothelial dysfunction of cirrhosis. <i>Prostaglandins and Other Lipid Mediators</i> , 2012 , 98, 129-32 | 3.7 | 10 |
| 27 | SERPINB3 is associated with longer survival in transgenic mice. <i>Scientific Reports</i> , 2013 , 3, 3056 | 4.9 | 10 |
| 26 | Effect of potassium canrenoate, an anti-aldosterone agent, on incidence of ascites and variceal progression in cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2006 , 4, 1395-402 | 6.9 | 10 |
| 25 | Covert hepatic encephalopathy: does the mini-mental state examination help?. <i>Journal of Clinical and Experimental Hepatology</i> , 2014 , 4, 89-93 | 4.1 | 9 |
| 24 | Splenic Doppler impedance indices estimate splenic congestion in patients with right-sided or congestive heart failure. <i>Ultrasound in Medicine and Biology</i> , 2012 , 38, 21-7 | 3.5 | 9 |
| 23 | Heme oxygenase regulates renal arterial resistance and sodium excretion in cirrhotic rats. <i>Journal of Hepatology</i> , 2011 , 54, 258-64 | 13.4 | 9 |

| | | | |
|----|--|------|---|
| 22 | The hunter and the pianist: two hepatic encephalopathy tales. <i>Journal of Clinical Gastroenterology</i> , 2011 , 45, 563-6 | 3 | 9 |
| 21 | Bright times for patients with cirrhosis and delayed sleep habits: a case report on the beneficial effect of light therapy. <i>American Journal of Gastroenterology</i> , 2011 , 106, 2048-9 | 0.7 | 9 |
| 20 | Hepatitis C virus reinfection in liver transplant patients: evaluation of liver damage progression with echo-color Doppler. <i>Liver Transplantation</i> , 2008 , 14, 616-24 | 4.5 | 9 |
| 19 | Central nervous system alterations in liver cirrhosis: the role of portal-systemic shunt and portal hypoperfusion. <i>Metabolic Brain Disease</i> , 2002 , 17, 347-58 | 3.9 | 9 |
| 18 | Insulin-like growth factor 1 (IGF-1) in liver cirrhosis: a marker of hepatocellular dysfunction?. <i>Journal of Hepatology</i> , 1998 , 29, 342 | 13.4 | 8 |
| 17 | 11,12-EET increases porto-sinusoidal resistance and may play a role in endothelial dysfunction of portal hypertension. <i>Prostaglandins and Other Lipid Mediators</i> , 2011 , 96, 72-5 | 3.7 | 7 |
| 16 | Renal cytochrome P-450-dependent metabolism of arachidonic acid in cirrhotic rats. <i>Journal of Hepatology</i> , 1991 , 12, 230-5 | 13.4 | 7 |
| 15 | Can we predict the first variceal bleeding in the individual patient with cirrhosis and esophageal varices?. <i>Journal of Hepatology</i> , 1991 , 13, 378 | 13.4 | 7 |
| 14 | Early markers of neural dysfunction and compensation: a model from minimal hepatic encephalopathy. <i>Clinical Neurophysiology</i> , 2014 , 125, 1138-44 | 4.3 | 6 |
| 13 | Increased antiprotease activity of the SERPINB3 polymorphic variant SCCA-PD. <i>Experimental Biology and Medicine</i> , 2011 , 236, 281-90 | 3.7 | 6 |
| 12 | Alterations in thyroid Doppler arterial resistance indices, volume and hormones in cirrhosis: relationships with splanchnic haemodynamics. <i>Ultrasound in Medicine and Biology</i> , 2004 , 30, 19-25 | 3.5 | 6 |
| 11 | A pathophysiological interpretation of unresponsiveness to spironolactone in a stepped-care approach to the diuretic treatment of ascites in nonazotemic cirrhotic patients 1991 , 14, 231 | | 6 |
| 10 | Occult liver disease burden: Analysis from a large general practitioners database. <i>United European Gastroenterology Journal</i> , 2017 , 5, 982-986 | 5.3 | 5 |
| 9 | Role of HO/CO in the Control of Peripheral Circulation in Humans. <i>International Journal of Hypertension</i> , 2012 , 2012, 236180 | 2.4 | 5 |
| 8 | Increased Th1 immune response in SERPINB3 transgenic mice during acute liver failure. <i>Experimental Biology and Medicine</i> , 2012 , 237, 1474-82 | 3.7 | 5 |
| 7 | Cost-effectiveness analysis of beta-blockers vs endoscopic surveillance in patients with cirrhosis and small varices. <i>World Journal of Gastroenterology</i> , 2014 , 20, 10464-9 | 5.6 | 5 |
| 6 | Mesenteric arteries responsiveness to acute variations of wall shear stress is impaired in rats with liver cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 1003-13 | 2.4 | 4 |
| 5 | The cirrhotic patient with no varices and with small varices 2004 , 271-276 | | 2 |

- 4 Hepatic encephalopathy: you should only comment on what you have actually measured. *Journal of Gastroenterology*, **2010**, 45, 342-3; author reply 344-5 6.9 1
- 3 État nutritionnel des patients avec maladies du foie : physiologie et pronostic. *Nutrition Clinique Et Metabolisme*, **1999**, 13, 232-240 0.8 1
- 2 Clinical pharmacology of splanchnic circulation in cirrhosis. *Pharmacological Research*, **1990**, 22, 235-52 10.2 1
- 1 Randomized clinical study of the efficacy of amiloride and potassium canrenoate in nonazotemic cirrhotic patients with ascites **1994**, 19, 72 1