

Paul Van Hummelen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11595119/publications.pdf>

Version: 2024-02-01

70
papers

10,157
citations

61984

43
h-index

91884

69
g-index

70
all docs

70
docs citations

70
times ranked

17279
citing authors

#	ARTICLE	IF	CITATIONS
1	ViroPanel. Journal of Molecular Diagnostics, 2020, 22, 476-487.	2.8	6
2	Meiotic susceptibility for induction of sperm with chromosomal aberrations in patients receiving combination chemotherapy for Hodgkin lymphoma. PLoS ONE, 2020, 15, e0242218.	2.5	2
3	Clinical and mutational spectrum of highly differentiated, paired box 3:forkhead box protein o1 fusion negative rhabdomyosarcoma: A report from the Children's Oncology Group. Cancer, 2018, 124, 1973-1981.	4.1	14
4	Molecular subtypes of diffuse large B cell lymphoma are associated with distinct pathogenic mechanisms and outcomes. Nature Medicine, 2018, 24, 679-690.	30.7	1,224
5	Germline and somatic BAP1 mutations in high-grade rhabdoid meningiomas. Neuro-Oncology, 2017, 19, now235.	1.2	99
6	Comparison of Prevalence and Types of Mutations in Lung Cancers Among Black and White Populations. JAMA Oncology, 2017, 3, 801.	7.1	78
7	Genomic landscape of high-grade meningiomas. Npj Genomic Medicine, 2017, 2, .	3.8	130
8	Vemurafenib-resistance via de novo RBM genes mutations and chromosome 5 aberrations is overcome by combined therapy with palbociclib in thyroid carcinoma with BRAFV600E. Oncotarget, 2017, 8, 84743-84760.	1.8	40
9	Institutional implementation of clinical tumor profiling on an unselected cancer population. JCI Insight, 2016, 1, e87062.	5.0	340
10	Targetable genetic features of primary testicular and primary central nervous system lymphomas. Blood, 2016, 127, 869-881.	1.4	429
11	Diffuse large B-cell lymphoma patient-derived xenograft models capture the molecular and biological heterogeneity of the disease. Blood, 2016, 127, 2203-2213.	1.4	68
12	MYB-QKI rearrangements in angiocentric glioma drive tumorigenicity through a tripartite mechanism. Nature Genetics, 2016, 48, 273-282.	21.4	214
13	Oncogenic PI3K mutations are as common as AKT1 and SMO mutations in meningioma. Neuro-Oncology, 2016, 18, 649-655.	1.2	221
14	BRAF alteration status and the histone H3F3A gene K27M mutation segregate spinal cord astrocytoma histology. Acta Neuropathologica, 2016, 131, 147-150.	7.7	57
15	MAP2K1 and MAP3K1 mutations in langerhans cell histiocytosis. Genes Chromosomes and Cancer, 2015, 54, 361-368.	2.8	167
16	Genomic aberrations in cervical adenocarcinomas in Hong Kong Chinese women. International Journal of Cancer, 2015, 137, 776-783.	5.1	39
17	Breakmer: detection of structural variation in targeted massively parallel sequencing data using kmers. Nucleic Acids Research, 2015, 43, e19-e19.	14.5	161
18	Genomic Characterization of Brain Metastases Reveals Branched Evolution and Potential Therapeutic Targets. Cancer Discovery, 2015, 5, 1164-1177.	9.4	821

#	ARTICLE	IF	CITATIONS
19	Somatic Copy Number Abnormalities and Mutations in PI3K/AKT/mTOR Pathway Have Prognostic Significance for Overall Survival in Platinum Treated Locally Advanced or Metastatic Urothelial Tumors. <i>PLoS ONE</i> , 2015, 10, e0124711.	2.5	16
20	Metastasis-associated <i>MCL1</i> and <i>P16</i> copy number alterations dictate resistance to vemurafenib in a <i>BRAFV600E</i> patient-derived papillary thyroid carcinoma preclinical model. <i>Oncotarget</i> , 2015, 6, 42445-42467.	1.8	40
21	Analysis and Comparison of Somatic Mutations in Paired Primary and Recurrent Epithelial Ovarian Cancer Samples. <i>PLoS ONE</i> , 2014, 9, e99451.	2.5	15
22	Angiomatous meningiomas have a distinct genetic profile with multiple chromosomal polysomies including polysomy of chromosome 5. <i>Oncotarget</i> , 2014, 5, 10596-10606.	1.8	65
23	Src Mutation Induces Acquired Lapatinib Resistance in ERBB2-Amplified Human Gastroesophageal Adenocarcinoma Models. <i>PLoS ONE</i> , 2014, 9, e109440.	2.5	16
24	Sporadic hemangioblastomas are characterized by cryptic VHL inactivation. <i>Acta Neuropathologica Communications</i> , 2014, 2, 167.	5.2	65
25	Exome sequencing identifies BRAF mutations in papillary craniopharyngiomas. <i>Nature Genetics</i> , 2014, 46, 161-165.	21.4	408
26	Prospective Enterprise-Level Molecular Genotyping of a Cohort of Cancer Patients. <i>Journal of Molecular Diagnostics</i> , 2014, 16, 660-672.	2.8	70
27	Somatic activating ARAF mutations in Langerhans cell histiocytosis. <i>Blood</i> , 2014, 123, 3152-3155.	1.4	161
28	Preexisting oncogenic events impact trastuzumab sensitivity in ERBB2-amplified gastroesophageal adenocarcinoma. <i>Journal of Clinical Investigation</i> , 2014, 124, 5145-5158.	8.2	105
29	Oncogenic mutations in cervical cancer. <i>Cancer</i> , 2013, 119, 3776-3783.	4.1	225
30	Hard-metal (WC-Co) particles trigger a signaling cascade involving p38 MAPK, HIF-1 α , HMOX1, and p53 activation in human PBMC. <i>Archives of Toxicology</i> , 2013, 87, 259-268.	4.2	28
31	Genomic sequencing of meningiomas identifies oncogenic SMO and AKT1 mutations. <i>Nature Genetics</i> , 2013, 45, 285-289.	21.4	532
32	Genomic analysis of diffuse pediatric low-grade gliomas identifies recurrent oncogenic truncating rearrangements in the transcription factor <i>MYBL1</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8188-8193.	7.1	188
33	Mutations in Hedgehog pathway genes in fetal rhabdomyomas. <i>Journal of Pathology</i> , 2013, 231, 44-52.	4.5	32
34	High-Throughput Detection of Actionable Genomic Alterations in Clinical Tumor Samples by Targeted, Massively Parallel Sequencing. <i>Cancer Discovery</i> , 2012, 2, 82-93.	9.4	484
35	High-Throughput Genotyping in Metastatic Esophageal Squamous Cell Carcinoma Identifies Phosphoinositide-3-Kinase and BRAF Mutations. <i>PLoS ONE</i> , 2012, 7, e41655.	2.5	35
36	High Throughput Mass Spectrometry-Based Mutation Profiling of Primary Uveal Melanoma. , 2012, 53, 6991.		43

#	ARTICLE	IF	CITATIONS
37	High-Throughput Mutation Profiling Identifies Frequent Somatic Mutations in Advanced Gastric Adenocarcinoma. <i>PLoS ONE</i> , 2012, 7, e38892.	2.5	72
38	Metatranscriptome Analysis for Insight into Whole-Ecosystem Gene Expression during Spontaneous Wheat and Spelt Sourdough Fermentations. <i>Applied and Environmental Microbiology</i> , 2011, 77, 618-626.	3.1	35
39	High Throughput Interrogation of Somatic Mutations in High Grade Serous Cancer of the Ovary. <i>PLoS ONE</i> , 2011, 6, e24433.	2.5	44
40	Clinical Implementation of Comprehensive Strategies to Characterize Cancer Genomes: Opportunities and Challenges. <i>Cancer Discovery</i> , 2011, 1, 297-311.	9.4	47
41	Community Dynamics of Bacteria in Sourdough Fermentations as Revealed by Their Metatranscriptome. <i>Applied and Environmental Microbiology</i> , 2010, 76, 5402-5408.	3.1	67
42	Development and Validation of a Species-Independent Functional Gene Microarray That Targets Lactic Acid Bacteria. <i>Applied and Environmental Microbiology</i> , 2009, 75, 6488-6495.	3.1	19
43	Early genomic responses to salicylic acid in Arabidopsis. <i>Plant Molecular Biology</i> , 2009, 70, 79-102.	3.9	160
44	Quantitative RNA expression analysis with Affymetrix Tiling 1.0R arrays identifies new E2F target genes. <i>Plant Journal</i> , 2009, 57, 184-194.	5.7	65
45	In vitro expression of hard metal dust (WC-Co) responsive genes in human peripheral blood mononucleated cells. <i>Toxicology and Applied Pharmacology</i> , 2008, 227, 299-312.	2.8	43
46	Thermodynamic Behavior of Short Oligonucleotides in Microarray Hybridizations Can Be Described Using Gibbs Free Energy in a Nearest-Neighbor Model. <i>Journal of Physical Chemistry B</i> , 2007, 111, 13583-13590.	2.6	17
47	Diffusion limitation: a possible source for the occurrence of doughnut patterns on DNA microarrays. <i>BioTechniques</i> , 2006, 41, 609-616.	1.8	17
48	Development of capillary electrophoresis methods for quantitative determination of taurine in vehicle system and biological media. <i>Electrophoresis</i> , 2006, 27, 2330-2337.	2.4	12
49	Old yellow enzyme interferes with Bax-induced NADPH loss and lipid peroxidation in yeast. <i>FEMS Yeast Research</i> , 2005, 5, 711-725.	2.3	21
50	Gene expression profiling of cultured human NF1 heterozygous (NF1 ^{+/-}) melanocytes reveals downregulation of a transcriptional cis-regulatory network mediating activation of the melanocyte-specific dopachrome tautomerase (DCT) gene. <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 285-299.	3.6	6
51	Molecular Karyotyping: Array CGH Quality Criteria for Constitutional Genetic Diagnosis. <i>Journal of Histochemistry and Cytochemistry</i> , 2005, 53, 413-422.	2.5	141
52	Characterization of the Condensin Component Cnap1 and Protein Kinase Melk as Novel E2F Target Genes Down-regulated by 1,25-Dihydroxyvitamin D3. <i>Journal of Biological Chemistry</i> , 2005, 280, 37319-37330.	3.4	43
53	Deletion of VCX-A due to NAHR plays a major role in the occurrence of mental retardation in patients with X-linked ichthyosis. <i>Human Molecular Genetics</i> , 2005, 14, 1795-1803.	2.9	110
54	Benchmarking the CATMA Microarray. A Novel Tool for Arabidopsis Transcriptome Analysis. <i>Plant Physiology</i> , 2005, 137, 588-601.	4.8	91

#	ARTICLE	IF	CITATIONS
55	Genome-Wide Analysis of Gene Expression Profiles Associated with Cell Cycle Transitions in Growing Organs of Arabidopsis. <i>Plant Physiology</i> , 2005, 138, 734-743.	4.8	247
56	DNA Microarray Enhancement Using a Continuously and Discontinuously Rotating Microchamber. <i>Analytical Chemistry</i> , 2005, 77, 4474-4480.	6.5	30
57	The Effects of 1 α ,25-Dihydroxyvitamin D ₃ on the Expression of DNA Replication Genes. <i>Journal of Bone and Mineral Research</i> , 2004, 19, 133-146.	2.8	66
58	Gene Expression Profile in Thyroid of Transgenic Mice Overexpressing the Adenosine Receptor 2a. <i>Molecular Endocrinology</i> , 2004, 18, 194-213.	3.7	9
59	Versatile Gene-Specific Sequence Tags for Arabidopsis Functional Genomics: Transcript Profiling and Reverse Genetics Applications. <i>Genome Research</i> , 2004, 14, 2176-2189.	5.5	282
60	Transcriptional profiling by cDNA-AFLP and microarray analysis reveals novel insights into the early response to ethylene in Arabidopsis. <i>Plant Journal</i> , 2004, 39, 537-559.	5.7	122
61	Microarray analysis of the effect of diesel exhaust particles on in vitro cultured macrophages. <i>Toxicology in Vitro</i> , 2004, 18, 377-391.	2.4	35
62	Gene profiling of hippocampal neuronal culture. <i>Journal of Neurochemistry</i> , 2003, 85, 1279-1288.	3.9	36
63	Role of PlGF in the intra- and intermolecular cross talk between the VEGF receptors Flt1 and Flk1. <i>Nature Medicine</i> , 2003, 9, 936-943.	30.7	699
64	CATMA: a complete Arabidopsis GST database. <i>Nucleic Acids Research</i> , 2003, 31, 156-158.	14.5	133
65	Microarray analysis of E2Fa-DPa-overexpressing plants uncovers a cross-talking genetic network between DNA replication and nitrogen assimilation. <i>Journal of Cell Science</i> , 2003, 116, 4249-4259.	2.0	75
66	NOVP chemotherapy for Hodgkin's disease transiently induces sperm aneuploidies associated with the major clinical aneuploidy syndromes involving chromosomes X, Y, 18, and 21. <i>Cancer Research</i> , 2003, 63, 44-51.	0.9	55
67	RNA Amplification Results in Reproducible Microarray Data with Slight Ratio Bias. <i>BioTechniques</i> , 2002, 32, 1330-1340.	1.8	200
68	Meiotic Segregation, Recombination, and Gamete Aneuploidy Assessed in a t(1;10)(p22.1;q22.3) Reciprocal Translocation Carrier by Three- and Four-Probe Multicolor FISH in Sperm. <i>American Journal of Human Genetics</i> , 1997, 61, 651-659.	6.2	92
69	The in vitro micronucleus test: a multi-endpoint assay to detect simultaneously mitotic delay, apoptosis, chromosome breakage, chromosome loss and non-disjunction. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1997, 392, 19-30.	1.7	263
70	Indications for a threshold of chemically-induced aneuploidy in vitro in human lymphocytes. <i>Environmental and Molecular Mutagenesis</i> , 1995, 26, 292-304.	2.2	165