
Lisette Van Der Molen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11595434/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dysphagia, trismus and speech impairment following radiation-based treatment for advanced stage oropharyngeal carcinoma: a one-year prospective evaluation. European Archives of Oto-Rhino-Laryngology, 2022, 279, 1003-1027.	1.6	7
2	MRI Assessment of Swallow Muscle Activation with the Swallow Exercise Aid and with Conventional Exercises in Healthy Volunteers: An Explorative Biomechanical Study. Dysphagia, 2021, 36, 41-53.	1.8	4
3	Multidimensional evaluation of voice outcomes following total laryngectomy: a prospective multicenter cohort study. European Archives of Oto-Rhino-Laryngology, 2021, 278, 1209-1222.	1.6	12
4	Women's perspective on life after total laryngectomy: a qualitative study. International Journal of Language and Communication Disorders, 2020, 55, 188-199.	1.5	24
5	Expiratory Muscle Strength Training in patients After Total Laryngectomy; A Feasibility Pilot Study. Annals of Otology, Rhinology and Laryngology, 2020, 129, 1186-1194.	1.1	4
6	Study protocol for a randomized controlled trial: prophylactic swallowing exercises in head-and-neck cancer patients treated with (chemo)radiotherapyÂ(PRESTO trial). Trials, 2020, 21, 237.	1.6	20
7	Longâ€ŧerm swallowing, trismus, and speech outcomes after combined chemoradiotherapy and preventive rehabilitation for head and neck cancer; 10â€year plus update. Head and Neck, 2020, 42, 1907-1918.	2.0	13
8	A 12-channel flexible receiver coil for accelerated tongue imaging. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2020, 33, 581-590.	2.0	4
9	Study protocol of a prospective multicenter study comparing (cost-)effectiveness of a tailored interdisciplinary head and neck rehabilitation program to usual supportive care for patients treated with concomitant chemo- or bioradiotherapy. BMC Cancer, 2019, 19, 655.	2.6	4
10	Sarcopenia, a strong determinant for prolonged feeding tube dependency after chemoradiotherapy for head and neck cancer. Head and Neck, 2019, 41, 4000-4008.	2.0	19
11	Radiation dose to the masseter and medial pterygoid muscle in relation to trismus after chemoradiotherapy for advanced head and neck cancer. Head and Neck, 2019, 41, 1387-1394.	2.0	21
12	Objective and subjective voice outcomes after total laryngectomy: a systematic review. European Archives of Oto-Rhino-Laryngology, 2018, 275, 11-26.	1.6	79
13	Hyoid bone displacement as parameter for swallowing impairment in patients treated for advanced head and neck cancer. European Archives of Oto-Rhino-Laryngology, 2017, 274, 597-606.	1.6	23
14	Efficacy of a novel swallowing exercise program for chronic dysphagia in long-term head and neck cancer survivors. Head and Neck, 2017, 39, 1943-1961.	2.0	36
15	The cost-effectiveness of TheraBite® as treatment for acute myogenic temporomandibular disorder. Cranio - Journal of Craniomandibular Practice, 2017, 35, 290-297.	1.4	1
16	Feasibility and potential value of lipofilling in postâ€ŧreatment oropharyngeal dysfunction. Laryngoscope, 2016, 126, 2672-2678.	2.0	11
17	Low-level laser therapy/photobiomodulation in the management of side effects of chemoradiation therapy in head and neck cancer: part 2: proposed applications and treatment protocols. Supportive Care in Cancer, 2016, 24, 2793-2805.	2.2	169
18	Radiation dose to the tongue and velopharynx predicts acoustic-articulatory changes after chemo-IMRT treatment for advanced head and neck cancer. European Archives of Oto-Rhino-Laryngology, 2016, 273, 487-494.	1.6	13

#	Article	IF	CITATIONS
19	Low level laser therapy/photobiomodulation in the management of side effects of chemoradiation therapy in head and neck cancer: part 1: mechanisms of action, dosimetric, and safety considerations. Supportive Care in Cancer, 2016, 24, 2781-2792.	2.2	179
20	Feasibility and impact of a dedicated multidisciplinary rehabilitation program on health-related quality of life in advanced head and neck cancer patients. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1577-1587.	1.6	22
21	A cost-effectiveness analysis of using TheraBite in a preventive exercise program for patients with advanced head and neck cancer treated with concomitant chemo-radiotherapy. European Archives of Oto-Rhino-Laryngology, 2016, 273, 709-718.	1.6	12
22	Prospective clinical study on long-term swallowing function and voice quality in advanced head and neck cancer patients treated with concurrent chemoradiotherapy and preventive swallowing exercises. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3521-3531.	1.6	72
23	Two-year results of a prospective preventive swallowing rehabilitation trial in patients treated with chemoradiation for advanced head and neck cancer. European Archives of Oto-Rhino-Laryngology, 2014, 271, 1257-1270.	1.6	61
24	Bidirectional Associations Between Oral and Systemic Health. , 2014, , 65-82.		0
25	Dysphagia and trismus after concomitant chemo-Intensity-Modulated Radiation Therapy (chemo-IMRT) in advanced head and neck cancer; dose–effect relationships for swallowing and mastication structures. Radiotherapy and Oncology, 2013, 106, 364-369.	0.6	109
26	Acoustic Analysis of Changes in Articulation Proficiency in Patients with Advanced Head and Neck Cancer Treated with Chemoradiotherapy. Annals of Otology, Rhinology and Laryngology, 2013, 122, 754-762.	1.1	16
27	Practice of laryngectomy rehabilitation interventions. Current Opinion in Otolaryngology and Head and Neck Surgery, 2013, 21, 230-238.	1.8	23
28	Pre- and Posttreatment Voice and Speech Outcomes in Patients With Advanced Head and Neck Cancer Treated With Chemoradiotherapy: Expert Listeners' and Patient's Perception. Journal of Voice, 2012, 26, 664.e25-664.e33.	1.5	36
29	A Randomized Preventive Rehabilitation Trial in Advanced Head and Neck Cancer Patients Treated with Chemoradiotherapy: Feasibility, Compliance, and Short-term Effects. Dysphagia, 2011, 26, 155-170.	1.8	187
30	A cost-effectiveness analysis of a preventive exercise program for patients with advanced head and neck cancer treated with concomitant chemo-radiotherapy. BMC Cancer, 2011, 11, 475.	2.6	39
31	Voice and speech outcomes of chemoradiation for advanced head and neck cancer: a systematic review. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1495-1505.	1.6	85
32	Functional outcomes and rehabilitation strategies in patients treated with chemoradiotherapy for advanced head and neck cancer: a systematic review. European Archives of Oto-Rhino-Laryngology, 2009, 266, 889-900.	1.6	118
33	Speech and swallowing after surgical treatment of advanced oral and oropharyngeal carcinoma: a systematic review of the literature. European Archives of Oto-Rhino-Laryngology, 2009, 266, 1687-1698.	1.6	85
34	Pretreatment organ function in patients with advanced head and neck cancer: clinical outcome measures and patients' views. BMC Ear, Nose and Throat Disorders, 2009, 9, 10.	2.6	83