

Stith T Gower

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11599397/stith-t-gower-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

12,504
citations

56
h-index

108
g-index

108
ext. papers

13,465
ext. citations

6.9
avg, IF

6.11
L-index

#	Paper	IF	Citations
108	Linking deadwood and soil GHG fluxes in a second growth north temperate deciduous forest (Upper Midwest USA). <i>Biogeochemistry</i> , 2021 , 156, 177	3.8	
107	Validation of an agroecosystem process model (AGRO-BGC) on annual and perennial bioenergy feedstocks. <i>Ecological Modelling</i> , 2016 , 321, 23-34	3	1
106	Soil microbial community response and recovery following group selection harvest: Temporal patterns from an experimental harvest in a US northern hardwood forest. <i>Forest Ecology and Management</i> , 2015 , 340, 82-94	3.9	29
105	Response of tree regeneration to experimental gap creation and deer herbivory in north temperate forests. <i>Forest Ecology and Management</i> , 2014 , 329, 137-147	3.9	42
104	The response of root and microbial respiration to the experimental warming of a boreal black spruce forest. <i>Canadian Journal of Forest Research</i> , 2014 , 44, 986-993	1.9	20
103	Multimodel simulations of forest harvesting effects on long-term productivity and CN cycling in aspen forests 2014 , 24, 1374-89		22
102	Aboveground biomass and net primary production of pine, oak and mixed pine/bak forests on the Vila Real district, Portugal. <i>Forest Ecology and Management</i> , 2013 , 305, 38-47	3.9	22
101	Experimental Manipulation of Forest Structure: Near-Term Effects on Gap and Stand Scale C Dynamics. <i>Ecosystems</i> , 2013 , 16, 1455-1472	3.9	20
100	Spatial and temporal validation of the MODIS LAI and FPAR products across a boreal forest wildfire chronosequence. <i>Remote Sensing of Environment</i> , 2013 , 133, 71-84	13.2	97
99	Simulating the effects of harvest and biofuel production on the forest system carbon balance of the Midwest, USA. <i>GCB Bioenergy</i> , 2013 , 5, 431-444	5.6	8
98	Modeling harvest and biomass removal effects on the forest carbon balance of the Midwest, USA. <i>Environmental Science and Policy</i> , 2013 , 25, 22-35	6.2	10
97	Interactions of temperature and moisture with respiration from coarse woody debris in experimental forest canopy gaps. <i>Forest Ecology and Management</i> , 2012 , 265, 124-132	3.9	67
96	Estimating the carbon budget and maximizing future carbon uptake for a temperate forest region in the U.S. <i>Carbon Balance and Management</i> , 2012 , 7, 6	3.6	17
95	Simulated long-term effects of harvest and biomass residue removal on soil carbon and nitrogen content and productivity for two Upper Great Lakes forest ecosystems. <i>GCB Bioenergy</i> , 2011 , 3, 135-147	5.6	18
94	A comparison of trenched plot techniques for partitioning soil respiration. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 2108-2114	7.5	57
93	Measurement and modelling of bryophyte evaporation in a boreal forest chronosequence. <i>Ecohydrology</i> , 2011 , 4, 26-35	2.5	23
92	Effects of climate warming on canopy water dynamics of a boreal black spruce plantation. <i>Canadian Journal of Forest Research</i> , 2011 , 41, 217-227	1.9	19

91	Ecosystem warming does not affect photosynthesis or aboveground autotrophic respiration for boreal black spruce. <i>Tree Physiology</i> , 2010 , 30, 441-9	4.2	41
90	Effects of winter selective tree harvest on soil microclimate and surface CO2 flux of a northern hardwood forest. <i>Forest Ecology and Management</i> , 2010 , 259, 257-265	3.9	27
89	Effects of selective tree harvests on aboveground biomass and net primary productivity of a second-growth northern hardwood forest. <i>Canadian Journal of Forest Research</i> , 2010 , 40, 2360-2369	1.9	27
88	Effects of fire on regional evapotranspiration in the central Canadian boreal forest. <i>Global Change Biology</i> , 2009 , 15, 1242-1254	11.4	71
87	Effect of ecosystem warming on boreal black spruce bud burst and shoot growth. <i>Global Change Biology</i> , 2009 , 15, 1534-1543	11.4	77
86	Bryophyte cover estimation in a boreal black spruce forest using airborne lidar and multispectral sensors. <i>Remote Sensing of Environment</i> , 2009 , 113, 1127-1132	13.2	13
85	Canopy dynamics and phenology of a boreal black spruce wildfire chronosequence. <i>Agricultural and Forest Meteorology</i> , 2009 , 149, 187-204	5.8	17
84	Response of soil surface CO2 flux in a boreal forest to ecosystem warming. <i>Global Change Biology</i> , 2008 , 14, 856-867	11.4	106
83	Carbon allocation in boreal black spruce forests across regions varying in soil temperature and precipitation. <i>Global Change Biology</i> , 2008 , 14, 1503-1516	11.4	57
82	Are horses responsible for introducing non-native plants along forest trails in the eastern United States?. <i>Forest Ecology and Management</i> , 2008 , 256, 997-1003	3.9	19
81	Fire-induced changes in green-up and leaf maturity of the Canadian boreal forest. <i>Remote Sensing of Environment</i> , 2008 , 112, 3594-3603	13.2	28
80	Decomposition and Fragmentation of Coarse Woody Debris: Re-visiting a Boreal Black Spruce Chronosequence. <i>Ecosystems</i> , 2008 , 11, 831-840	3.9	54
79	Fire as the dominant driver of central Canadian boreal forest carbon balance. <i>Nature</i> , 2007 , 450, 89-92	50.4	376
78	Estimation of stand-level leaf area for boreal bryophytes. <i>Oecologia</i> , 2007 , 151, 584-92	2.9	51
77	Improved simulation of poorly drained forests using Biome-BGC. <i>Tree Physiology</i> , 2007 , 27, 703-15	4.2	43
76	Spatial dynamics of soil moisture and temperature in a black spruce boreal chronosequence. <i>Canadian Journal of Forest Research</i> , 2006 , 36, 2794-2802	1.9	9
75	Boreal mixedwood tree growth on contrasting soils and disturbance types. <i>Canadian Journal of Forest Research</i> , 2006 , 36, 986-995	1.9	16
74	Simulation of boreal black spruce chronosequences: Comparison to field measurements and model evaluation. <i>Journal of Geophysical Research</i> , 2006 , 111, n/a-n/a		18

73	Evaluation of MODIS NPP and GPP products across multiple biomes. <i>Remote Sensing of Environment</i> , 2006 , 102, 282-292	13.2	431
72	Monitoring spring canopy phenology of a deciduous broadleaf forest using MODIS. <i>Remote Sensing of Environment</i> , 2006 , 104, 88-95	13.2	213
71	Nitrogen dynamics of a boreal black spruce wildfire chronosequence. <i>Biogeochemistry</i> , 2006 , 81, 1-16	3.8	42
70	Life cycle inventories of roundwood production in northern Wisconsin: Inputs into an industrial forest carbon budget. <i>Forest Ecology and Management</i> , 2005 , 219, 13-28	3.9	52
69	Spatiotemporal measurement and modeling of stand-level boreal forest soil temperatures. <i>Agricultural and Forest Meteorology</i> , 2005 , 131, 27-40	5.8	47
68	Comparison of regression and geostatistical methods for mapping Leaf Area Index (LAI) with Landsat ETM+ data over a boreal forest. <i>Remote Sensing of Environment</i> , 2005 , 96, 49-61	13.2	74
67	The effects of aggregated land cover data on estimating NPP in northern Wisconsin. <i>Remote Sensing of Environment</i> , 2005 , 97, 1-14	13.2	35
66	Site-level evaluation of satellite-based global terrestrial gross primary production and net primary production monitoring. <i>Global Change Biology</i> , 2005 , 11, 666-684	11.4	264
65	Carbon pools in a boreal mixedwood logging chronosequence. <i>Global Change Biology</i> , 2005 , 11, 050922094851003-???	11.4	103
64	Effects of amendments of paper mill sludge and nutrients on soil surface CO ₂ flux in northern hardwood forests. <i>Journal of Forestry Research</i> , 2005 , 16, 265-269	2	2
63	Reimplementation of the Biome-BGC model to simulate successional change. <i>Tree Physiology</i> , 2005 , 25, 413-24	4.2	60
62	Contribution of root respiration to soil surface CO ₂ flux in a boreal black spruce chronosequence. <i>Tree Physiology</i> , 2004 , 24, 1387-95	4.2	121
61	A global relationship between the heterotrophic and autotrophic components of soil respiration?. <i>Global Change Biology</i> , 2004 , 10, 1756-1766	11.4	396
60	Effects of logging on carbon dynamics of a jack pine forest in Saskatchewan, Canada. <i>Global Change Biology</i> , 2004 , 10, 1267-1284	11.4	109
59	Net primary production and net ecosystem production of a boreal black spruce wildfire chronosequence. <i>Global Change Biology</i> , 2004 , 10, 473-487	11.4	221
58	Hyperspectral versus multispectral data for estimating leaf area index in four different biomes. <i>Remote Sensing of Environment</i> , 2004 , 91, 508-520	13.2	155
57	Heterogeneity of light use efficiency in a northern Wisconsin forest: implications for modeling net primary production with remote sensing. <i>Remote Sensing of Environment</i> , 2004 , 93, 168-178	13.2	91
56	Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation. <i>Remote Sensing of Environment</i> , 2003 , 88, 256-270	13.2	245

55	Comparisons of land cover and LAI estimates derived from ETM+ and MODIS for four sites in North America: a quality assessment of 2000/2001 provisional MODIS products. <i>Remote Sensing of Environment</i> , 2003 , 88, 233-255	13.2	183
54	A cross-biome comparison of daily light use efficiency for gross primary production. <i>Global Change Biology</i> , 2003 , 9, 383-395	11.4	258
53	Carbon distribution of a well- and poorly-drained black spruce fire chronosequence. <i>Global Change Biology</i> , 2003 , 9, 1066-1079	11.4	103
52	An improved strategy for regression of biophysical variables and Landsat ETM+ data. <i>Remote Sensing of Environment</i> , 2003 , 84, 561-571	13.2	317
51	Soil surface CO ₂ flux in a boreal black spruce fire chronosequence. <i>Journal of Geophysical Research</i> , 2003 , 108, WFX 5-1		58
50	PATTERNS AND MECHANISMS OF THE FOREST CARBON CYCLE. <i>Annual Review of Environment and Resources</i> , 2003 , 28, 169-204	17.2	137
49	Comparison of Net Primary Production and Light-use Dynamics of Two Boreal Black Spruce Forest Communities. <i>Ecosystems</i> , 2003 , 6, 236-247	3.9	23
48	Net Ecosystem Production of Two Contrasting Boreal Black Spruce Forest Communities. <i>Ecosystems</i> , 2003 , 6, 248-260	3.9	50
47	Effects of nutrient and paper mill biosolids amendments on the growth and nutrient status of hardwood forests. <i>Forest Ecology and Management</i> , 2003 , 177, 95-116	3.9	29
46	Scaling Gross Primary Production (GPP) over boreal and deciduous forest landscapes in support of MODIS GPP product validation. <i>Remote Sensing of Environment</i> , 2003 , 88, 256-256	13.2	
45	Environmental controls on carbon dioxide flux from black spruce coarse woody debris. <i>Oecologia</i> , 2002 , 132, 374-381	2.9	84
44	Effects of spatial variability in light use efficiency on satellite-based NPP monitoring. <i>Remote Sensing of Environment</i> , 2002 , 80, 397-405	13.2	89
43	CARBON BUDGETS FOR A PRAIRIE AND AGROECOSYSTEMS: EFFECTS OF LAND USE AND INTERANNUAL VARIABILITY 2002 , 12, 962-979		71
42	Measurements and Modeling of Carbon and Nitrogen Cycling in Agroecosystems of Southern Wisconsin: Potential for SOC Sequestration during the Next 50 Years. <i>Ecosystems</i> , 2001 , 4, 237-258	3.9	76
41	Environmental controls on ground cover species composition and productivity in a boreal black spruce forest. <i>Oecologia</i> , 2001 , 129, 261-270	2.9	139
40	The influence of fire on carbon distribution and net primary production of boreal <i>Larix gmelinii</i> forests in north-eastern China. <i>Global Change Biology</i> , 2001 , 7, 719-730	11.4	99
39	Detritus Production and Soil N Transformations in Old-Growth Eastern Hemlock and Sugar Maple Stands. <i>Ecosystems</i> , 2000 , 3, 185-192	3.9	28
38	Testing the performance of a dynamic global ecosystem model: Water balance, carbon balance, and vegetation structure. <i>Global Biogeochemical Cycles</i> , 2000 , 14, 795-825	5.9	533

37	Characterization of radiation regimes in nonrandom forest canopies: theory, measurements, and a simplified modeling approach. <i>Tree Physiology</i> , 1999 , 19, 695-706	4.2	167
36	Direct and Indirect Estimation of Leaf Area Index, fAPAR, and Net Primary Production of Terrestrial Ecosystems. <i>Remote Sensing of Environment</i> , 1999 , 70, 29-51	13.2	865
35	Comparison of the litterfall and forest floor organic matter and nitrogen dynamics of upland forest ecosystems in north central Wisconsin. <i>Biogeochemistry</i> , 1999 , 45, 265-284	3.8	12
34	Foliar carbon isotope discrimination in <i>Larix</i> species and sympatric evergreen conifers: a global comparison. <i>Oecologia</i> , 1998 , 114, 153-159	2.9	80
33	Carbon and Nitrogen Dynamics of Boreal Jack Pine Stands With and Without a Green Alder Understory. <i>Ecosystems</i> , 1998 , 1, 386-400	3.9	75
32	Measurements of leaf orientation, light distribution and sunlit leaf area in a boreal aspen forest. <i>Agricultural and Forest Meteorology</i> , 1998 , 91, 127-148	5.8	43
31	Measurements of branch area and adjusting leaf area index indirect measurements. <i>Agricultural and Forest Meteorology</i> , 1998 , 91, 69-88	5.8	147
30	Land use and environmental factors influencing soil surface CO ₂ flux and microbial biomass in natural and managed ecosystems in southern Wisconsin. <i>Soil Biology and Biochemistry</i> , 1998 , 30, 1501-1509	7.5	81
29	Comparison of Soil and Vegetation Characteristics of Six Upland Forest Habitat Types in North Central Wisconsin. <i>Northern Journal of Applied Forestry</i> , 1998 , 15, 69-76		5
28	Root mass, net primary production and turnover in aspen, jack pine and black spruce forests in Saskatchewan and Manitoba, Canada. <i>Tree Physiology</i> , 1997 , 17, 577-587	4.2	311
27	NITROGEN MINERALIZATION AND PRODUCTIVITY IN 50 HARDWOOD AND CONIFER STANDS ON DIVERSE SOILS. <i>Ecology</i> , 1997 , 78, 335-347	4.6	352
26	Leaf area index of boreal forests: Theory, techniques, and measurements. <i>Journal of Geophysical Research</i> , 1997 , 102, 29429-29443		593
25	Annual carbon cost of autotrophic respiration in boreal forest ecosystems in relation to species and climate. <i>Journal of Geophysical Research</i> , 1997 , 102, 28871-28883		265
24	BOREAS in 1997: Experiment overview, scientific results, and future directions. <i>Journal of Geophysical Research</i> , 1997 , 102, 28731-28769		367
23	Estimating the leaf area index of North Central Wisconsin forests using the landsat thematic mapper. <i>Remote Sensing of Environment</i> , 1997 , 61, 229-245	13.2	196
22	A Global Trend in Belowground Carbon Allocation: Can We Use the Relationship at Smaller Scales?. <i>Ecology</i> , 1996 , 77, 1750-1755	4.6	75
21	Aboveground net primary production decline with stand age: potential causes. <i>Trends in Ecology and Evolution</i> , 1996 , 11, 378-82	10.9	413
20	Woody tissue maintenance respiration of four conifers in contrasting climates. <i>Oecologia</i> , 1995 , 101, 133-140	2.9	204

19	Causes and Consequences of Variation in Conifer Leaf Life-Span 1995 , 225-254		41
18	Construction and Installation of Acrylic Minirhizotron Tubes in Forest Ecosystems. <i>Soil Science Society of America Journal</i> , 1995 , 59, 241-243	2.5	6
17	Carbon Allocation and Accumulation in Conifers 1995 , 217-254		39
16	Influence of fertilization on the allometric relations for two pines in contrasting environments. <i>Canadian Journal of Forest Research</i> , 1993 , 23, 1704-1711	1.9	31
15	Carbon Dynamics of Rocky Mountain Douglas-Fir: Influence of Water and Nutrient Availability. <i>Ecological Monographs</i> , 1992 , 62, 43-65	9	258
14	Nitrogen and phosphorus distribution for five plantation species in southwestern Wisconsin. <i>Forest Ecology and Management</i> , 1992 , 53, 175-193	3.9	42
13	Differences in Soil and Leaf Litterfall Nitrogen Dynamics for Five Forest Plantations. <i>Soil Science Society of America Journal</i> , 1992 , 56, 1959-1966	2.5	88
12	Aboveground nitrogen and phosphorus use by five plantation-grown trees with different leaf longevities. <i>Biogeochemistry</i> , 1991 , 14, 167-191	3.8	43
11	Aboveground production and canopy dynamics in sugar maple and red oak trees in southwestern Wisconsin. <i>Canadian Journal of Forest Research</i> , 1991 , 21, 1533-1543	1.9	22
10	FOREST-BGC, A general model of forest ecosystem processes for regional applications. II. Dynamic carbon allocation and nitrogen budgets. <i>Tree Physiology</i> , 1991 , 9, 147-160	4.2	545
9	Rapid Estimation of Leaf Area Index in Conifer and Broad-Leaf Plantations. <i>Ecology</i> , 1991 , 72, 1896-1900	4.6	259
8	Stem Biomass Growth of Four Plantation-Grown Conifer Species in Southwestern Wisconsin. <i>Northern Journal of Applied Forestry</i> , 1991 , 8, 26-28		5
7	Estimation of leaf area index in fourteen southern Wisconsin forest stands using a portable radiometer. <i>Tree Physiology</i> , 1990 , 7, 115-124	4.2	62
6	Larches: Deciduous Conifers in an Evergreen World. <i>BioScience</i> , 1990 , 40, 818-826	5.7	203
5	Aboveground organic matter and production of a montane forest on the eastern slopes of the Washington Cascade Range. <i>Canadian Journal of Forest Research</i> , 1989 , 19, 515-518	1.9	9
4	Effects of nutrient amendments on fine root biomass in a primary successional forest in Hawaii. <i>Oecologia</i> , 1989 , 81, 566-568	2.9	46
3	Allometric relations of deciduous (<i>Larix occidentalis</i>) and evergreen conifers (<i>Pinus contorta</i> and <i>Pseudotsugamenziesii</i>) of the Cascade Mountains in central Washington. <i>Canadian Journal of Forest Research</i> , 1987 , 17, 630-634	1.9	35
2	Relations Between Mineral Nutrient Availability and Fine Root Biomass in Two Costa Rican Tropical Wet Forests: A Hypothesis. <i>Biotropica</i> , 1987 , 19, 171	2.3	80

1 Overestimation of Net Root Production: A Real or Imaginary Problem?. *Ecology*, **1986**, 67, 577-579 4.6 68