

Minghong Yang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1160034/minghong-yang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

2,453
citations

28
h-index

42
g-index

199
ext. papers

3,086
ext. citations

3.3
avg. IF

5.32
L-index

#	Paper	IF	Citations
156	Magnetic field sensor based on magnetic fluid clad etched fiber Bragg grating. <i>Optical Fiber Technology</i> , 2011 , 17, 210-213	2.4	114
155	Optical fiber magnetic field sensors with TbDyFe magnetostrictive thin films as sensing materials. <i>Optics Express</i> , 2009 , 17, 20777-82	3.3	113
154	Novel optical fiber SPR temperature sensor based on MMF-PCF-MMF structure and gold-PDMS film. <i>Optics Express</i> , 2018 , 26, 1910-1917	3.3	84
153	A time- and wavelength-division multiplexing sensor network with ultra-weak fiber Bragg gratings. <i>Optics Express</i> , 2013 , 21, 22799-807	3.3	74
152	Optical hydrogen sensor based on etched fiber Bragg grating sputtered with Pd/Ag composite film. <i>Optical Fiber Technology</i> , 2013 , 19, 26-30	2.4	69
151	Side-polished fiber Bragg grating hydrogen sensor with WO ₃ -Pd composite film as sensing materials. <i>Optics Express</i> , 2011 , 19, 6141-8	3.3	69
150	Greatly etched fiber Bragg grating hydrogen sensor with Pd/Ni composite film as sensing material. <i>Sensors and Actuators B: Chemical</i> , 2012 , 174, 253-257	8.5	61
149	Hydrogen sensing performance comparison of Pd layer and Pd/WO ₃ composite thin film coated on side-polished single- and multimode fibers. <i>Sensors and Actuators B: Chemical</i> , 2010 , 149, 161-164	8.5	55
148	Large temperature sensitivity of fiber-optic extrinsic FabryPerot interferometer based on polymer-filled glass capillary. <i>Optical Fiber Technology</i> , 2013 , 19, 618-622	2.4	52
147	Performance of fiber Bragg grating hydrogen sensor coated with Pt-loaded WO ₃ coating. <i>Sensors and Actuators B: Chemical</i> , 2014 , 190, 657-663	8.5	52
146	Using Pd/WO ₃ composite thin films as sensing materials for optical fiber hydrogen sensors. <i>Sensors and Actuators B: Chemical</i> , 2010 , 143, 750-753	8.5	52
145	Fiber optic hydrogen sensors with sol-gel WO ₃ coatings. <i>Sensors and Actuators B: Chemical</i> , 2012 , 166-167, 632-636	8.5	48
144	Optical cascaded FabryPerot interferometer hydrogen sensor based on vernier effect. <i>Optics Communications</i> , 2018 , 414, 166-171	2	46
143	Investigation for terminal reflection optical fiber SPR glucose sensor and glucose sensitive membrane with immobilized GODs. <i>Optics Express</i> , 2017 , 25, 3884-3898	3.3	46
142	Simultaneous Measurement of Temperature and Relative Humidity Based on FBG and FP Interferometer. <i>IEEE Photonics Technology Letters</i> , 2018 , 30, 833-836	2.2	44
141	Magnetic field sensor based on fiber Bragg grating with a spiral microgroove ablated by femtosecond laser. <i>Optics Express</i> , 2013 , 21, 17386-91	3.3	43
140	Fe ³⁺ -coated fibre Bragg grating sensor for steel corrosion monitoring. <i>Corrosion Science</i> , 2011 , 53, 1933-1938	4.1	41

139	Optical Fiber Grating Hydrogen Sensors: A Review. <i>Sensors</i> , 2017 , 17,	3.8	39
138	Fiber optic hydrogen sensors: a review. <i>Photonic Sensors</i> , 2014 , 4, 300-324	2.3	39
137	Optical fiber relative-humidity sensor with evaporated dielectric coatings on fiber end-face. <i>Optical Fiber Technology</i> , 2014 , 20, 314-319	2.4	37
136	Optical Fiber FabryPerot Humidity Sensor Based on Porous Al ₂ O ₃ Film. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 2127-2130	2.2	36
135	Novel polyimide coated fiber Bragg grating sensing network for relative humidity measurements. <i>Optics Express</i> , 2016 , 24, 3230-7	3.3	35
134	Femtosecond laser fabricated micro Mach-Zehnder interferometer with Pd film as sensing materials for hydrogen sensing. <i>Optics Letters</i> , 2012 , 37, 1940-2	3	35
133	Review on optical fiber sensors with sensitive thin films. <i>Photonic Sensors</i> , 2012 , 2, 14-28	2.3	32
132	Optical fiber hydrogen sensor based on evaporated Pt/WO ₃ film. <i>Sensors and Actuators B: Chemical</i> , 2015 , 206, 564-569	8.5	30
131	In-line Mach-Zehnder Interferometer and FBG with Pd film for simultaneous hydrogen and temperature detection. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 893-896	8.5	30
130	Fiber In-Line Michelson Interferometer Tip Sensor Fabricated by Femtosecond Laser. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 2060-2063	2.2	30
129	Enhanced sensitivity of fiber Bragg grating hydrogen sensor using flexible substrate. <i>Sensors and Actuators B: Chemical</i> , 2014 , 196, 604-609	8.5	29
128	FabryPerot Interferometer Sensor Fabricated by Femtosecond Laser for Hydrogen Sensing. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 713-716	2.2	28
127	Optical fiber hydrogen sensor based on an annealing-stimulated Pd thin film. <i>Sensors and Actuators B: Chemical</i> , 2015 , 216, 11-16	8.5	27
126	Sagnac interferometer hydrogen sensor based on panda fiber with Pt-loaded WO ₃ /SiO ₂ coating. <i>Optics Letters</i> , 2016 , 41, 1594-7	3	27
125	Ultra-weak FBG and its refractive index distribution in the drawing optical fiber. <i>Optics Express</i> , 2015 , 23, 4829-38	3.3	26
124	Huge capacity fiber-optic sensing network based on ultra-weak draw tower gratings. <i>Photonic Sensors</i> , 2016 , 6, 26-41	2.3	26
123	Dielectric multilayer-based fiber optic sensor enabling simultaneous measurement of humidity and temperature. <i>Optics Express</i> , 2014 , 22, 11892-9	3.3	26
122	Optical Fiber Humidity Sensor With Porous TiO ₂ /SiO ₂ /TiO ₂ Coatings on Fiber Tip. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 1495-1498	2.2	25

121	Cascaded-Cavity Fabry-Perot Interferometric Gas Pressure Sensor based on Vernier Effect. <i>Sensors</i> , 2018 , 18,	3.8	25
120	Micro Multicavity Fabry-Perot Interferometers Sensor in SMFs Machined by Femtosecond Laser. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 1609-1612	2.2	24
119	Sensitive hydrogen sensor based on selectively infiltrated photonic crystal fiber with Pt-loaded WO ₃ coating. <i>Optics Letters</i> , 2014 , 39, 3872-5	3	23
118	Fiber Optic Hydrogen Sensor Based on Fabry-Perot Interferometer Coated With Sol-Gel Pt/WO ₃ Coating. <i>Journal of Lightwave Technology</i> , 2015 , 33, 2530-2534	4	22
117	Optical hydrogen sensor based on PDMS-formed double-C type cavities with embedded Pt-loaded WO ₃ /SiO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2018 , 276, 23-30	8.5	22
116	Thin films based one-dimensional photonic crystal for humidity detection. <i>Sensors and Actuators A: Physical</i> , 2017 , 263, 209-215	3.9	20
115	Femtosecond laser fabricated in-line micro multicavity fiber FP interferometers sensor. <i>Optics Communications</i> , 2014 , 316, 80-85	2	20
114	Micro-structured femtosecond laser assisted FBG hydrogen sensor. <i>Optics Express</i> , 2015 , 23, 31034-42	3.3	20
113	Hydrogen sensor based on polymer-filled hollow core fiber with Pt-loaded WO ₃ /SiO ₂ coating. <i>Sensors and Actuators B: Chemical</i> , 2017 , 245, 516-523	8.5	18
112	Optical fiber Fabry-Perot humidity sensor based on polyimide membrane: Sensitivity and adsorption kinetics. <i>Sensors and Actuators A: Physical</i> , 2018 , 281, 48-54	3.9	18
111	Improved performance of fiber optic hydrogen sensor based on WO ₃ -Pd ₂ Pt-Pt composite film and self-referenced demodulation method. <i>Sensors and Actuators B: Chemical</i> , 2017 , 249, 210-216	8.5	17
110	FBG hydrogen sensor based on spiral microstructure ablated by femtosecond laser. <i>Sensors and Actuators B: Chemical</i> , 2016 , 236, 392-398	8.5	17
109	Graphene-Gold-Au@Ag NPs-PDMS Films Coated Fiber Optic for Refractive Index and Temperature Sensing. <i>IEEE Photonics Technology Letters</i> , 2019 , 31, 1205-1208	2.2	17
108	Humidity Sensor Based on Fiber Bragg Grating Coated With Different Pore-Foaming Agent Doped Polyimides. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 1963-1966	2.2	17
107	Gold Enhanced Hemoglobin Interaction in a Fabry-Perot Based Optical Fiber Sensor for Measurement of Blood Refractive Index. <i>Journal of Lightwave Technology</i> , 2018 , 36, 1118-1124	4	16
106	A Low Frequency FBG Accelerometer with Symmetrical Bended Spring Plates. <i>Sensors</i> , 2017 , 17,	3.8	16
105	Fabrication of high-temperature temperature sensor based on dielectric multilayer film on Sapphire fiber tip. <i>Sensors and Actuators A: Physical</i> , 2015 , 232, 99-102	3.9	15
104	Self-compensated microstructure fiber optic sensor to detect high hydrogen concentration. <i>Optics Express</i> , 2015 , 23, 22826-35	3.3	15

103	Optical fiber-tip Fabry-Perot interferometer for hydrogen sensing. <i>Optics Communications</i> , 2014 , 329, 34-37	2	15
102	Optical Fiber High-Temperature Sensor Based on Dielectric Films Extrinsic Fabry-Perot Cavity. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 2107-2110	2.2	15
101	Damage threshold influenced by the high absorption defect at the film-substrate interface under ultraviolet laser irradiation. <i>Optics Letters</i> , 2013 , 38, 4308-11	3	15
100	Dynamic phase extraction in high-SNR DAS based on UWFBGs without phase unwrapping using scalable homodyne demodulation in direct detection. <i>Optics Express</i> , 2019 , 27, 10644-10658	3.3	15
99	Underwater blast wave pressure sensor based on polymer film fiber Fabry-Perot cavity. <i>Applied Optics</i> , 2014 , 53, 6494-502	1.7	14
98	A Design of Taper-Like Etched Multicore Fiber Refractive Index-Insensitive a Temperature Highly Sensitive Mach-Zehnder Interferometer. <i>IEEE Sensors Journal</i> , 2020 , 20, 7074-7081	4	13
97	Side-polished fiber Bragg grating refractive index sensor with TbFeCo magnetoptic thin film. <i>Journal of Applied Physics</i> , 2010 , 108, 033102	2.5	13
96	Water photolysis effect on the long-term stability of a fiber optic hydrogen sensor with Pt/WO ₃ . <i>Scientific Reports</i> , 2016 , 6, 39160	4.9	13
95	Sapphire Fiber High-Temperature Tip Sensor With Multilayer Coating. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 741-743	2.2	12
94	A SPR Glucose Sensor Based on Immobilized Glucose Oxidases and Silica Mesocellular Foams. <i>IEEE Sensors Journal</i> , 2018 , 18, 2229-2235	4	11
93	Microstructured FBG hydrogen sensor based on Pt-loaded WO ₃ . <i>Optics Express</i> , 2017 , 25, 8777-8786	3.3	11
92	FBG Arrays for Quasi-Distributed Sensing: A Review. <i>Photonic Sensors</i> , 2021 , 11, 91-108	2.3	11
91	Fabricating phase-shifted fiber Bragg grating by simple postprocessing using femtosecond laser. <i>Optical Engineering</i> , 2017 , 56, 027108	1.1	10
90	A High-Sensitivity and Broad-Range SPR Glucose Sensor Based on Improved Glucose Sensitive Membranes. <i>Photonic Sensors</i> , 2019 , 9, 309-316	2.3	10
89	Etched multicore fiber Bragg gratings for refractive index sensing with temperature in-line compensation. <i>OSA Continuum</i> , 2020 , 3, 1058	1.4	10
88	Effect of Different Inorganics on Polyimide-Based Bragg Grating Humidity Sensor. <i>IEEE Sensors Journal</i> , 2019 , 19, 2016-2022	4	10
87	Thin-film-based optical fiber Fabry-Perot interferometer used for humidity sensing. <i>Applied Optics</i> , 2018 , 57, 2967-2972	1.7	9
86	Femtosecond laser ablation of microstructures in fiber and application in magnetic field sensing. <i>Optics Letters</i> , 2014 , 39, 1905-8	3	9

85	Ultra-high sensitive optical fiber hydrogen sensor using self-referenced demodulation method and WO ₃ -Pd ₂ Pt-Pt composite film. <i>Optics Express</i> , 2017 , 25, 2009-2015	3.3	9
84	Ultra-Weak Fiber Bragg Grating Sensing Network Coated with Sensitive Material for Multi-Parameter Measurements. <i>Sensors</i> , 2017 , 17,	3.8	9
83	Fiber Bragg grating sensors with Pt-loaded WO ₃ coatings for hydrogen concentration detection down to 200 ppm. <i>Measurement Science and Technology</i> , 2014 , 25, 114004	2	9
82	Improved performance of fiber optic hydrogen sensor based on MoO ₃ by ion intercalation. <i>Sensors and Actuators B: Chemical</i> , 2018 , 270, 333-340	8.5	9
81	Femtosecond Laser Ablated FBG Multitrenches for Magnetic Field Sensor Application. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 1717-1720	2.2	8
80	Thin films based one-dimensional photonic crystal for refractive index sensing. <i>Optik</i> , 2018 , 158, 1512-1518	1.8	8
79	Miniature Hydrogen Sensor Based on Fiber Inner Cavity and Pt-doped WO ₃ Coating. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1458-1461	2.2	8
78	Dielectric film based optical fiber sensor using Fabry-Berot resonant structure. <i>Optics Communications</i> , 2019 , 430, 63-67	2	7
77	Comparison of optical fiber Bragg grating hydrogen sensors with Pd-based thin films and sol-gel WO ₃ coatings. <i>Measurement Science and Technology</i> , 2013 , 24, 094009	2	7
76	Highly sensitive hydrogen sensor based on an in-fiber Mach-Zehnder interferometer with polymer infiltration and Pt-loaded WO coating. <i>Optics Express</i> , 2021 , 29, 4147-4158	3.3	7
75	Improved Performance of Fiber Bragg Hydrogen Sensors Assisted by Controllable Optical Heating System. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 1233-1236	2.2	6
74	Distributed Acoustic Sensor Using Broadband Weak FBG Array for Large Temperature Tolerance. <i>IEEE Sensors Journal</i> , 2018 , 18, 2796-2800	4	6
73	Pt nanoparticles encapsulated in mesoporous tungsten oxide to enhance the repeatability of a FBG hydrogen sensor. <i>Optical Materials Express</i> , 2018 , 8, 1493	2.6	6
72	Radiation-Resistant Optical Fiber Fabry-Perot Interferometer Used for High-Temperature Sensing. <i>IEEE Sensors Journal</i> , 2021 , 21, 57-61	4	6
71	Fiber-Optic Hydrogen Sensors: A Review. <i>IEEE Sensors Journal</i> , 2021 , 21, 12706-12718	4	6
70	Fiber Optical Hydrogen Sensor Based on WO-PdPt-Pt Nanocomposite Films. <i>Nanomaterials</i> , 2021 , 11,	5.4	6
69	An in-line optical fiber refractometer with porous thin film coating. <i>Sensors and Actuators B: Chemical</i> , 2015 , 209, 602-605	8.5	5
68	Highly Sensitive and Rapid FBG Hydrogen Sensor Using Pt-WO ₃ With Different Morphologies. <i>IEEE Sensors Journal</i> , 2018 , 18, 2652-2658	4	5

67	Simultaneously distributed temperature and dynamic strain sensing based on a hybrid ultra-weak fiber grating array. <i>Optics Express</i> , 2020 , 28, 34309-34319	3.3	5
66	Hypersensitive H sensor based on polymer planar Bragg gratings coated with Pt-loaded WO-SiO. <i>Optics Letters</i> , 2020 , 45, 3601-3604	3	5
65	Optical fiber plasmonic sensor for the ultrasensitive detection of copper (II) ion based on trimetallic Au@AgPt core-shell nanospheres. <i>Sensors and Actuators B: Chemical</i> , 2020 , 321, 128480	8.5	4
64	Performance-enhanced optical fiber hydrogen sensors based on WO ₃ -Pd ₂ Pt-Pt composite film with controlled optical heating. <i>Optical Fiber Technology</i> , 2019 , 52, 101979	2.4	4
63	Hydrogen sensor based on side-polished fiber Bragg gratings coated with thin palladium film 2011 ,		4
62	Comparison of different strategies to realize highly reflective thin film coatings at 1064nm. <i>Infrared Physics and Technology</i> , 2008 , 51, 572-575	2.7	4
61	Enhanced sensitivity of heterocore structure surface plasmon resonance sensors based on local microstructures. <i>Optical Engineering</i> , 2018 , 57, 1	1.1	4
60	Hydrogen Performance of Side-Polished Fiber Bragg Grating Sputtered with Pd/Ag Composite Film. <i>Sensor Letters</i> , 2012 , 10, 1434-1437	0.9	4
59	Thousands of fiber grating sensor array based on draw tower: a new platform for fiber-optic sensing 2018 ,		4
58	Optical fiber sensors based on Fabry-Perot multilayer coatings. <i>Chinese Optics Letters</i> , 2010 , 8, 189-191	2.2	4
57	Distributed Acoustic Sensing System Based on Broadband Ultra-Weak Fiber Bragg Grating Array 2018 ,		4
56	An Enhanced Distributed Acoustic Sensor With Large Temperature Tolerance Based on Ultra-Weak Fiber Bragg Grating Array. <i>IEEE Photonics Journal</i> , 2020 , 12, 1-11	1.8	4
55	Femtosecond Laser Ablated FBG with Composite Microstructure for Hydrogen Sensor Application. <i>Sensors</i> , 2016 , 16,	3.8	4
54	2D and 3D Shape Sensing Based on 7-Core Fiber Bragg Gratings. <i>Photonic Sensors</i> , 2020 , 10, 306-315	2.3	3
53	Strain characteristics of the silica-based fiber Bragg gratings for 300-73 K. <i>Cryogenics</i> , 2018 , 92, 93-97	1.8	3
52	A IR-Femtosecond Laser Hybrid Sensor to Measure the Thermal Expansion and Thermo-Optical Coefficient of Silica-Based FBG at High Temperatures. <i>Sensors</i> , 2018 , 18,	3.8	3
51	Refractometer based on a microslot in single-multi-single fiber fabricated by femtosecond laser. <i>Optical Engineering</i> , 2013 , 52, 044401	1.1	3
50	Miniature fiber-optic temperature sensor based on optical coating interference. <i>Optik</i> , 2017 , 130, 1014-1020	1.3	3

49	Ammonium Hydroxide Sensing Based on LSPR of Phosphatidylcholine-Modified Gold Nanorods. <i>IEEE Photonics Technology Letters</i> , 2015 , 27, 2583-2586	2.2	3
48	High temperature sensor based on dielectric multilayer Fabry-Perot interferometry on Sapphire fiber tip 2014 ,		3
47	Polar-groups-modified polyimide based on a fiber Bragg grating for relative humidity sensors. <i>Applied Optics</i> , 2020 , 59, 2468-2473	1.7	3
46	Fabry-Perot fiber-tip sensor based on an inner air cavity for refractive index sensing. <i>Chinese Optics Letters</i> , 2014 , 12, S11202-311204	2.2	3
45	Tapered multicore fiber interferometer for ultra-sensitive temperature sensing with thermo-optical materials. <i>Optics Express</i> , 2021 , 29, 35765-35775	3.3	3
44	Hydrogen sensing performance investigations with optical heating and sensing element surface modification. <i>International Journal of Hydrogen Energy</i> , 2021 , 46, 1411-1419	6.7	3
43	High-sensitivity fiber optic hydrogen sensor in air by optimizing a self-referenced demodulating method. <i>Applied Optics</i> , 2018 , 57, 8011-8015	1.7	3
42	Distributed acoustic sensing system based on continuous wide-band ultra-weak fiber Bragg grating array 2017 ,		2
41	Refractive index interferometer based on SMF-MMF-TMCF-SMF structure with low temperature sensitivity. <i>Optical Fiber Technology</i> , 2020 , 57, 102233	2.4	2
40	Tip hydrogen sensor based on liquid-filled in-fiber Fabry-Perot interferometer with Pt-loaded WO ₃ coating. <i>Measurement Science and Technology</i> , 2020 , 31, 125107	2	2
39	Fiber vibration sensing technologies based on draw-tower grating arrays 2017 ,		2
38	Temperature and strain sensor based on a few-mode photonic crystal fiber 2017 ,		2
37	Improved Sensitivity of Fiber Fabry-Perot Interferometer Based on Phase-Tracking Algorithm. <i>IEEE Sensors Journal</i> , 2015 , 15, 5834-5838	4	2
36	All Fiber Grating (AFG): a new platform for fiber optic sensing technologies 2015 ,		2
35	Corrosion of Fe-C coated FBG sensor and rebars: a comparative study 2012 ,		2
34	Highly sensitive optical fiber sensor of carbon monoxide based on Fabry-Perot interferometer and gold-based catalysts. <i>Optical Engineering</i> , 2019 , 58, 1	1.1	2
33	Optical Fibre Magnetic Field/Current Sensors with TbDyFe-FeNi Multilayer as Sensing Materials. <i>Sensor Letters</i> , 2009 , 7, 576-579	0.9	2
32	Enhanced Sensitivity of Hetero-core Structure SPR Temperature Sensor Based on Local Microstructures 2018 ,		2

31	Reflective optical fiber sensor based on light polarization modulation for hydrogen sensing. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, 3471	1.7	2
30	Fiber Optic Sensors Based on Nano-Films. <i>Smart Sensors, Measurement and Instrumentation</i> , 2017 , 1-30	0.3	2
29	Surface Plasmon Resonance Sensing Performance and Adsorption Law of Self-Assembly Glucose-Sensitive Membrane. <i>IEEE Sensors Journal</i> , 2020 , 20, 610-616	4	2
28	Investigations of Different Ion Intercalations on the Performance of FBG Hydrogen Sensors Based on Pt/MoO. <i>Sensors</i> , 2019 , 19,	3.8	2
27	The continuous line-shape measurement of bridge based on tri-axis fiber optic gyro 2017 ,		1
26	Microfiber Bragg grating hydrogen sensor base on co-sputtered Pd/Ni composite film 2015 ,		1
25	Development of Fiber Bragg Sensing Technologies for Industrial and Safe Applications at WUT and WUTOS 2017 ,		1
24	Optic fiber hydrogen sensor based on high-low reflectivity Bragg gratings and WO ₃ -Pd-Pt multilayer films 2015 ,		1
23	Optical fiber relative-humidity sensor using FabryPerot cavity formed by e-beam evaporated dielectric films 2013 ,		1
22	Porous silicon-based optical fiber Fabry-Perot sensor for relative humidity determination 2011 ,		1
21	Thin film-based optical fiber sensors 2010 ,		1
20	Side-polished fiber Bragg grating hydrogen sensor with different sensitive thin films 2012 ,		1
19	Optical fiber hydrogen sensor based on micro interferometer 2012 ,		1
18	Comparison of side-polished fiber Bragg grating hydrogen sensors sputtered with Pd/Ag and Pd/Y composite films 2012 ,		1
17	Broadband-reflecting optical thin films for the far ultraviolet spectral range. <i>Thin Solid Films</i> , 2008 , 517, 878-880	2.2	1
16	Multiport swept-wavelength interferometer with laser phase noise mitigation employing a broadband ultra-weak FBG array. <i>Optics Letters</i> , 2020 , 45, 5913-5916	3	1
15	Numerical analysis of a novel refractive index and temperature sensor based on a kagom□ hollow-core photonic crystal fiber 2016 ,		1
14	Improved performance of fiber-optic hydrogen sensor based on Mg-Ti alloys composite thin films 2019 ,		1

13	A Mechanically Stable and High-Sensitivity Glucose-Sensitive Membrane Based on the Entrapping of Immobilized GODs in PVA+PEG Composite Hydrogels. <i>IEEE Sensors Journal</i> , 2021 , 21, 193-198	4	1
12	Distributed acoustic sensors with wide frequency response based on UWFBG array utilizing dual-pulse detection. <i>Optical Fiber Technology</i> , 2021 , 61, 102452	2.4	1
11	Versatile Interferometric Sensor Based on Sandwiched Grapefruit Photonic Crystal Fiber. <i>IEEE Sensors Journal</i> , 2021 , 21, 17875-17881	4	1
10	Sapphire Fiber Fabry-Perot Sensors with High Fringe Visibility. <i>IEEE Photonics Journal</i> , 2022 , 1-1	1.8	1
9	A Refractometric Uric Acid Biosensor Based on Immobilized Uricase and PVA+PEG Composite Hydrogels. <i>IEEE Sensors Journal</i> , 2020 , 1-1	4	0
8	Wavelength-Dependent Polarization Beam Splitter Based on Birefringent Tapered Multicore Fiber. <i>Journal of Lightwave Technology</i> , 2022 , 40, 2128-2135	4	0
7	Distributed Vibration and Temperature Measurement for Oil Well Based on Continuous Fiber Bragg Grating Array. <i>Springer Series in Geomechanics and Geoengineering</i> , 2020 , 1965-1973	0.1	0
6	Guest Editorial Special Issue on Advances in Fiber Optic Sensing Technologies. <i>IEEE Sensors Journal</i> , 2021 , 21, 16-16	4	0
5	van der Waals forces enhanced light-graphene interaction in optical microfiber polarizer. <i>AIP Advances</i> , 2022 , 12, 045027	1.5	0
4	Large-capacity and long-distance distributed acoustic sensing based on an ultra-weak fiber Bragg grating array with an optimized pulsed optical power arrangement. <i>Optics Express</i> , 2022 , 30, 16931	3.3	0
3	Measurement of interlayer pressure in micro-clearance based on photonic crystal fiber. <i>Measurement Science and Technology</i> , 2017 , 28, 065014	2	
2	Hypersensitive H sensor based on polymer planar Bragg gratings coated with Pt-loaded WO-SiO: erratum. <i>Optics Letters</i> , 2020 , 45, 4498	3	
1	Optical Fibre Sensor Set-Up Elements 2020 , 49-89		