

Sileshi Gizachew Wubshet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1160042/publications.pdf>

Version: 2024-02-01

34
papers

1,135
citations

361413

20
h-index

414414

32
g-index

36
all docs

36
docs citations

36
times ranked

1411
citing authors

#	ARTICLE	IF	CITATIONS
1	Post-enzymatic hydrolysis heat treatment as an essential unit operation for collagen solubilization from poultry by-products. <i>Food Chemistry</i> , 2022, 382, 132201.	8.2	9
2	Multivariate correlation of infrared fingerprints and molecular weight distributions with bioactivity of poultry by-product protein hydrolysates. <i>Journal of Functional Foods</i> , 2022, 95, 105170.	3.4	4
3	Magnetic ligand fishing using immobilized DPP-IV for identification of antidiabetic ligands in lingonberry extract. <i>PLoS ONE</i> , 2021, 16, e0247329.	2.5	4
4	Exploring Effects of Protease Choice and Protease Combinations in Enzymatic Protein Hydrolysis of Poultry By-Products. <i>Molecules</i> , 2021, 26, 5280.	3.8	10
5	Improved estimation of in vitro protein digestibility of different foods using size exclusion chromatography. <i>Food Chemistry</i> , 2021, 358, 129830.	8.2	35
6	Fourier-transform infrared (FTIR) fingerprinting for quality assessment of protein hydrolysates. <i>LWT - Food Science and Technology</i> , 2021, 152, 112339.	5.2	20
7	Immobilized protease on magnetic particles for enzymatic protein hydrolysis of poultry by-products. <i>LWT - Food Science and Technology</i> , 2021, 152, 112327.	5.2	7
8	Average molecular weight, degree of hydrolysis and dry-film FTIR fingerprint of milk protein hydrolysates: Intercorrelation and application in process monitoring. <i>Food Chemistry</i> , 2020, 310, 125800.	8.2	31
9	Fourier-transform infrared spectroscopy for monitoring proteolytic reactions using dry-films treated with trifluoroacetic acid. <i>Scientific Reports</i> , 2020, 10, 7844.	3.3	21
10	Raman spectroscopy for quantification of residual calcium and total ash in mechanically deboned chicken meat. <i>Food Control</i> , 2019, 95, 267-273.	5.5	27
11	Bioanalytical Aspects in Enzymatic Protein Hydrolysis of By-Products. , 2019, , 225-258.		10
12	FTIR-based hierarchical modeling for prediction of average molecular weights of protein hydrolysates. <i>Talanta</i> , 2019, 205, 120084.	5.5	30
13	Peptides from chicken processing by-product inhibit DPP-IV and promote cellular glucose uptake: potential ingredients for T2D management. <i>Food and Function</i> , 2019, 10, 1619-1628.	4.6	17
14	Combined magnetic ligand fishing and high-resolution inhibition profiling for identification of α -glucosidase inhibitory ligands: A new screening approach based on complementary inhibition and affinity profiles. <i>Talanta</i> , 2019, 200, 279-287.	5.5	27
15	Feed-Forward Prediction of Product Qualities in Enzymatic Protein Hydrolysis of Poultry By-products: a Spectroscopic Approach. <i>Food and Bioprocess Technology</i> , 2018, 11, 2032-2043.	4.7	17
16	Valorization of Proteins from Co- and By-Products from the Fish and Meat Industry. <i>Topics in Current Chemistry</i> , 2017, 375, 53.	5.8	56
17	Fourier-transform infrared spectroscopy for characterization of protein chain reductions in enzymatic reactions. <i>Analyst</i> , The, 2017, 142, 2812-2818.	3.5	50
18	FTIR as a rapid tool for monitoring molecular weight distribution during enzymatic protein hydrolysis of food processing by-products. <i>Analytical Methods</i> , 2017, 9, 4247-4254.	2.7	54

#	ARTICLE	IF	CITATIONS
19	Total biosynthesis of the cyclic AMP booster forskolin from <i>Coleus forskohlii</i> . <i>ELife</i> , 2017, 6, .	6.0	97
20	Valorization of Proteins from Co- and By-Products from the Fish and Meat Industry. <i>Topics in Current Chemistry Collections</i> , 2017, , 123-150.	0.5	14
21	Oxidation and cyclization of casbene in the biosynthesis of <i>Euphorbia</i> factors from mature seeds of <i>Euphorbia lathyris</i> L.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E5082-9.	7.1	76
22	High-resolution PTP1B inhibition profiling combined with high-performance liquid chromatographyâ€“high-resolution mass spectrometryâ€“solid-phase extractionâ€“nuclear magnetic resonance spectroscopy: Proof-of-concept and antidiabetic constituents in crude extract of <i>Eremophila lucida</i> . <i>FÄ-toterapÄ-Äç</i> , 2016, 110, 52-58.	2.2	50
23	Identification of PTP1B and Î±-Glucosidase Inhibitory Serrulatanes from <i>Eremophila</i> spp. by Combined use of Dual High-Resolution PTP1B and Î±-Glucosidase Inhibition Profiling and HPLC-HRMS-SPE-NMR. <i>Journal of Natural Products</i> , 2016, 79, 1063-1072.	3.0	54
24	Characterization of midazolam metabolism in locusts: the role of a CYP3A4-like enzyme in the formation of 1â€²-OH and 4-OH midazolam. <i>Xenobiotica</i> , 2016, 46, 99-107.	1.1	18
25	Combined Use of High-Resolution Î±-Glucosidase Inhibition Profiling and High-Performance Liquid Chromatographyâ€“High-Resolution Mass Spectrometryâ€“Solid-Phase Extractionâ€“Nuclear Magnetic Resonance Spectroscopy for Investigation of Antidiabetic Principles in Crude Plant Extracts. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 2257-2263.	5.2	49
26	Triple aldose reductase/Î±-glucosidase/radical scavenging high-resolution profiling combined with high-performance liquid chromatographyâ€“high-resolution mass spectrometryâ€“solid-phase extractionâ€“nuclear magnetic resonance spectroscopy for identification of antidiabetic constituents in crude extract of <i>Radix Scutellariae</i> . <i>Journal of Chromatography A</i> , 2015, 1408, 125-132.	3.7	43
27	Fungal plasma membrane H ⁺ -ATPase inhibitory activity of o-hydroxybenzylated flavanones and chalcones from <i>Uvaria chamae</i> P. Beauv.. <i>FÄ-toterapÄ-Äç</i> , 2015, 105, 102-106.	2.2	15
28	High-resolution bioactivity profiling combined with HPLCâ€“HRMSâ€“SPEâ€“NMR: Î±-Glucosidase inhibitors and acetylated ellagic acid rhamnosides from <i>Myrcia palustris</i> DC. (Myrtaceae). <i>Phytochemistry</i> , 2015, 116, 246-252.	2.9	34
29	Magnetic Ligand Fishing as a Targeting Tool for HPLC-HRMS-SPE-NMR: Î±-Glucosidase Inhibitory Ligands and Alkylresorcinol Glycosides from <i>Eugenia catharinae</i> . <i>Journal of Natural Products</i> , 2015, 78, 2657-2665.	3.0	68
30	High-Resolution Screening Combined with HPLC-HRMS-SPE-NMR for Identification of Fungal Plasma Membrane H ⁺ -ATPase Inhibitors from Plants. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 5595-5602.	5.2	28
31	Maritime Halophyte Species from Southern Portugal as Sources of Bioactive Molecules. <i>Marine Drugs</i> , 2014, 12, 2228-2244.	4.6	72
32	High-Resolution Screening Combined with HPLC-HRMS-SPE-NMR for Identification of Potential Health-Promoting Constituents in Sea Aster and Searocketâ€“New Nordic Food Ingredients. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 8616-8623.	5.2	44
33	Targeting high-performance liquid chromatographyâ€“high-resolution mass spectrometryâ€“solid-phase extractionâ€“nuclear magnetic resonance analysis with high-resolution radical scavenging profilesâ€“Bioactive secondary metabolites from the endophytic fungus <i>Penicillium namyslowskii</i> . <i>Journal of Chromatography A</i> , 2013, 1302, 34-39.	3.7	39
34	Encoderâ€“decoder neural networks for predicting future FTIR spectra â€“ application to enzymatic protein hydrolysis. <i>Journal of Biophotonics</i> , 0, , .	2.3	1