

A John Rush

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11603300/a-john-rush-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

476 papers	51,049 citations	106 h-index	215 g-index
496 ext. papers	57,283 ext. citations	5.9 avg, IF	7.01 L-index

#	Paper	IF	Citations
476	The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 3095-105	27.4	5502
475	Acute and longer-term outcomes in depressed outpatients requiring one or several treatment steps: a STAR*D report. <i>American Journal of Psychiatry</i> , 2006 , 163, 1905-17	11.9	3098
474	Evaluation of outcomes with citalopram for depression using measurement-based care in STAR*D: implications for clinical practice. <i>American Journal of Psychiatry</i> , 2006 , 163, 28-40	11.9	2607
473	The 16-Item Quick Inventory of Depressive Symptomatology (QIDS), clinician rating (QIDS-C), and self-report (QIDS-SR): a psychometric evaluation in patients with chronic major depression. <i>Biological Psychiatry</i> , 2003 , 54, 573-83	7.9	2278
472	A comparison of nefazodone, the cognitive behavioral-analysis system of psychotherapy, and their combination for the treatment of chronic depression. <i>New England Journal of Medicine</i> , 2000 , 342, 1462-70	59.2	985
471	Bupropion-SR, sertraline, or venlafaxine-XR after failure of SSRIs for depression. <i>New England Journal of Medicine</i> , 2006 , 354, 1231-42	59.2	778
470	Medication augmentation after the failure of SSRIs for depression. <i>New England Journal of Medicine</i> , 2006 , 354, 1243-52	59.2	748
469	Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design. <i>Contemporary Clinical Trials</i> , 2004 , 25, 119-42		725
468	The Inventory for Depressive Symptomatology (IDS): preliminary findings. <i>Psychiatry Research</i> , 1986 , 18, 65-87	9.9	617
467	Difference in treatment outcome in outpatients with anxious versus nonanxious depression: a STAR*D report. <i>American Journal of Psychiatry</i> , 2008 , 165, 342-51	11.9	594
466	Differential responses to psychotherapy versus pharmacotherapy in patients with chronic forms of major depression and childhood trauma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 14293-6	11.5	584
465	Axis I psychiatric comorbidity and its relationship to historical illness variables in 288 patients with bipolar disorder. <i>American Journal of Psychiatry</i> , 2001 , 158, 420-6	11.9	528
464	Report by the ACNP Task Force on response and remission in major depressive disorder. <i>Neuropsychopharmacology</i> , 2006 , 31, 1841-53	8.7	469
463	The STAR*D Project results: a comprehensive review of findings. <i>Current Psychiatry Reports</i> , 2007 , 9, 449-59	9.1	443
462	Remissions in maternal depression and child psychopathology: a STAR*D-child report. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 1389-98	27.4	442
461	Vagus nerve stimulation for treatment-resistant depression: a randomized, controlled acute phase trial. <i>Biological Psychiatry</i> , 2005 , 58, 347-54	7.9	439
460	Variation in the gene encoding the serotonin 2A receptor is associated with outcome of antidepressant treatment. <i>American Journal of Human Genetics</i> , 2006 , 78, 804-814	11	396

459	A comparison of lithium and T(3) augmentation following two failed medication treatments for depression: a STAR*D report. <i>American Journal of Psychiatry</i> , 2006 , 163, 1519-30; quiz 1665	11.9	380
458	Background and rationale for the sequenced treatment alternatives to relieve depression (STAR*D) study. <i>Psychiatric Clinics of North America</i> , 2003 , 26, 457-94, x	3.1	373
457	What did STAR*D teach us? Results from a large-scale, practical, clinical trial for patients with depression. <i>Psychiatric Services</i> , 2009 , 60, 1439-45	3.3	368
456	Vagus nerve stimulation (VNS) for treatment-resistant depression: efficacy, side effects, and predictors of outcome. <i>Neuropsychopharmacology</i> , 2001 , 25, 713-28	8.7	358
455	Implementing evidence-based practices for persons with severe mental illnesses. <i>Psychiatric Services</i> , 2001 , 52, 45-50	3.3	338
454	Estimating Individualized Treatment Rules Using Outcome Weighted Learning. <i>Journal of the American Statistical Association</i> , 2012 , 107, 1106-1118	2.8	335
453	An evaluation of the quick inventory of depressive symptomatology and the hamilton rating scale for depression: a sequenced treatment alternatives to relieve depression trial report. <i>Biological Psychiatry</i> , 2006 , 59, 493-501	7.9	300
452	Early physical and sexual abuse associated with an adverse course of bipolar illness. <i>Biological Psychiatry</i> , 2002 , 51, 288-97	7.9	300
451	Effect of age at onset on the course of major depressive disorder. <i>American Journal of Psychiatry</i> , 2007 , 164, 1539-46	11.9	295
450	Gender differences in depression: findings from the STAR*D study. <i>Journal of Affective Disorders</i> , 2005 , 87, 141-50	6.6	292
449	ECT remission rates in psychotic versus nonpsychotic depressed patients: a report from CORE. <i>Journal of ECT</i> , 2001 , 17, 244-53	2	291
448	Methods to improve diagnostic accuracy in a community mental health setting. <i>American Journal of Psychiatry</i> , 2000 , 157, 1599-605	11.9	290
447	Effects of 12 months of vagus nerve stimulation in treatment-resistant depression: a naturalistic study. <i>Biological Psychiatry</i> , 2005 , 58, 355-63	7.9	288
446	Effect size of lithium, divalproex sodium, and carbamazepine in children and adolescents with bipolar disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2000 , 39, 713-20	7.2	281
445	Onset and persistence of postpartum depression in an inner-city maternal health clinic system. <i>American Journal of Psychiatry</i> , 2001 , 158, 1856-63	11.9	272
444	Combining medications to enhance depression outcomes (CO-MED): acute and long-term outcomes of a single-blind randomized study. <i>American Journal of Psychiatry</i> , 2011 , 168, 689-701	11.9	266
443	A one-year comparison of vagus nerve stimulation with treatment as usual for treatment-resistant depression. <i>Biological Psychiatry</i> , 2005 , 58, 364-73	7.9	264
442	Speed of response and remission in major depressive disorder with acute electroconvulsive therapy (ECT): a Consortium for Research in ECT (CORE) report. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 485-91	4.6	263

441	Treating major depression in primary care practice: an update of the Agency for Health Care Policy and Research Practice Guidelines. <i>Archives of General Psychiatry</i> , 1998 , 55, 1121-7		262
440	Clinical correlates and symptom patterns of anxious depression among patients with major depressive disorder in STAR*D. <i>Psychological Medicine</i> , 2004 , 34, 1299-308	6.9	261
439	A genomewide association study points to multiple loci that predict antidepressant drug treatment outcome in depression. <i>Archives of General Psychiatry</i> , 2009 , 66, 966-975		259
438	Two-year outcome of vagus nerve stimulation (VNS) for treatment of major depressive episodes. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1097-104	4.6	258
437	The Inventory of Depressive Symptomatology (IDS): Clinician (IDS-C) and Self-Report (IDS-SR) ratings of depressive symptoms. <i>International Journal of Methods in Psychiatric Research</i> , 2000 , 9, 45-59	4.3	251
436	STAR*D: what have we learned?. <i>American Journal of Psychiatry</i> , 2007 , 164, 201-4	11.9	250
435	Cognitive therapy versus medication in augmentation and switch strategies as second-step treatments: a STAR*D report. <i>American Journal of Psychiatry</i> , 2007 , 164, 739-52	11.9	246
434	The impact of treatment-resistant depression on health care utilization and costs. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 963-71	4.6	246
433	Tranlycypromine versus venlafaxine plus mirtazapine following three failed antidepressant medication trials for depression: a STAR*D report. <i>American Journal of Psychiatry</i> , 2006 , 163, 1531-41; quiz 1666	11.9	244
432	Hippocampal remodeling and damage by corticosteroids: implications for mood disorders. <i>Neuropsychopharmacology</i> , 1999 , 21, 474-84	8.7	243
431	Cognitive patterns in symptomatic and remitted unipolar major depression.. <i>Journal of Abnormal Psychology</i> , 1984 , 93, 31-40	7	243
430	Clinical results for patients with major depressive disorder in the Texas Medication Algorithm Project. <i>Archives of General Psychiatry</i> , 2004 , 61, 669-80		225
429	Vagus nerve stimulation (VNS) for major depressive episodes: one year outcomes. <i>Biological Psychiatry</i> , 2002 , 51, 280-7	7.9	224
428	The FKBP5-gene in depression and treatment response--an association study in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) Cohort. <i>Biological Psychiatry</i> , 2008 , 63, 1103-10	7.9	218
427	The treatment of chronic depression, part 3: psychosocial functioning before and after treatment with sertraline or imipramine. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 608-19	4.6	213
426	Sertraline as a first-line treatment for cholestatic pruritus. <i>Hepatology</i> , 2007 , 45, 666-74	11.2	207
425	A Comparison of Mirtazapine and Nortriptyline Following Two Consecutive Failed Medication Treatments for Depressed Outpatients: A STAR*D Report. <i>American Journal of Psychiatry</i> , 2006 , 163, 1161-1172	11.9	203
424	Hippocampal volume, spectroscopy, cognition, and mood in patients receiving corticosteroid therapy. <i>Biological Psychiatry</i> , 2004 , 55, 538-45	7.9	203

423	Randomized, placebo-controlled trial of mixed amphetamine salts for symptoms of comorbid ADHD in pediatric bipolar disorder after mood stabilization with divalproex sodium. <i>American Journal of Psychiatry</i> , 2005 , 162, 58-64	11.9	198
422	Relief of expressed suicidal intent by ECT: a consortium for research in ECT study. <i>American Journal of Psychiatry</i> , 2005 , 162, 977-82	11.9	187
421	Comorbid psychiatric disorders in depressed outpatients: demographic and clinical features. <i>Journal of Affective Disorders</i> , 2005 , 87, 43-55	6.6	185
420	Association between a functional serotonin transporter promoter polymorphism and citalopram treatment in adult outpatients with major depression. <i>Archives of General Psychiatry</i> , 2007 , 64, 783-92		182
419	Common genetic variation and antidepressant efficacy in major depressive disorder: a meta-analysis of three genome-wide pharmacogenetic studies. <i>American Journal of Psychiatry</i> , 2013 , 170, 207-17	11.9	181
418	15 years of clinical experience with bupropion HCl: from bupropion to bupropion SR to bupropion XL. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2005 , 7, 106-13		180
417	Self-rated global measure of the frequency, intensity, and burden of side effects. <i>Journal of Psychiatric Practice</i> , 2006 , 12, 71-9	1.3	176
416	Psychotherapy and medication in the treatment of adult and geriatric depression: which monotherapy or combined treatment?. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 455-68	4.6	176
415	STAR*D: revising conventional wisdom. <i>CNS Drugs</i> , 2009 , 23, 627-47	6.7	172
414	Does psychosocial functioning improve independent of depressive symptoms? A comparison of nefazodone, psychotherapy, and their combination. <i>Biological Psychiatry</i> , 2002 , 51, 123-33	7.9	172
413	Can phase III trial results of antidepressant medications be generalized to clinical practice? A STAR*D report. <i>American Journal of Psychiatry</i> , 2009 , 166, 599-607	11.9	171
412	Genetic markers of suicidal ideation emerging during citalopram treatment of major depression. <i>American Journal of Psychiatry</i> , 2007 , 164, 1530-8	11.9	171
411	Association of GRIK4 with outcome of antidepressant treatment in the STAR*D cohort. <i>American Journal of Psychiatry</i> , 2007 , 164, 1181-8	11.9	169
410	Polysomnographic findings in recently drug-free and clinically remitted depressed patients. <i>Archives of General Psychiatry</i> , 1986 , 43, 878-84		164
409	The Texas Medication Algorithm Project. <i>Journal of Clinical Psychiatry</i> , 1999 , 60, 142-156	4.6	160
408	Cross-disorder genomewide analysis of schizophrenia, bipolar disorder, and depression. <i>American Journal of Psychiatry</i> , 2010 , 167, 1254-63	11.9	157
407	Sex differences in depression symptoms in treatment-seeking adults: confirmatory analyses from the Sequenced Treatment Alternatives to Relieve Depression study. <i>Comprehensive Psychiatry</i> , 2008 , 49, 238-46	7.3	156
406	The Montgomery Asberg and the Hamilton ratings of depression: a comparison of measures. <i>European Neuropsychopharmacology</i> , 2006 , 16, 601-11	1.2	150

405	MAOIs in the contemporary treatment of depression. <i>Neuropsychopharmacology</i> , 1995 , 12, 185-219	8.7	149
404	Psychosis in bipolar disorder: phenomenology and impact on morbidity and course of illness. <i>Comprehensive Psychiatry</i> , 2003 , 44, 263-9	7.3	147
403	Children of depressed mothers 1 year after the initiation of maternal treatment: findings from the STAR*D-Child Study. <i>American Journal of Psychiatry</i> , 2008 , 165, 1136-47	11.9	146
402	A comparison of electronic monitoring vs. clinician rating of antipsychotic adherence in outpatients with schizophrenia. <i>Psychiatry Research</i> , 2005 , 133, 129-33	9.9	145
401	Acupuncture: a promising treatment for depression during pregnancy. <i>Journal of Affective Disorders</i> , 2004 , 83, 89-95	6.6	145
400	The Influence of Age on the Response of Major Depression to Electroconvulsive Therapy: A C.O.R.E. Report. <i>American Journal of Geriatric Psychiatry</i> , 2001 , 9, 382-390	6.5	145
399	Prospective, long-term, multicenter study of the naturalistic outcomes of patients with treatment-resistant depression. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 688-95	4.6	144
398	Association between major depressive episodes in patients with chronic kidney disease and initiation of dialysis, hospitalization, or death. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 1946-53	27.4	143
397	Research issues in the study of difficult-to-treat depression. <i>Biological Psychiatry</i> , 2003 , 53, 743-53	7.9	136
396	The Brief Adherence Rating Scale (BARS) validated against electronic monitoring in assessing the antipsychotic medication adherence of outpatients with schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2008 , 100, 60-9	3.6	134
395	Clinical and demographic features of atypical depression in outpatients with major depressive disorder: preliminary findings from STAR*D. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 1002-11	4.6	133
394	Prevalence of major depressive episode in CKD. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 424-32	7.4	132
393	Fluoxetine versus placebo in preventing relapse of major depression in children and adolescents. <i>American Journal of Psychiatry</i> , 2008 , 165, 459-67	11.9	132
392	A descriptive analysis of minor depression. <i>American Journal of Psychiatry</i> , 2002 , 159, 637-43	11.9	130
391	Fluoxetine in child and adolescent depression: acute and maintenance treatment. <i>Depression and Anxiety</i> , 1998 , 7, 32-9	8.4	128
390	Dream recall and major depression: A preliminary report.. <i>Dreaming</i> , 1995 , 5, 189-198	6	127
389	International Study to Predict Optimized Treatment for Depression (ISPOT-D), a randomized clinical trial: rationale and protocol. <i>Trials</i> , 2011 , 12, 4	2.8	126
388	Selecting among second-step antidepressant medication monotherapies: predictive value of clinical, demographic, or first-step treatment features. <i>Archives of General Psychiatry</i> , 2008 , 65, 870-80		125

387	Improving the prediction of treatment response in depression: integration of clinical, cognitive, psychophysiological, neuroimaging, and genetic measures. <i>CNS Spectrums</i> , 2008 , 13, 1066-86; quiz 1087-8	1.8	125
386	The dexamethasone suppression test in patients with mood disorders. <i>Journal of Clinical Psychiatry</i> , 1996 , 57, 470-84	4.6	125
385	The Texas Medication Algorithm Project antipsychotic algorithm for schizophrenia: 2003 update. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 500-8	4.6	125
384	Children of depressed mothers 1 year after remission of maternal depression: findings from the STAR*D-Child study. <i>American Journal of Psychiatry</i> , 2011 , 168, 593-602	11.9	124
383	Sex differences in response to citalopram: a STAR*D report. <i>Journal of Psychiatric Research</i> , 2009 , 43, 503-11	5.2	123
382	Can C-reactive protein inform antidepressant medication selection in depressed outpatients? Findings from the CO-MED trial. <i>Psychoneuroendocrinology</i> , 2017 , 78, 105-113	5	118
381	Current status of augmentation and combination treatments for major depressive disorder: a literature review and a proposal for a novel approach to improve practice. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 139-53	9.4	118
380	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy: An Individual Patient Data Meta-analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 1102-9	14.5	117
379	What clinical and symptom features and comorbid disorders characterize outpatients with anxious major depressive disorder: a replication and extension. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 823-35	4.8	115
378	Relationship between objective and subjective sleep measures in depressed patients and healthy controls. <i>Depression and Anxiety</i> , 1997 , 5, 97-102	8.4	114
377	Genome-wide association study of suicide attempts in mood disorder patients. <i>American Journal of Psychiatry</i> , 2010 , 167, 1499-507	11.9	113
376	Benzodiazepines as antidepressants: does GABA play a role in depression?. <i>Biological Psychiatry</i> , 1995 , 38, 578-91	7.9	113
375	Factors associated with health-related quality of life among outpatients with major depressive disorder: a STAR*D report. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 185-95	4.6	113
374	Dropouts versus completers among chronically depressed outpatients. <i>Journal of Affective Disorders</i> , 2007 , 97, 197-202	6.6	112
373	Use of bupropion in combination with serotonin reuptake inhibitors. <i>Biological Psychiatry</i> , 2006 , 59, 203-10	1.9	111
372	Chronic depression: medication (nefazodone) or psychotherapy (CBASP) is effective when the other is not. <i>Archives of General Psychiatry</i> , 2005 , 62, 513-20		110
371	Concurrent anxiety and substance use disorders among outpatients with major depression: clinical features and effect on treatment outcome. <i>Drug and Alcohol Dependence</i> , 2009 , 99, 248-60	4.9	109
370	Depression Subtypes in Predicting Antidepressant Response: A Report From the iSPOT-D Trial. <i>American Journal of Psychiatry</i> , 2015 , 172, 743-50	11.9	106

369	Maximizing the adequacy of medication treatment in controlled trials and clinical practice: STAR(*)D measurement-based care. <i>Neuropsychopharmacology</i> , 2007 , 32, 2479-89	8.7	106
368	Association between treatment-emergent suicidal ideation with citalopram and polymorphisms near cyclic adenosine monophosphate response element binding protein in the STAR*D study. <i>Archives of General Psychiatry</i> , 2007 , 64, 689-97		106
367	Predictors of attrition during initial (citalopram) treatment for depression: a STAR*D report. <i>American Journal of Psychiatry</i> , 2007 , 164, 1189-97	11.9	106
366	Factors that differentiate early vs. later onset of major depression disorder. <i>Psychiatry Research</i> , 2004 , 129, 127-40	9.9	103
365	Children of currently depressed mothers: a STAR*D ancillary study. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 126-36	4.6	103
364	Insomnia in patients with depression: a STAR*D report. <i>CNS Spectrums</i> , 2010 , 15, 394-404	1.8	102
363	Algorithms and collaborative-care systems for depression: are they effective and why? A systematic review. <i>Biological Psychiatry</i> , 2006 , 59, 1029-38	7.9	102
362	The Texas Children's Medication Algorithm Project: report of the Texas Consensus Conference Panel on Medication Treatment of Childhood Major Depressive Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 1442-54	7.2	102
361	Measurement-based care in psychiatric practice: a policy framework for implementation. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1136-43	4.6	101
360	A comparison of mirtazapine and nortriptyline following two consecutive failed medication treatments for depressed outpatients: a STAR*D report. <i>American Journal of Psychiatry</i> , 2006 , 163, 1161-72	11.9	100
359	Association between bipolar spectrum features and treatment outcomes in outpatients with major depressive disorder. <i>Archives of General Psychiatry</i> , 2011 , 68, 351-60		99
358	Double-blind switch study of imipramine or sertraline treatment of antidepressant-resistant chronic depression. <i>Archives of General Psychiatry</i> , 2002 , 59, 233-9		97
357	The treatment of chronic depression, part 2: a double-blind, randomized trial of sertraline and imipramine. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 598-607	4.6	97
356	Association of polymorphisms in genes regulating the corticotropin-releasing factor system with antidepressant treatment response. <i>Archives of General Psychiatry</i> , 2010 , 67, 369-79		96
355	Recurrence of major depressive disorder in hospitalized children and adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1997 , 36, 785-92	7.2	96
354	Self-reported depressive symptom measures: sensitivity to detecting change in a randomized, controlled trial of chronically depressed, nonpsychotic outpatients. <i>Neuropsychopharmacology</i> , 2005 , 30, 405-16	8.7	96
353	Depression and chronic low back pain: establishing priorities in treatment. <i>Spine</i> , 2000 , 25, 2566-71	3.3	96
352	Rate of switch in bipolar patients prospectively treated with second-generation antidepressants as augmentation to mood stabilizers. <i>Bipolar Disorders</i> , 2001 , 3, 259-265	3.8	92

351	Validity of electronically monitored medication adherence and conventional adherence measures in schizophrenia. <i>Psychiatric Services</i> , 2007 , 58, 844-7	3.3	91
350	Cognitive-behavioral analysis system of psychotherapy as a maintenance treatment for chronic depression. <i>Journal of Consulting and Clinical Psychology</i> , 2004 , 72, 681-8	6.5	91
349	The international Study to Predict Optimized Treatment in Depression (iSPOT-D): outcomes from the acute phase of antidepressant treatment. <i>Journal of Psychiatric Research</i> , 2015 , 61, 1-12	5.2	90
348	Low plasma GABA is a trait-like marker for bipolar illness. <i>Neuropsychopharmacology</i> , 1993 , 9, 125-32	8.7	90
347	Pharmacogenetic analysis of genes implicated in rodent models of antidepressant response: association of TREK1 and treatment resistance in the STAR(*)D study. <i>Neuropsychopharmacology</i> , 2008 , 33, 2810-9	8.7	89
346	Validation of depression screening scales in patients with CKD. <i>American Journal of Kidney Diseases</i> , 2009 , 54, 433-9	7.4	87
345	Clinical and demographic factors associated with DSM-IV melancholic depression. <i>Annals of Clinical Psychiatry</i> , 2006 , 18, 91-8	1.4	86
344	The cost consequences of treatment-resistant depression. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 341-7	4.6	86
343	Comparison of self-report and clinician ratings on two inventories of depressive symptomatology. <i>Psychiatric Services</i> , 2006 , 57, 829-37	3.3	85
342	Depression, IV: STAR*D treatment trial for depression. <i>American Journal of Psychiatry</i> , 2003 , 160, 237	11.9	85
341	Low plasma gamma-aminobutyric acid levels in male patients with depression. <i>Biological Psychiatry</i> , 1992 , 32, 354-63	7.9	85
340	Increase in work productivity of depressed individuals with improvement in depressive symptom severity. <i>American Journal of Psychiatry</i> , 2013 , 170, 633-41	11.9	84
339	The effects of psychotherapy, nefazodone, and their combination on subjective assessment of disturbed sleep in chronic depression. <i>Sleep</i> , 2003 , 26, 130-6	1.1	83
338	Clinical features of depressed outpatients with and without co-occurring general medical conditions in STAR*D. <i>General Hospital Psychiatry</i> , 2004 , 26, 421-9	5.6	83
337	The effects of nefazodone on sleep architecture in depression. <i>Neuropsychopharmacology</i> , 1994 , 10, 123-7	8.7	83
336	Symptom features of postpartum depression: are they distinct?. <i>Depression and Anxiety</i> , 2008 , 25, 20-6	8.4	81
335	Concise Health Risk Tracking scale: a brief self-report and clinician rating of suicidal risk. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 757-64	4.6	81
334	Genome-wide association study of suicidal ideation emerging during citalopram treatment of depressed outpatients. <i>Pharmacogenetics and Genomics</i> , 2009 , 19, 666-74	1.9	80

333	Response to a selective serotonin reuptake inhibitor (citalopram) in major depressive disorder with melancholic features: a STAR*D report. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1847-55	4.6	80
332	Major depression symptoms in primary care and psychiatric care settings: a cross-sectional analysis. <i>Annals of Family Medicine</i> , 2007 , 5, 126-34	2.9	79
331	Genetic and clinical predictors of sexual dysfunction in citalopram-treated depressed patients. <i>Neuropsychopharmacology</i> , 2009 , 34, 1819-28	8.7	78
330	Presenting characteristics of depressed outpatients as a function of recurrence: preliminary findings from the STAR*D clinical trial. <i>Journal of Psychiatric Research</i> , 2006 , 40, 59-69	5.2	78
329	Brief psychiatric rating scale expanded version: How do new items affect factor structure?. <i>Psychiatry Research</i> , 2005 , 135, 217-28	9.9	78
328	The Texas Medication Algorithm Project (TMAP) schizophrenia algorithms. <i>Journal of Clinical Psychiatry</i> , 1999 , 60, 649-57	4.6	78
327	One-year clinical outcomes of depressed public sector outpatients: a benchmark for subsequent studies. <i>Biological Psychiatry</i> , 2004 , 56, 46-53	7.9	77
326	A randomized, double-blind, placebo-controlled pilot study of naltrexone in outpatients with bipolar disorder and alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 1863-9	3.7	76
325	Psychometric properties of the Quick Inventory of Depressive Symptomatology in adolescents. <i>International Journal of Methods in Psychiatric Research</i> , 2010 , 19, 185-94	4.3	75
324	Durability of antidepressant response to vagus nerve stimulation (VNS). <i>International Journal of Neuropsychopharmacology</i> , 2007 , 10, 817-26	5.8	75
323	Primary versus specialty care outcomes for depressed outpatients managed with measurement-based care: results from STAR*D. <i>Journal of General Internal Medicine</i> , 2008 , 23, 551-60	4	74
322	Texas Medication Algorithm Project, phase 3 (TMAP-3): rationale and study design. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 357-69	4.6	74
321	Clinical correlates of the worsening or emergence of suicidal ideation during SSRI treatment of depression: an examination of citalopram in the STAR*D study. <i>Journal of Affective Disorders</i> , 2009 , 117, 63-73	6.6	73
320	A randomized trial of citalopram versus placebo in outpatients with asthma and major depressive disorder: a proof of concept study. <i>Biological Psychiatry</i> , 2005 , 58, 865-70	7.9	72
319	Group versus individual cognitive therapy: A pilot study. <i>Cognitive Therapy and Research</i> , 1981 , 5, 95-103	2.7	72
318	A cognitive-emotional biomarker for predicting remission with antidepressant medications: a report from the iSPOT-D trial. <i>Neuropsychopharmacology</i> , 2015 , 40, 1332-42	8.7	71
317	Substance use disorder comorbidity in major depressive disorder: a confirmatory analysis of the STAR*D cohort. <i>American Journal on Addictions</i> , 2006 , 15, 278-85	3.7	70
316	Texas Medication Algorithm Project. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 345-351	4.6	70

315	The Texas medication algorithm project: clinical results for schizophrenia. <i>Schizophrenia Bulletin</i> , 2004 , 30, 627-47	1.3	69
314	Do thinking patterns predict depressive symptoms?. <i>Cognitive Therapy and Research</i> , 1986 , 10, 225-235	2.7	69
313	Texas Medication Algorithm Project, phase 3 (TMAP-3): clinical results for patients with a history of mania. <i>Journal of Clinical Psychiatry</i> , 2003 , 64, 370-82	4.6	69
312	Course and Severity of Maternal Depression: Associations with Family Functioning and Child Adjustment. <i>Journal of Youth and Adolescence</i> , 2008 , 37, 906-916	4.5	68
311	The Stanley Foundation Bipolar Network. I. Rationale and methods. <i>British Journal of Psychiatry</i> , 2001 , 41, s169-76	5.4	67
310	A multicenter, double-blind comparison of the effects of nefazodone and fluoxetine on sleep architecture and quality of sleep in depressed outpatients. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17, 161-8	1.7	66
309	Short-term psychotherapy of depressive disorders: current status and future directions. <i>Psychiatry (New York)</i> , 1994 , 57, 115-32	1	65
308	Medication treatment for the severely and persistently mentally ill: the Texas Medication Algorithm Project. <i>Journal of Clinical Psychiatry</i> , 1999 , 60, 284-91	4.6	65
307	Pain in depression: STAR*D study findings. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 113-22	4.1	64
306	Simultaneous rTMS and psychotherapy in major depressive disorder: Clinical outcomes and predictors from a large naturalistic study. <i>Brain Stimulation</i> , 2018 , 11, 337-345	5.1	64
305	Randomized, placebo-controlled trial of fluoxetine for acute treatment of minor depressive disorder. <i>American Journal of Psychiatry</i> , 2004 , 161, 1864-71	11.9	63
304	Implementing practice guidelines for depression: applying a new framework to an old problem. <i>General Hospital Psychiatry</i> , 2002 , 24, 35-42	5.6	62
303	Sleep polysomnography as a predictor of recurrence in children and adolescents with major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2001 , 4, 159-68	5.8	62
302	Effect of Sertraline on Depressive Symptoms in Patients With Chronic Kidney Disease Without Dialysis Dependence: The CAST Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1876-1890	27.4	61
301	Irritability is associated with anxiety and greater severity, but not bipolar spectrum features, in major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 282-9	6.5	61
300	Influences of hormone-based contraception on depressive symptoms in premenopausal women with major depression. <i>Psychoneuroendocrinology</i> , 2007 , 32, 843-53	5	61
299	Vagus nerve stimulation. A potential therapy for resistant depression?. <i>Psychiatric Clinics of North America</i> , 2000 , 23, 757-83	3.1	61
298	Assessing insomnia severity in depression: comparison of depression rating scales and sleep diaries. <i>Journal of Psychiatric Research</i> , 2005 , 39, 481-8	5.2	60

297	Temporal Characteristics of Delta Activity During NREM Sleep in Depressed Outpatients and Healthy Adults: Group and Sex Effects. <i>Sleep</i> , 2000 , 23, 1-11	1.1	60
296	Does comorbid substance use disorder impair recovery from major depression with SSRI treatment? An analysis of the STAR*D level one treatment outcomes. <i>Drug and Alcohol Dependence</i> , 2010 , 107, 161-70	4.9	59
295	Clinical differences among depressed patients with and without a history of suicide attempts: findings from the STAR*D trial. <i>Journal of Affective Disorders</i> , 2007 , 97, 77-84	6.6	59
294	Randomized, placebo-controlled trial of nefazodone maintenance treatment in preventing recurrence in chronic depression. <i>Biological Psychiatry</i> , 2003 , 54, 806-17	7.9	59
293	Pharmacogenetics Studies in STAR*D: Strengths, Limitations, and Results. <i>Psychiatric Services</i> , 2009 , 60, 1446-1457	3.3	58
292	What predicts attrition in second step medication treatments for depression?: a STAR*D Report. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 459-73	5.8	58
291	Dexamethasone response, thyrotropin-releasing hormone stimulation, rapid eye movement latency, and subtypes of depression. <i>Biological Psychiatry</i> , 1997 , 41, 915-28	7.9	58
290	Acceptability of second-step treatments to depressed outpatients: a STAR*D report. <i>American Journal of Psychiatry</i> , 2007 , 164, 753-60	11.9	56
289	A direct comparison of presenting characteristics of depressed outpatients from primary vs. specialty care settings: preliminary findings from the STAR*D clinical trial. <i>General Hospital Psychiatry</i> , 2005 , 27, 87-96	5.6	56
288	Tridimensional Personality Questionnaire and serotonin in bulimia nervosa. <i>Psychiatry Research</i> , 1993 , 48, 9-15	9.9	56
287	Clinical practice guidelines. Good news, bad news, or no news?. <i>Archives of General Psychiatry</i> , 1993 , 50, 483-90		56
286	High frequency EEG activity during sleep: characteristics in schizophrenia and depression. <i>Clinical EEG and Neuroscience</i> , 2005 , 36, 25-35	2.3	55
285	The effects of fluoxetine on the polysomnogram of depressed outpatients: a pilot study. <i>Neuropsychopharmacology</i> , 1994 , 10, 85-91	8.7	55
284	Bupropion and Naltrexone in Methamphetamine Use Disorder. <i>New England Journal of Medicine</i> , 2021 , 384, 140-153	59.2	54
283	Depressive symptoms by self-report in adolescence: phase I of the development of a questionnaire for depression by self-report. <i>Journal of Child Neurology</i> , 1990 , 5, 114-21	2.5	53
282	Prevalence and Clinical Correlates of Irritability in Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 159-166	4.6	53
281	Treating Depression to Remission. <i>Psychiatric Annals</i> , 1995 , 25, 704-709	0.5	51
280	A trial of compliance therapy in outpatients with schizophrenia or schizoaffective disorder. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 997-1001	4.6	50

279	Comorbid disorders in patients with bipolar disorder and concomitant substance dependence. <i>Journal of Affective Disorders</i> , 2007 , 102, 281-7	6.6	49
278	Family history of mood disorder and characteristics of major depressive disorder: a STAR*D (sequenced treatment alternatives to relieve depression) study. <i>Journal of Psychiatric Research</i> , 2007 , 41, 214-21	5.2	49
277	An empirical evaluation of the Arizona sexual experience scale and a simple one-item screening test for assessing antipsychotic-related sexual dysfunction in outpatients with schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2006 , 81, 311-6	3.6	49
276	Tiagabine in treatment refractory bipolar disorder: a clinical case series. <i>Bipolar Disorders</i> , 2002 , 4, 283-9	3.8	49
275	Baseline depression severity as a predictor of single and combination antidepressant treatment outcome: results from the CO-MED trial. <i>European Neuropsychopharmacology</i> , 2012 , 22, 183-99	1.2	48
274	Remission of maternal depression: relations to family functioning and youth internalizing and externalizing symptoms. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2008 , 37, 714-24	5.4	47
273	Vagus nerve stimulation (VNS): utility in neuropsychiatric disorders. <i>International Journal of Neuropsychopharmacology</i> , 2003 , 6, 73-83	5.8	47
272	Is there a role for continuation phase cognitive therapy for depressed outpatients?. <i>Journal of Consulting and Clinical Psychology</i> , 1998 , 66, 1036-1040	6.5	47
271	A patient-level meta-analysis of studies evaluating vagus nerve stimulation therapy for treatment-resistant depression. <i>Medical Devices: Evidence and Research</i> , 2013 , 6, 17-35	1.5	46
270	Depression in Asthma: Prevalence and Clinical Implications. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2000 , 2, 153-158		46
269	Clinical Experience With High-Dosage Pramipexole in Patients With Treatment-Resistant Depressive Episodes in Unipolar and Bipolar Depression. <i>American Journal of Psychiatry</i> , 2016 , 173, 107-11	11.9	45
268	Association of depressive symptoms with hippocampal volume in 1936 adults. <i>Neuropsychopharmacology</i> , 2014 , 39, 770-9	8.7	45
267	Effects of fluoxetine on the polysomnogram in outpatients with major depression. <i>Neuropsychopharmacology</i> , 1999 , 20, 447-59	8.7	45
266	Folate and unipolar depression. <i>Journal of Alternative and Complementary Medicine</i> , 2008 , 14, 277-85	2.4	44
265	Faster remission of chronic depression with combined psychotherapy and medication than with each therapy alone. <i>Journal of Consulting and Clinical Psychology</i> , 2008 , 76, 459-67	6.5	44
264	Alprazolam vs amitriptyline in depressions with reduced REM latencies. <i>Archives of General Psychiatry</i> , 1985 , 42, 1154-9		44
263	Clinical features of depression in outpatients with and without co-occurring general medical conditions in STAR*D: confirmatory analysis. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2007 , 9, 7-15		44
262	The influence of menopause status and postmenopausal use of hormone therapy on presentation of major depression in women. <i>Menopause</i> , 2010 , 17, 828-39	2.5	43

261	Ethnicity/race and outcome in the treatment of depression: results from STAR*D. <i>Medical Care</i> , 2007 , 45, 1043-51	3.1	43
260	Randomized comparison of selective serotonin reuptake inhibitor (escitalopram) monotherapy and antidepressant combination pharmacotherapy for major depressive disorder with melancholic features: a CO-MED report. <i>Journal of Affective Disorders</i> , 2011 , 133, 467-76	6.6	42
259	Age-Related Characteristics of Depression: A Preliminary STAR*D Report. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 852-860	6.5	42
258	Sexual dysfunction associated with second-generation antipsychotics in outpatients with schizophrenia or schizoaffective disorder: an empirical evaluation of olanzapine, risperidone, and quetiapine. <i>Schizophrenia Research</i> , 2006 , 86, 244-50	3.6	42
257	A pilot study of the treatment of outpatients with chronic pain: symptom control, stimulus control and social system intervention. <i>Pain</i> , 1978 , 5, 163-172	8	42
256	Concise Associated Symptoms Tracking scale: a brief self-report and clinician rating of symptoms associated with suicidality. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 765-74	4.6	42
255	Magnetic Resonance Imaging Measures of Brain Structure to Predict Antidepressant Treatment Outcome in Major Depressive Disorder. <i>EBioMedicine</i> , 2015 , 2, 37-45	8.8	41
254	Clinical issues in considering vagus nerve stimulation for treatment-resistant depression. <i>Experimental Neurology</i> , 2009 , 219, 36-43	5.7	41
253	Do atypical features affect outcome in depressed outpatients treated with citalopram?. <i>International Journal of Neuropsychopharmacology</i> , 2010 , 13, 15-30	5.8	41
252	Pharmacogenetics studies in STAR*D: strengths, limitations, and results. <i>Psychiatric Services</i> , 2009 , 60, 1446-57	3.3	41
251	The symptom-specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data meta-analysis. <i>World Psychiatry</i> , 2019 , 18, 183-191	14.4	40
250	Pharmacogenomics-Driven Prediction of Antidepressant Treatment Outcomes: A Machine-Learning Approach With Multi-trial Replication. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 855-865	6.1	40
249	Clinical vs. self-report versions of the quick inventory of depressive symptomatology in a public sector sample. <i>Journal of Psychiatric Research</i> , 2007 , 41, 239-46	5.2	40
248	Plasma GABA predicts acute response to divalproex in mania. <i>Biological Psychiatry</i> , 1996 , 39, 278-84	7.9	40
247	The Treatment of Chronic Depression, Part 1. <i>Journal of Clinical Psychiatry</i> , 1998 , 59, 589-597	4.6	40
246	Texas Medication Algorithm Project. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 439-447	4.6	40
245	Prevalence of incompletely penetrant Huntington's disease alleles among individuals with major depressive disorder. <i>American Journal of Psychiatry</i> , 2010 , 167, 574-9	11.9	39
244	On the psychometric validity of the domains of the PDSQ: an illustration of the bi-factor item response theory model. <i>Journal of Psychiatric Research</i> , 2009 , 43, 401-10	5.2	39

243	Income and attrition in the treatment of depression: a STAR*D report. <i>Depression and Anxiety</i> , 2009 , 26, 622-33	8.4	39
242	The relationship between serum prolactin level and sexual functioning among male outpatients with schizophrenia or schizoaffective disorder: a randomized double-blind trial of risperidone vs. quetiapine. <i>Journal of Sex and Marital Therapy</i> , 2007 , 33, 203-16	2.7	39
241	DSM melancholic features are unreliable predictors of ECT response: a CORE publication. <i>Journal of ECT</i> , 2007 , 23, 139-46	2	39
240	Impact of structured clinical interviews on physicians' practices in community mental health settings. <i>Psychiatric Services</i> , 2003 , 54, 712-8	3.3	39
239	Web-based communications and management of a multi-center clinical trial: the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) project. <i>Clinical Trials</i> , 2004 , 1, 387-98	2.2	38
238	The Texas Medication Algorithm Project: development and implementation of the schizophrenia algorithm. <i>Psychiatric Services</i> , 1999 , 50, 69-74	3.3	38
237	Naltrexone in patients with bipolar disorder and alcohol dependence. <i>Depression and Anxiety</i> , 2006 , 23, 492-5	8.4	37
236	Does provider adherence to a treatment guideline change clinical outcomes for patients with bipolar disorder? Results from the Texas Medication Algorithm Project. <i>Psychological Medicine</i> , 2005 , 35, 1695-706	6.9	37
235	Cognitive therapy of depression and suicide. <i>American Journal of Psychotherapy</i> , 1978 , 32, 201-19	1.3	37
234	Do bupropion SR and sertraline differ in their effects on anxiety in depressed patients?. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 776-81	4.6	37
233	Ketoconazole in bipolar patients with depressive symptoms: a case series and literature review. <i>Bipolar Disorders</i> , 2001 , 3, 23-9	3.8	36
232	Stability of plasma GABA at four-year follow-up in patients with primary unipolar depression. <i>Biological Psychiatry</i> , 1995 , 37, 806-10	7.9	36
231	Recursive subsetting to identify patients in the STAR*D: a method to enhance the accuracy of early prediction of treatment outcome and to inform personalized care. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1502-8	4.6	36
230	Therapist Variables That Predict Symptom Change in Psychotherapy With Chronically Depressed Outpatients.. <i>Psychotherapy</i> , 2004 , 41, 255-265	2.5	35
229	Metabolomic signature of exposure and response to citalopram/escitalopram in depressed outpatients. <i>Translational Psychiatry</i> , 2019 , 9, 173	8.6	34
228	An open pilot study of the combination of escitalopram and bupropion-SR for outpatients with major depressive disorder. <i>Journal of Psychiatric Practice</i> , 2008 , 14, 271-80	1.3	34
227	A psychometric evaluation of the CDRS and MADRS in assessing depressive symptoms in children. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 1204-1212	7.2	34
226	National Institute of Mental Health Workshop Report on the Treatment of Bipolar Disorder. <i>Biological Psychiatry</i> , 1996 , 40, 215-20	7.9	34

225	Differential effects of nefazodone and cognitive behavioral analysis system of psychotherapy on insomnia associated with chronic forms of major depression. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 493-500	4.6	34
224	Early Improvement in Work Productivity Predicts Future Clinical Course in Depressed Outpatients: Findings From the CO-MED Trial. <i>American Journal of Psychiatry</i> , 2016 , 173, 1196-1204	11.9	33
223	Constructing evidence-based treatment strategies using methods from computer science. <i>Drug and Alcohol Dependence</i> , 2007 , 88 Suppl 2, S52-60	4.9	33
222	Response in relation to baseline anxiety levels in major depressive disorder treated with bupropion sustained release or sertraline. <i>Neuropsychopharmacology</i> , 2001 , 25, 131-8	8.7	33
221	Common genetic variation in the indoleamine-2,3-dioxygenase genes and antidepressant treatment outcome in major depressive disorder. <i>Journal of Psychopharmacology</i> , 2012 , 26, 360-7	4.6	32
220	Treatment outcomes for older depressed patients with earlier versus late onset of first depressive episode: a Sequenced Treatment Alternatives to Relieve Depression (STAR*D) report. <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 58-64	6.5	32
219	An open-label trial of quetiapine for antipsychotic-induced sexual dysfunction. <i>Journal of Sex and Marital Therapy</i> , 2004 , 30, 325-32	2.7	32
218	Compliance With Pharmacotherapy in Mood Disorders. <i>Psychiatric Annals</i> , 1995 , 25, 269-279	0.5	32
217	Electronic monitoring of antipsychotic medication adherence in outpatients with schizophrenia or schizoaffective disorder: an empirical evaluation of its reliability and predictive validity. <i>Psychiatry Research</i> , 2008 , 157, 259-63	9.9	31
216	Escitalopram in clinical practice: results of an open-label trial in a naturalistic setting. <i>Depression and Anxiety</i> , 2005 , 21, 26-32	8.4	31
215	The Stanley Foundation Bipolar Network: 2. Preliminary summary of demographics, course of illness and response to novel treatments. <i>British Journal of Psychiatry</i> , 2001 , 178, s177-s183	5.4	31
214	Chronic Vagus Nerve Stimulation Significantly Improves Quality of Life in Treatment-Resistant Major Depression. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	31
213	Does the duration of index episode affect the treatment outcome of major depressive disorder? A STAR*D report. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1246-56	4.6	31
212	Brief, unidimensional melancholia rating scales are highly sensitive to the effect of citalopram and may have biological validity: implications for the research domain criteria (RDoC). <i>Journal of Affective Disorders</i> , 2014 , 163, 18-24	6.6	30
211	Do menopausal status and use of hormone therapy affect antidepressant treatment response? Findings from the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) study. <i>Journal of Women's Health</i> , 2013 , 22, 121-31	3	30
210	The effects of vagus nerve stimulation on sleep EEG in depression: a preliminary report. <i>Journal of Psychosomatic Research</i> , 2003 , 54, 475-82	4.1	30
209	What moderator characteristics are associated with better prognosis for depression?. <i>Neuropsychiatric Disease and Treatment</i> , 2005 , 1, 51-7	3.1	30
208	Diurnal Mood Variation in Outpatients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1339-1347	4.6	29

207	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. <i>American Journal of Psychiatry</i> , 2016 , 173, 481-90	11.9	28
206	A Novel Strategy to Identify Placebo Responders: Prediction Index of Clinical and Biological Markers in the EMBARC Trial. <i>Psychotherapy and Psychosomatics</i> , 2018 , 87, 285-295	9.4	28
205	A randomized, double-blind, placebo-controlled trial of quetiapine in patients with bipolar disorder, mixed or depressed phase, and alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 2113-8	3.7	28
204	Depression treatment in patients with general medical conditions: results from the CO-MED trial. <i>Annals of Family Medicine</i> , 2012 , 10, 23-33	2.9	28
203	The efficacy of acute electroconvulsive therapy in atypical depression. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 406-11	4.6	28
202	Making clinicians lives easier: guidance on use of the QIDS self-report in place of the MADRS. <i>Journal of Affective Disorders</i> , 2006 , 95, 115-8	6.6	27
201	Comparison of quality of life measures in a depressed population. <i>Journal of Nervous and Mental Disease</i> , 2007 , 195, 219-25	1.8	27
200	Bupropion in the treatment of outpatients with asthma and major depressive disorder. <i>International Journal of Psychiatry in Medicine</i> , 2007 , 37, 23-8	1	27
199	Latency to rapid eye movement sleep as a predictor of treatment response to fluoxetine and placebo in nonpsychotic depressed outpatients. <i>Psychiatry Research</i> , 1994 , 52, 327-39	9.9	27
198	Depression outcomes of Spanish- and english-speaking Hispanic outpatients in STAR*D. <i>Psychiatric Services</i> , 2008 , 59, 1273-84	3.3	26
197	Remission of maternal depression and child symptoms among single mothers: a STAR*D-Child report. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 962-71	4.5	26
196	Catching up on health outcomes: the Texas Medication Algorithm Project. <i>Health Services Research</i> , 2003 , 38, 311-31	3.4	26
195	Depression and dexamethasone suppression testing in children and adolescents. <i>Journal of Child Neurology</i> , 1987 , 2, 31-7	2.5	26
194	The assessment of resistance to antidepressant treatment: Rationale for the Antidepressant Treatment History Form: Short Form (ATHF-SF). <i>Journal of Psychiatric Research</i> , 2019 , 113, 125-136	5.2	25
193	Clinical and sociodemographic characteristics associated with suicidal ideation in depressed outpatients. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 113-22	4.8	25
192	Star-D: lessons learned and future implications. <i>Depression and Anxiety</i> , 2011 , 28, 521-4	8.4	25
191	Sociodemographic, clinical, and treatment characteristics associated with worsened depression during treatment with citalopram: results of the NIMH STAR(*)D trial. <i>Depression and Anxiety</i> , 2009 , 26, 612-21	8.4	25
190	Effects of race and ethnicity on depression treatment outcomes: the CO-MED trial. <i>Psychiatric Services</i> , 2011 , 62, 1167-79	3.3	25

189	Characteristics of insured and noninsured outpatients with depression in STAR(*)D. <i>Psychiatric Services</i> , 2005 , 56, 995-1004	3.3	25
188	Age-related characteristics of depression: a preliminary STAR*D report. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 852-60	6.5	25
187	Major depressive disorder and comorbid cardiac disease: is there a depressive subtype with greater cardiovascular morbidity? Results from the STAR*D study. <i>Psychosomatics</i> , 2007 , 48, 418-25	2.6	24
186	Effect of two prednisone exposures on mood and declarative memory. <i>Neurobiology of Learning and Memory</i> , 2006 , 86, 28-34	3.1	24
185	Measurement-based care using DSM-5 for opioid use disorder: can we make opioid medication treatment more effective?. <i>Addiction</i> , 2019 , 114, 1346-1353	4.6	24
184	Continuation treatment of chronic depression: a comparison of nefazodone, cognitive behavioral analysis system of psychotherapy, and their combination. <i>Psychopharmacology Bulletin</i> , 2003 , 37, 73-87	0.9	24
183	The Quick Inventory of Depressive Symptomatology-Self-report: a psychometric evaluation in patients with asthma and major depressive disorder. <i>Annals of Allergy, Asthma and Immunology</i> , 2008 , 100, 433-8	3.2	23
182	Age-adjusted threshold values for reduced REM latency in unipolar depression using ROC analysis. <i>Biological Psychiatry</i> , 1990 , 27, 841-53	7.9	23
181	The impact of chronic depression on acute and long-term outcomes in a randomized trial comparing selective serotonin reuptake inhibitor monotherapy versus each of 2 different antidepressant medication combinations. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 967-76	4.6	23
180	A New Empirical Definition of Major Depressive Episode Recovery and Its Positive Impact on Future Course of Illness. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 1065-73	4.6	23
179	Rationale and design of the Chronic Kidney Disease Antidepressant Sertraline Trial (CAST). <i>Contemporary Clinical Trials</i> , 2013 , 34, 136-44	2.3	22
178	Combining antidepressant medications: a good idea?. <i>American Journal of Psychiatry</i> , 2010 , 167, 241-3	11.9	22
177	Predictors of attrition during one year of depression treatment: a roadmap to personalized intervention. <i>Journal of Psychiatric Practice</i> , 2009 , 15, 113-24	1.3	22
176	Evaluation of the Effects of Severe Depression on Global Cognitive Function and Memory. <i>CNS Spectrums</i> , 2010 , 15, 304-13	1.8	22
175	Sexual functioning associated with quetiapine switch vs. risperidone continuation in outpatients with schizophrenia or schizoaffective disorder: a randomized double-blind pilot trial. <i>Psychiatry Research</i> , 2008 , 159, 115-20	9.9	22
174	Which depressed patients respond to nefazodone and when?. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 158-63	4.6	22
173	Symptomatic and syndromal anxiety in chronic forms of major depression: effect of nefazodone, cognitive behavioral analysis system of psychotherapy, and their combination. <i>Journal of Clinical Psychiatry</i> , 2002 , 63, 434-41	4.6	22
172	Prediction of treatment outcomes to exercise in patients with nonremitted major depressive disorder. <i>Depression and Anxiety</i> , 2017 , 34, 1116-1122	8.4	21

171	Daily process methodology for measuring earlier antidepressant response. <i>Contemporary Clinical Trials</i> , 2008 , 29, 867-77	2.3	21
170	Prediction of nonremission to antidepressant therapy using diffusion tensor imaging. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e436-43	4.6	21
169	When Discontinuing SSRI Antidepressants Is a Challenge: Management Tips. <i>American Journal of Psychiatry</i> , 2018 , 175, 1176-1184	11.9	21
168	What are the clinical implications of new onset or worsening anxiety during the first two weeks of SSRI treatment for depression?. <i>Depression and Anxiety</i> , 2012 , 29, 94-101	8.4	20
167	The clinical relevance of self-reported premenstrual worsening of depressive symptoms in the management of depressed outpatients: a STAR*D report. <i>Journal of Women's Health</i> , 2013 , 22, 219-29	3	20
166	Identifying risk for attrition during treatment for depression. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 372-9	9.4	20
165	A Comparison of the QIDS-C16, QIDS-SR16, and the MADRS in an Adult Outpatient Clinical Sample. <i>CNS Spectrums</i> , 2010 , 15, 458-68	1.8	20
164	The impact of diabetes on depression treatment outcomes. <i>General Hospital Psychiatry</i> , 2010 , 32, 33-41	5.6	20
163	Prevalence and clinical correlates of irritability in major depressive disorder: a preliminary report from the Sequenced Treatment Alternatives to Relieve Depression study. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 159-66; quiz 147, 273-4	4.6	20
162	Irritability and Its Clinical Utility in Major Depressive Disorder: Prediction of Individual-Level Acute-Phase Outcomes Using Early Changes in Irritability and Depression Severity. <i>American Journal of Psychiatry</i> , 2019 , 176, 358-366	11.9	19
161	Worsening Anxiety, Irritability, Insomnia, or Panic Predicts Poorer Antidepressant Treatment Outcomes: Clinical Utility and Validation of the Concise Associated Symptom Tracking (CAST) Scale. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 325-332	5.8	19
160	Adherence to antidepressant combinations and monotherapy for major depressive disorder: a CO-MED report of measurement-based care. <i>Journal of Psychiatric Practice</i> , 2014 , 20, 118-32	1.3	19
159	Clinical features of depression in Asia: results of a large prospective, cross-sectional study. <i>Asia-Pacific Psychiatry</i> , 2013 , 5, 259-67	3.2	19
158	The quick inventory of depressive symptomatology (clinician and self-report versions) in patients with bipolar disorder. <i>CNS Spectrums</i> , 2010 , 15, 367-73	1.8	19
157	Enhancing the technology of clinical trials and the trials model to evaluate newly developed, targeted antidepressants. <i>Neuropsychopharmacology</i> , 2002 , 27, 319-28	8.7	19
156	Measuring costs of guideline-driven mental health care: the Texas Medication Algorithm Project. <i>Journal of Mental Health Policy and Economics</i> , 1999 , 2, 111-121	1.3	19
155	Implementing Guidelines and Systems of Care. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 75-86	1.3	19
154	Diurnal mood variation in outpatients with major depressive disorder. <i>Depression and Anxiety</i> , 2009 , 26, 851-63	8.4	18

153	Correlates and outcomes of depressed out-patients with greater and fewer anxious symptoms: a CO-MED report. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 1387-99	5.8	18
152	Screening for major depression in private practice. <i>Journal of Psychiatric Practice</i> , 2009 , 15, 87-94	1.3	18
151	Electronic source materials in clinical research: acceptability and validity of symptom self-rating in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2007 , 41, 737-43	5.2	18
150	Therapeutic reactance as a predictor of outcome in the treatment of chronic depression. <i>Journal of Consulting and Clinical Psychology</i> , 2003 , 71, 1025-35	6.5	18
149	The Texas Medication Algorithm Project Patient and Family Education Program: a consumer-guided initiative. <i>Journal of Clinical Psychiatry</i> , 2000 , 61, 477-86	4.6	18
148	A pilot study of an electronic, adolescent version of the quick inventory of depressive symptomatology. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1436-40	4.6	18
147	Improving Depression Outcome by Patient-Centered Medical Management. <i>American Journal of Psychiatry</i> , 2018 , 175, 1187-1198	11.9	18
146	VitalSign: A Primary Care First (PCP-First) Model for Universal Screening and Measurement-Based Care for Depression. <i>Pharmaceuticals</i> , 2019 , 12,	5.2	17
145	Early adverse events and attrition in selective serotonin reuptake inhibitor treatment: a suicide assessment methodology study report. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 259-66	1.7	17
144	Development of the Brief Bipolar Disorder Symptom Scale for patients with bipolar disorder. <i>Psychiatry Research</i> , 2004 , 127, 137-45	9.9	17
143	Impulsivity and neuroendocrine response to buspirone in bulimia nervosa. <i>Biological Psychiatry</i> , 1996 , 39, 371-4	7.9	17
142	Mapping depression rating scale phenotypes onto research domain criteria (RDoC) to inform biological research in mood disorders. <i>Journal of Affective Disorders</i> , 2018 , 238, 1-7	6.6	17
141	Pre-treatment insomnia as a predictor of single and combination antidepressant outcomes: a CO-MED report. <i>Journal of Affective Disorders</i> , 2015 , 174, 157-64	6.6	16
140	Early normalization of Quality of Life predicts later remission in depression: Findings from the CO-MED trial. <i>Journal of Affective Disorders</i> , 2016 , 206, 17-22	6.6	16
139	A Structured Approach to Detecting and Treating Depression in Primary Care: VitalSign6 Project. <i>Annals of Family Medicine</i> , 2019 , 17, 326-335	2.9	16
138	A psychometric evaluation of the clinician-rated Quick Inventory of Depressive Symptomatology (QIDS-C16) in patients with bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 138-46	4.3	16
137	An empirical analysis of cost outcomes of the Texas Medication Algorithm Project. <i>Psychiatric Services</i> , 2006 , 57, 648-59	3.3	16
136	Efficacy, safety, and indications for tricyclic and newer antidepressants. <i>Depression</i> , 1994 , 2, 127-137		16

135	Implementation of the Texas Medication Algorithm Project patient and family education program. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1362-72	4.6	16
134	Cognitive Therapy of Depression: Rationale, Techniques, and Efficacy. <i>Psychiatric Clinics of North America</i> , 1983 , 6, 105-127	3.1	16
133	Acylcarnitine metabolomic profiles inform clinically-defined major depressive phenotypes. <i>Journal of Affective Disorders</i> , 2020 , 264, 90-97	6.6	16
132	Alterations in acylcarnitines, amines, and lipids inform about the mechanism of action of citalopram/escitalopram in major depression. <i>Translational Psychiatry</i> , 2021 , 11, 153	8.6	16
131	Personalizing antidepressant choice by sex, body mass index, and symptom profile: An iSPOT-D report. <i>Personalized Medicine in Psychiatry</i> , 2017 , 1-2, 65-73	1.1	15
130	Gender-specific structural abnormalities in major depressive disorder revealed by voxel-based analysis. <i>NeuroImage: Clinical</i> , 2019 , 21, 101668	5.3	15
129	Daily activity level improvement with antidepressant medications predicts long-term clinical outcomes in outpatients with major depressive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 803-813	3.1	15
128	Changes in depressive symptoms and social functioning in the sequenced treatment alternatives to relieve depression study. <i>Journal of Nervous and Mental Disease</i> , 2011 , 199, 807-10	1.8	15
127	Assessing anxious features in depressed outpatients. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, e69-82	4.3	15
126	Enrolling research subjects from clinical practice: ethical and procedural issues in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) trial. <i>Psychiatry Research</i> , 2006 , 141, 193-200	9.9	15
125	Tricyclics and newer antidepressant medications: Treatment options for treatment-resistant depressions. <i>Depression</i> , 1994 , 2, 152-168		15
124	Secular trend in unipolar depression: a hypothesis. <i>Journal of Affective Disorders</i> , 1989 , 16, 71-5	6.6	15
123	Fatigue in Nondialysis Chronic Kidney Disease: Correlates and Association with Kidney Outcomes. <i>American Journal of Nephrology</i> , 2019 , 50, 37-47	4.6	14
122	Algorithms For Treatment of Major Depressive Disorder: Efficacy and Cost-Effectiveness. <i>Pharmacopsychiatry</i> , 2019 , 52, 117-125	2	14
121	Retention and attrition among African Americans in the STAR*D study: what causes research volunteers to stay or stray?. <i>Depression and Anxiety</i> , 2013 , 30, 1137-44	8.4	13
120	Toward an online cognitive and emotional battery to predict treatment remission in depression. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 517-31	3.1	13
119	Effect of concurrent substance use disorder on the effectiveness of single and combination antidepressant medications for the treatment of major depression: an exploratory analysis of a single-blind randomized trial. <i>Depression and Anxiety</i> , 2012 , 29, 111-22	8.4	13
118	The relationship between adverse events during selective serotonin reuptake inhibitor treatment for major depressive disorder and nonremission in the suicide assessment methodology study. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 31-8	1.7	13

117	A comparison of baseline sociodemographic and clinical characteristics between major depressive disorder patients with and without diabetes: a STAR*D report. <i>Journal of Affective Disorders</i> , 2008 , 108, 113-20	6.6	13
116	Assessing the preventive effects of cognitive therapy following relief of depression: A methodological innovation. <i>Journal of Affective Disorders</i> , 2007 , 104, 251-61	6.6	13
115	Psychiatric emergency service use after implementation of managed care in a public mental health system. <i>Psychiatric Services</i> , 2005 , 56, 691-8	3.3	13
114	Effect of structured interviews on evaluation time in pediatric community mental health settings. <i>Psychiatric Services</i> , 2005 , 56, 1098-103	3.3	13
113	Skating to where the puck is going to be: a plan for clinical trials and translation research in mood disorders. <i>Biological Psychiatry</i> , 2002 , 52, 631-54	7.9	13
112	Structured interview and uniform assessment improves diagnostic reliability. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2000 , 10, 119-31	2.9	13
111	Distinguishing functional from syndromal recovery: implications for clinical care and research. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e832-4	4.6	13
110	A Brief Clinical Tool to Estimate Individual Patients Risk of Depressive Relapse Following Remission: Proof of Concept. <i>American Journal of Psychiatry</i> , 2016 , 173, 1140-1146	11.9	12
109	Family history of completed suicide and characteristics of major depressive disorder: a STAR*D (sequenced treatment alternatives to relieve depression) study. <i>Journal of Affective Disorders</i> , 2008 , 108, 129-34	6.6	12
108	Platelet alpha2-adrenergic receptor coupling efficiency to Gi protein in subjects with post-traumatic stress disorder and normal controls. <i>Psychopharmacology</i> , 1999 , 141, 258-66	4.7	12
107	Item Response Analysis of the Inventory of Depressive Symptomatology. <i>Neuropsychiatric Disease and Treatment</i> , 2006 , 2, 557-564	3.1	12
106	Diurnal mood variation in outpatients with major depressive disorder: implications for DSM-V from an analysis of the Sequenced Treatment Alternatives to Relieve Depression Study data. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1339-47	4.6	12
105	Psychometric properties of the concise health risk tracking (CHRT) in adolescents with suicidality. <i>Journal of Affective Disorders</i> , 2018 , 235, 45-51	6.6	11
104	Speculations on the Future of Psychiatric Diagnosis. <i>Journal of Nervous and Mental Disease</i> , 2018 , 206, 481-487	1.8	11
103	Impairment and distress patterns distinguishing the melancholic depression subtype: an iSPOT-D report. <i>Journal of Affective Disorders</i> , 2015 , 174, 493-502	6.6	11
102	Measuring use and cost of care for patients with mood disorders: the utilization and cost inventory. <i>Medical Care</i> , 2009 , 47, 184-90	3.1	11
101	Clinically Relevant Findings from STAR*D. <i>Psychiatric Annals</i> , 2008 , 38,	0.5	11
100	Can psychological features predict antidepressant response to rTMS? A Discovery-Replication approach. <i>Psychological Medicine</i> , 2020 , 50, 264-272	6.9	11

99	The Edinburgh Postnatal Depression Scale as a measure for antenatal dysphoria. <i>Journal of Reproductive and Infant Psychology</i> , 2015 , 33, 28-41	2.9	10
98	Psychotherapies for Depressive Disorders: A Review 2001 , 161-232		10
97	Neutrophil beta2-adrenergic receptor coupling efficiency to Gs protein in subjects with post-traumatic stress disorder and normal controls. <i>Psychopharmacology</i> , 1999 , 143, 131-40	4.7	10
96	Are depressed outpatients with and without a family history of substance use disorder different? A baseline analysis of the STAR*D cohort. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1931-8	4.6	10
95	Outcome measures of depression.191-245		10
94	Perception of Stigma and Its Associated Factors Among Patients With Major Depressive Disorder: A Multicenter Survey From an Asian Population. <i>Frontiers in Psychiatry</i> , 2019 , 10, 321	5	9
93	Estimating optimal shared-parameter dynamic regimens with application to a multistage depression clinical trial. <i>Biometrics</i> , 2016 , 72, 865-76	1.8	9
92	A Clinician's Perspective on Biomarkers. <i>Focus (American Psychiatric Publishing)</i> , 2018 , 16, 124-134	1.1	9
91	Fluoxetine increases suicide ideation less than placebo during treatment of adults with minor depressive disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1199-203	5.2	9
90	The impact of nonclinical factors on care use for patients with depression: a STAR*D report. <i>CNS Neuroscience and Therapeutics</i> , 2009 , 15, 320-32	6.8	9
89	Acute and Longer-Term Outcomes in Depressed Outpatients Requiring One or Several Treatment Steps: A STAR*D Report. <i>Focus (American Psychiatric Publishing)</i> , 2008 , 6, 128-142	1.1	9
88	The Therapeutic Alliance and CBASP-Specific Skill Acquisition in the Treatment of Chronic Depression. <i>Cognitive Therapy and Research</i> , 2005 , 29, 803-817	2.7	9
87	The effects of vagus nerve stimulation on the course and outcomes of patients with bipolar disorder in a treatment-resistant depressive episode: a 5-year prospective registry. <i>International Journal of Bipolar Disorders</i> , 2020 , 8, 13	5.4	9
86	Pilot Study of Metabolomic Clusters as State Markers of Major Depression and Outcomes to CBT Treatment. <i>Frontiers in Neuroscience</i> , 2019 , 13, 926	5.1	8
85	Do baseline sub-threshold hypomanic symptoms affect acute-phase antidepressant outcome in outpatients with major depressive disorder? Preliminary findings from the randomized CO-MED trial. <i>Neuropsychopharmacology</i> , 2018 , 43, 2197-2203	8.7	8
84	Effectiveness Study of Venlafaxine-XR Combined with Aripiprazole for Chronic or Recurrent Major Depressive Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 956-967	2.6	8
83	Factors associated with concomitant psychotropic drug use in the treatment of major depression: a STAR*D Report. <i>CNS Spectrums</i> , 2009 , 14, 487-98	1.8	8
82	Performance of depression rating scales in patients with chronic kidney disease: an item response theory-based analysis. <i>General Hospital Psychiatry</i> , 2016 , 42, 60-6	5.6	8

81	A prospective, multi-center randomized, controlled, blinded trial of vagus nerve stimulation for difficult to treat depression: A novel design for a novel treatment. <i>Contemporary Clinical Trials</i> , 2020 , 95, 106066	2.3	7
80	Data-driven longitudinal modeling and prediction of symptom dynamics in major depressive disorder: Integrating factor graphs and learning methods 2017 ,		7
79	Does pretreatment insomnia or anxiety predict acute response to bupropion SR?. <i>Annals of Clinical Psychiatry</i> , 2005 , 17, 1-9	1.4	7
78	Indoxyl sulfate, a gut microbiome-derived uremic toxin, is associated with psychic anxiety and its functional magnetic resonance imaging-based neurologic signature. <i>Scientific Reports</i> , 2021 , 11, 21011	4.9	7
77	Toward a very brief quality of life enjoyment and Satisfaction Questionnaire. <i>Journal of Affective Disorders</i> , 2019 , 242, 87-95	6.6	7
76	Toward a very brief self-report to assess the core symptoms of depression (VQIDS-SR). <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 548-553	6.5	6
75	A psychometric evaluation of the Concise Health Risk Tracking Self-Report (CHRT-SR)- a measure of suicidality-in patients with stimulant use disorder. <i>Journal of Psychiatric Research</i> , 2018 , 102, 65-71	5.2	6
74	Quality improvement methods as applied to a multicenter effectiveness trial--STAR*D. <i>Contemporary Clinical Trials</i> , 2005 , 26, 95-112	2.3	6
73	A quality improvement process for implementing the Texas algorithm for schizophrenia in Ohio. <i>Psychiatric Services</i> , 2003 , 54, 1646-9	3.3	6
72	Methods of testing feasibility for sequenced treatment alternatives to relieve depression (STAR*D). <i>Journal of Psychiatric Research</i> , 2004 , 38, 241-8	5.2	6
71	Naturalistic study of the early psychiatric use of citalopram in the United States. <i>Depression and Anxiety</i> , 2002 , 16, 121-7	8.4	6
70	Pretreatment Correlates of the Therapeutic Alliance in the Chronically Depressed. <i>Journal of Contemporary Psychotherapy</i> , 2002 , 32, 281-290	2.3	6
69	Strategies for Implementing Psychiatric Medication Algorithms in the Public Sector. <i>Journal of Psychiatric Practice</i> , 1999 , 5, 32-36	1.3	6
68	Narrowing the gaps between what we know and what we do in psychiatry. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 1366-72	4.6	6
67	Desipramine versus phenelzine in recurrent unipolar depression: clinical characteristics and treatment response. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17, 78-83	1.7	6
66	Childhood maltreatment and impact on clinical features of major depression in adults. <i>Psychiatry Research</i> , 2020 , 293, 113412	9.9	6
65	Clinical Implications of the STAR*D Trial. <i>Handbook of Experimental Pharmacology</i> , 2019 , 250, 51-99	3.2	6
64	Positive and negative valence systems in major depression have distinct clinical features, response to antidepressants, and relationships with immunomarkers. <i>Depression and Anxiety</i> , 2020 , 37, 771-783	8.4	5

63	Screening for panic-related anxiety in emergency department patients with cardiopulmonary complaints: A comparison of two self-report instruments. <i>Psychiatry Research</i> , 2018 , 263, 7-14	9.9	5
62	The role of efficacy and effectiveness trials. <i>World Psychiatry</i> , 2009 , 8, 34-5	14.4	5
61	The Implementation of Cognitive Therapy in STAR*D. <i>Cognitive Therapy and Research</i> , 2004 , 28, 819-833	2.7	5
60	Practice guidelines in mental health and addiction services: contributions from the American College of Mental Health Administration. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002 , 30, 21-33	3.1	5
59	Clinician ratings vs. global ratings of symptom severity: a comparison of symptom measures in the bipolar disorder module, phase II, Texas Medication Algorithm Project. <i>Psychiatry Research</i> , 2003 , 117, 167-75	9.9	5
58	Validation of the Inventory of Depressive Symptomatology (IDS) in Cocaine Dependent Inmates. <i>Journal of Offender Rehabilitation</i> , 2001 , 32, 15-30	0.9	5
57	Psychotherapy of the affective psychoses. <i>American Journal of Psychoanalysis</i> , 1980 , 40, 99-121	0.4	5
56	EEG biomarker informed prescription of antidepressants in MDD: a feasibility trial. <i>European Neuropsychopharmacology</i> , 2021 , 44, 14-22	1.2	5
55	Pharmacokinetic-Pharmacodynamic interaction associated with venlafaxine-XR remission in patients with major depressive disorder with history of citalopram / escitalopram treatment failure. <i>Journal of Affective Disorders</i> , 2019 , 246, 62-68	6.6	5
54	Effects of heart disease on depression treatment: results from the COMED study. <i>General Hospital Psychiatry</i> , 2012 , 34, 24-34	5.6	4
53	Developing the evidence for evidence-based practice. <i>Cmaj</i> , 2008 , 178, 1313-5	3.5	4
52	Insured and non-insured depressed outpatients: how do they compare?. <i>Annals of Clinical Psychiatry</i> , 2007 , 19, 73-82	1.4	4
51	Dr. Trivedi and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2006 , 163, 1293-1294	11.9	4
50	Development of a computerized assessment of clinician adherence to a treatment guideline for patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2004 , 38, 285-94	5.2	4
49	Polysomnogram in major depressive and obsessive-compulsive disorders: A preliminary study. <i>Depression</i> , 1994 , 2, 297-302		4
48	Using the NIH Research, Condition and Disease Categorization Database for research advocacy: Schizophrenia research at NIMH as an example. <i>PLoS ONE</i> , 2020 , 15, e0241062	3.7	4
47	The effectiveness of antidepressant monotherapy in a naturalistic outpatient setting. <i>primary care companion for CNS disorders</i> , 2012 , 14,	1.2	4
46	Clinically meaningful changes on depressive symptom measures and patient-reported outcomes in patients with treatment-resistant depression. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 253-263	6.5	4

45	A Brief Interview to Detect Panic Attacks and Panic Disorder in Emergency Department Patients with Cardiopulmonary Complaints. <i>Journal of Psychiatric Practice</i> , 2018 , 24, 32-44	1.3	4
44	Antidepressant side effects and their impact on treatment outcome in people with major depressive disorder: an iSPOT-D report. <i>Translational Psychiatry</i> , 2021 , 11, 417	8.6	4
43	Prediction of short-term antidepressant response using probabilistic graphical models with replication across multiple drugs and treatment settings. <i>Neuropsychopharmacology</i> , 2021 , 46, 1272-1282	8.7	4
42	Targeting treatments for depression: what can our patients tell us?. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 37-39	5.1	3
41	Variable and threshold selection to control predictive accuracy in logistic regression. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2014 , 63, 657-672	1.5	3
40	Accurately identifying patients who are excellent candidates or unsuitable for a medication: a novel approach. <i>Neuropsychiatric Disease and Treatment</i> , 2017 , 13, 3001-3010	3.1	3
39	Differential Responses to Psychotherapy Versus Pharmacotherapy in Patients With Chronic Forms of Major Depression and Childhood Trauma. <i>Focus (American Psychiatric Publishing)</i> , 2005 , 3, 131-135	1.1	3
38	Setting Measurement-Based Care in Motion: Practical Lessons in the Implementation and Integration of Measurement-Based Care in Psychiatry Clinical Practice. <i>Neuropsychiatric Disease and Treatment</i> , 2021 , 17, 1621-1631	3.1	3
37	Voice response system to measure healthcare costs: a STAR*D report. <i>American Journal of Managed Care</i> , 2009 , 15, 153-62	2.1	3
36	Prediction of Acute-Phase Treatment Outcomes by Adding a Single-Item Measure of Activity Impairment to Symptom Measurement: Development and Validation of an Interactive Calculator from the STAR*D and CO-MED Trials. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 339-348	5.8	2
35	Predicting future suicidal events in adolescents using the Concise Health Risk Tracking Self-Report (CHRT-SR). <i>Journal of Psychiatric Research</i> , 2020 , 126, 19-25	5.2	2
34	Dr. Rush Replies. <i>American Journal of Psychiatry</i> , 2008 , 165, 133-134	11.9	2
33	Treatment with low doses of tranylcypromine resulted in a disappointing remission rate. <i>American Journal of Psychiatry</i> , 2007 , 164, 524; author reply 524	11.9	2
32	Itemized clinician ratings versus global ratings of symptom severity in patients with schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 45-53	4.3	2
31	The Long and Winding Road of Vagus Nerve Stimulation: Challenges in Developing an Intervention for Difficult-to-Treat Mood Disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2020 , 16, 3081-3093	3.1	2
30	Genomics-based identification of a potential causal role for acylcarnitine metabolism in depression		2
29	Natural Language Processing-Based Quantification of the Mental State of Psychiatric Patients. <i>Computational Psychiatry</i> , 2020 , 4, 76	3.8	2
28	Alterations in Acylcarnitines, Amines, and Lipids Inform about Mechanism of Action of Citalopram/Escitalopram in Major Depression		2

27	The Adolescent Resilience Questionnaire: Validation of a Shortened Version in U.S. Youths. <i>Frontiers in Psychology</i> , 2020 , 11, 606373	3.4	1
26	Addressing the unmet needs of current antidepressants: does neuroscience help or hinder clinical psychopharmacology research?. <i>Expert Opinion on Pharmacotherapy</i> , 2017 , 18, 1417-1420	4	1
25	Combining Medications to Enhance Depression Outcomes (CO-MED): Acute and Long-Term Outcomes of a Single-Blind Randomized Study. <i>Focus (American Psychiatric Publishing)</i> , 2012 , 10, 492-505 ^{1.1}	1.1	1
24	Cognitive Therapy Augmentation versus CT Switch Treatment: A STAR*D Report. <i>International Journal of Cognitive Therapy</i> , 2009 , 2, 66-87	1.4	1
23	Release bias in accessing medical records in clinical trials: a STAR*D report. <i>International Journal of Methods in Psychiatric Research</i> , 2009 , 18, 147-58	4.3	1
22	Fluoxetine Versus Placebo in Preventing Relapse of Major Depression in Children and Adolescents. <i>Focus (American Psychiatric Publishing)</i> , 2008 , 6, 348-357	1.1	1
21	Metabolomic and inflammatory signatures of symptom dimensions in major depression.. <i>Brain, Behavior, and Immunity</i> , 2022 , 102, 42-52	16.6	1
20	Clinical research challenges posed by difficult-to-treat depression.. <i>Psychological Medicine</i> , 2022 , 1-14	6.9	1
19	Acylcarnitine Metabolomic Profiles Inform Clinically-Defined Major Depressive Phenotypes		1
18	Medical test development and implementation: a multistep journey. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e220-1	4.6	1
17	Can the digital revolution improve care for mood disorders patients?. <i>Journal of Affective Disorders</i> , 2021 , 282, 1193-1194	6.6	1
16	The Concise Health Risk Tracking Self-Report (CHRT-SR) assessment of suicidality in depressed outpatients: A psychometric evaluation. <i>Depression and Anxiety</i> , 2019 , 36, 313-320	8.4	1
15	Impact of childhood maltreatment on outcomes of antidepressant medication in chronic and/or recurrent depression. <i>Journal of Affective Disorders</i> , 2021 , 291, 39-45	6.6	1
14	Genomics-based identification of a potential causal role for acylcarnitine metabolism in depression.. <i>Journal of Affective Disorders</i> , 2022 , 307, 254-263	6.6	1
13	NeuroBlu, an electronic health record (EHR) trusted research environment (TRE) to support mental healthcare analytics with real-world data.. <i>BMJ Open</i> , 2022 , 12, e057227	3	1
12	Anterior cingulate cortex in individuals with depressive symptoms: A structural MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 319, 111420	2.9	0
11	Psychometric Evaluation of the Pediatric Quality of Life Enjoyment and Satisfaction Questionnaire in a General Youth Population. <i>Child Psychiatry and Human Development</i> , 2021 , 1	3.3	0
10	Differential response to SSRI versus Placebo and distinct neural signatures among data-driven subgroups of patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2021 , 282, 602-610 ^{6.6}	6.6	0

9	Psychometric and Clinical Evaluation of the Clinician (VQIDS-C) and Self-Report (VQIDS-SR) Versions of the Very Quick Inventory of Depressive Symptoms.. <i>Neuropsychiatric Disease and Treatment</i> , 2022 , 18, 289-302	3.1	0
8	Ketamine for Treatment-Resistant Depression: Ready or Not for Clinical Use?. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 244-245	1.1	
7	What Did STAR*D Teach Us? Results From a Large-Scale, Practical, Clinical Trial for Patients With Depression. <i>Focus (American Psychiatric Publishing)</i> , 2012 , 10, 510-517	1.1	
6	Antecedentes familiares de suicidio consumado y características del trastorno depresivo mayor: estudio STAR*D (sequenced treatment alternatives to relieve depression). <i>Psiquiatria Biologica</i> , 2008 , 15, 195-201	0.2	
5	Cognitive Therapy Versus Medication in Augmentation and Switch Strategies as Second-Step Treatments: A STAR*D Report. <i>Focus (American Psychiatric Publishing)</i> , 2008 , 6, 104-119	1.1	
4	Genetic Markers of Suicidal Ideation Emerging During Citalopram Treatment of Major Depression. <i>Focus (American Psychiatric Publishing)</i> , 2008 , 6, 69-79	1.1	
3	Dr. Scheffer and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2005 , 162, 2197-a-2198	11.9	
2	Do depressed patients with diabetes experience more side effects when treated with Citalopram Than their counterparts without diabetes? a STAR*D study. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2009 , 11, 186-96		
1	Toward precision medicine for depression: admitting ignorance and focusing on failures. <i>World Psychiatry</i> , 2016 , 15, 242-243	14.4	