

Reza J Rasoulpour

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11603937/publications.pdf>

Version: 2024-02-01

27
papers

1,039
citations

430874

18
h-index

477307

29
g-index

29
all docs

29
docs citations

29
times ranked

1310
citing authors

#	ARTICLE	IF	CITATIONS
1	Bridging Sex-Specific Differences in the CAR-Mediated Hepatocarcinogenesis of Nitrapyrin Using Molecular and Apical Endpoints. <i>Frontiers in Toxicology</i> , 2021, 3, 766196.	3.1	1
2	Dose-response analysis of epigenetic, metabolic, and apical endpoints after short-term exposure to experimental hepatotoxicants. <i>Food and Chemical Toxicology</i> , 2017, 109, 690-702.	3.6	21
3	Integration of novel approaches demonstrates simultaneous metabolic inactivation and CAR-mediated hepatocarcinogenesis of a nitrification inhibitor. <i>Toxicology Reports</i> , 2017, 4, 586-597.	3.3	11
4	The interface of epigenetics and toxicology in product safety assessment. <i>Current Opinion in Toxicology</i> , 2017, 6, 87-92.	5.0	11
5	Dietary Route of Exposure for Rabbit Developmental Toxicity Studies. <i>Toxicological Sciences</i> , 2016, 154, 90-100.	3.1	6
6	Implementing a framework for integrating toxicokinetics into human health risk assessment for agrochemicals. <i>Regulatory Toxicology and Pharmacology</i> , 2016, 75, 89-104.	2.7	18
7	Mode of action and human relevance of pronamide-induced rat thyroid tumors. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 71, 541-551.	2.7	18
8	Pronamide: Weight of evidence for potential estrogen, androgen or thyroid effects. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 72, 405-422.	2.7	10
9	Pronamide: Human relevance of liver-mediated rat leydig cell tumors. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 72, 394-404.	2.7	8
10	Human relevance framework for rodent liver tumors induced by the insecticide sulfoxaflor. <i>Critical Reviews in Toxicology</i> , 2014, 44, 15-24.	3.9	26
11	Human relevance framework evaluation of a novel rat developmental toxicity mode of action induced by sulfoxaflor. <i>Critical Reviews in Toxicology</i> , 2014, 44, 45-62.	3.9	19
12	Characterization of Nuclear Receptor-Mediated Murine Hepatocarcinogenesis of the Herbicide Pronamide and Its Human Relevance. <i>Toxicological Sciences</i> , 2014, 142, 74-92.	3.1	18
13	Are we ready to consider transgenerational epigenetic effects in human health risk assessment?. <i>Environmental and Molecular Mutagenesis</i> , 2014, 55, 292-298.	2.2	22
14	Application of a novel integrated toxicity testing strategy incorporating "3R" principles of animal research to evaluate the safety of a new agrochemical sulfoxaflor. <i>Critical Reviews in Toxicology</i> , 2014, 44, 1-14.	3.9	21
15	Disposition of glycolic acid into rat and rabbit embryos in vitro. <i>Reproductive Toxicology</i> , 2014, 46, 46-55.	2.9	3
16	An integrated approach for prospectively investigating a mode-of-action for rodent liver effects. <i>Toxicology and Applied Pharmacology</i> , 2013, 270, 164-173.	2.8	26
17	A Novel Mode-of-Action Mediated by the Fetal Muscle Nicotinic Acetylcholine Receptor Resulting in Developmental Toxicity in Rats. <i>Toxicological Sciences</i> , 2012, 127, 522-534.	3.1	15
18	Is the current product safety assessment paradigm protective for epigenetic mechanisms?. <i>Journal of Pharmacological and Toxicological Methods</i> , 2012, 66, 207-214.	0.7	15

#	ARTICLE	IF	CITATIONS
19	Assessment of diurnal systemic dose of agrochemicals in regulatory toxicity testing – An integrated approach without additional animal use. <i>Regulatory Toxicology and Pharmacology</i> , 2012, 63, 321-332.	2.7	49
20	Epigenetic screening in product safety assessment: are we there yet?. <i>Toxicology Mechanisms and Methods</i> , 2011, 21, 298-311.	2.7	31
21	Epigenetics and chemical safety assessment. <i>Mutation Research - Reviews in Mutation Research</i> , 2010, 705, 83-95.	5.5	71
22	Species-specificity of ethylene glycol-induced developmental toxicity: toxicokinetic and whole embryo culture studies in the rabbit. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2008, 83, 573-581.	1.4	32
23	NF- κ B Activation Elicited by Ionizing Radiation Is Proapoptotic in Testis1. <i>Biology of Reproduction</i> , 2007, 76, 279-285.	2.7	18
24	The Sycp1-Cre Transgenic Mouse and Male Germ Cell Inhibition of NF- κ B. <i>Journal of Andrology</i> , 2006, 27, 729-733.	2.0	9
25	NF- κ B Is Activated in the Rat Testis Following Exposure to Mono-(2-Ethylhexyl) Phthalate. <i>Biology of Reproduction</i> , 2005, 72, 479-486.	2.7	43
26	Expression of a K48R Mutant Ubiquitin Protects Mouse Testis from Cryptorchid Injury and Aging. <i>American Journal of Pathology</i> , 2003, 163, 2595-2603.	3.8	26
27	The luminal short-chain fatty acid butyrate modulates NF- κ B activity in a human colonic epithelial cell line. <i>Gastroenterology</i> , 2000, 118, 724-734.	1.3	407