

Phillip M Trusty

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11604035/publications.pdf>

Version: 2024-02-01

22
papers

427
citations

623188

14
h-index

752256

20
g-index

22
all docs

22
docs citations

22
times ranked

312
citing authors

#	ARTICLE	IF	CITATIONS
1	Fontan Surgical Planning: Previous Accomplishments, Current Challenges, and Future Directions. <i>Journal of Cardiovascular Translational Research</i> , 2018, 11, 133-144.	1.1	46
2	Impact of hemodynamics and fluid energetics on liver fibrosis after Fontan operation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 267-275.	0.4	41
3	The first cohort of prospective Fontan surgical planning patients with follow-up data: How accurate is surgical planning?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 157, 1146-1155.	0.4	34
4	A pulsatile hemodynamic evaluation of the commercially available bifurcated Y-graft Fontan modification and comparison with the lateral tunnel and extracardiac conduits. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 151, 1529-1536.	0.4	33
5	The Advantages of Viscous Dissipation Rate over Simplified Power Loss as a Fontan Hemodynamic Metric. <i>Annals of Biomedical Engineering</i> , 2018, 46, 404-416.	1.3	32
6	Can time-averaged flow boundary conditions be used to meet the clinical timeline for Fontan surgical planning?. <i>Journal of Biomechanics</i> , 2017, 50, 172-179.	0.9	29
7	Analysis of Inlet Velocity Profiles in Numerical Assessment of Fontan Hemodynamics. <i>Annals of Biomedical Engineering</i> , 2019, 47, 2258-2270.	1.3	24
8	The role of flow stasis in transcatheter aortic valve leaflet thrombosis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 164, e105-e117.	0.4	23
9	Cardiac Magnetic Resonance–Derived Metrics Are Predictive of Liver Fibrosis in Fontan Patients. <i>Annals of Thoracic Surgery</i> , 2020, 109, 1904-1911.	0.7	22
10	Y-graft modification to the Fontan procedure: Increasingly balanced flow over time. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 159, 652-661.	0.4	19
11	Neosinus Flow Stasis Correlates With Thrombus Volume Post-TAVR. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 1288-1290.	1.1	18
12	Non-Newtonian Effects on Patient-Specific Modeling of Fontan Hemodynamics. <i>Annals of Biomedical Engineering</i> , 2020, 48, 2204-2217.	1.3	17
13	Using a Novel In Vitro Fontan Model and Condition-Specific Real-Time MRI Data to Examine Hemodynamic Effects of Respiration and Exercise. <i>Annals of Biomedical Engineering</i> , 2018, 46, 135-147.	1.3	16
14	An in Vitro analysis of the PediMag and CentriMag for right-sided failing Fontan support. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, 1413-1421.	0.4	14
15	Local Hemodynamic Differences Between Commercially Available Y-Grafts and Traditional Fontan Baffles Under Simulated Exercise Conditions: Implications for Exercise Tolerance. <i>Cardiovascular Engineering and Technology</i> , 2017, 8, 390-399.	0.7	14
16	The effect of respiration-driven flow waveforms on hemodynamic metrics used in Fontan surgical planning. <i>Journal of Biomechanics</i> , 2019, 82, 87-95.	0.9	13
17	In Vitro Examination of the VentiFlo True Pulse Pump for Failing Fontan Support. <i>Artificial Organs</i> , 2019, 43, 181-188.	1.0	9
18	Fontan Geometry and Hemodynamics Are Associated With Quality of Life in Adolescents and Young Adults. <i>Annals of Thoracic Surgery</i> , 2022, 114, 841-847.	0.7	6

#	ARTICLE	IF	CITATIONS
19	Impact of Free-Breathing Phase-Contrast MRI on Decision-Making in Fontan Surgical Planning. Journal of Cardiovascular Translational Research, 2020, 13, 640-647.	1.1	5
20	Cross-Sectional Magnetic Resonance and Modeling Comparison From Just After Fontan to the Teen Years. Annals of Thoracic Surgery, 2020, 109, 574-582.	0.7	5
21	Computational modeling of a right-sided Fontan assist device: Effectiveness across patient anatomies and cannulations. Journal of Biomechanics, 2020, 109, 109917.	0.9	4
22	Target Flow-Pressure Operating Range for Designing a Failing Fontan Cavopulmonary Support Device. IEEE Transactions on Biomedical Engineering, 2020, 67, 2925-2933.	2.5	3