Jean De La Rosette

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11605450/jean-de-la-rosette-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

4,580
citations

h-index

67
g-index

5,468
ext. papers

2,25
ext. papers

avg, IF

L-index

#	Paper	IF	Citations
96	Newer Advances in Access 2022 , 145-155		
95	Conventional white light imaging-assisted transurethral resection of bladder tumour (TURBT) versus IMAGE1S-assisted TURBT in non-muscle-invasive bladder cancer patients: trial protocol and 18[months results. World Journal of Urology, 2021, 1	4	Ο
94	Impact of COVID-19 on medical education: introducing homo digitalis. <i>World Journal of Urology</i> , 2021 , 39, 1997-2003	4	6
93	Utilization of focal therapy for patients discontinuing active surveillance of prostate cancer: Recommendations of an international Delphi consensus. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 781.e17-781.e24	2.8	2
92	Preservation of antegrade ejaculation after surgical relief of benign prostatic obstruction is a valid endpoint. <i>World Journal of Urology</i> , 2021 , 39, 2277-2289	4	O
91	Contemporary patterns of presentation, diagnostics and management of upper tract urothelial cancer in 101 centres: the Clinical Research Office of the Endourological Society Global upper tract urothelial carcinoma registry. <i>Current Opinion in Urology</i> , 2021 , 31, 354-362	2.8	1
90	Flexible fibre optic vs digital ureteroscopy and enhanced vs unenhanced imaging for diagnosis and treatment of upper tract urothelial carcinoma (UTUC): results from the Clinical Research Office of the Endourology Society (CROES)-UTUC registry. <i>BJU International</i> , 2021 , 128, 734-743	5.6	0
89	Age-Related Mental Health Consequences of COVID-19: A Global Perspective. <i>Soci</i> E <i>Internationale Drurologie Journal</i> , 2021 , 2, 25-31	0.1	
88	Making a case "for" focal therapy of the prostate in intermediate risk prostate cancer: current perspective and ongoing trials. <i>World Journal of Urology</i> , 2021 , 39, 729-739	4	3
87	Mini Percutaneous Nephrolithotomy Is a Noninferior Modality to Standard Percutaneous Nephrolithotomy for the Management of 20-40mm Renal Calculi: A Multicenter Randomized Controlled Trial. <i>European Urology</i> , 2021 , 79, 114-121	10.2	14
86	Impact of COVID-19 on Urology Practice: A Global Perspective and Snapshot Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	11
85	Standardized Nomenclature and Surveillance Methodologies After Focal Therapy and Partial Gland Ablation for Localized Prostate Cancer: An International Multidisciplinary Consensus. <i>European Urology</i> , 2020 , 78, 371-378	10.2	28
84	Prioritising Urological Surgery in the COVID-19 Era: A Global Reflection on Guidelines. <i>European Urology Focus</i> , 2020 , 6, 1104-1110	5.1	10
83	Evaluation of Patterns of Presentation, Practice, and Outcomes of Upper Tract Urothelial Cancer: Protocol for an Observational, International, Multicenter, Cohort Study by the Clinical Research Office of the Endourology Society. <i>JMIR Research Protocols</i> , 2020 , 9, e15363	2	2
82	Cross-continental comparison of safety and protection measures amongst urologists during COVID-19. <i>International Journal of Urology</i> , 2020 , 27, 981-989	2.3	1
81	Definition, treatment and outcome of residual fragments in staghorn stones. <i>Asian Journal of Urology</i> , 2020 , 7, 116-121	2.7	3
80	Recommended antibiotic prophylaxis regimen in retrograde intrarenal surgery: evidence from a randomised controlled trial. <i>BJU International</i> , 2019 , 124, 496-503	5.6	3

Percutaneous nephrolithotomy: position, position!. <i>Urolithiasis</i> , 2018 , 46, 79-86	3.2	20
Contrast-enhanced Ultrasound in Urology 2018 , 1605-1615		О
A clinical evaluation of the new digital single-use flexible ureteroscope (UscopePU3022): an international prospective multicentered study. <i>Central European Journal of Urology</i> , 2018 , 71, 453-461	0.9	7
Update of the ICUD-SIU consultation on upper tract urothelial carcinoma 2016: treatment of low-risk upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 355-365	4	27
Examining Pediatric Cases From the Clinical Research Office of the Endourological Society Ureteroscopy Global Study. <i>Urology</i> , 2017 , 101, 31-37	1.6	7
Diagnostic dilemmas in patients with upper tract urothelial carcinoma. <i>Nature Reviews Urology</i> , 2017 , 14, 181-191	5.5	36
First clinical evaluation of a new single-use flexible cystoscope dedicated to double-J stent removal (Isiris) a European prospective multicenter study. <i>World Journal of Urology</i> , 2017 , 35, 1269-1275	4	17
The Evolving Role of Retrograde Intrarenal Surgery in the Treatment of Urolithiasis. <i>European Urology Focus</i> , 2017 , 3, 46-55	5.1	21
The Influence of Body Mass Index on Outcomes in Ureteroscopy: Results from the Clinical Research	2.7	8
Office of Endourological Society URS Global Study. <i>Journal of Endourology</i> , 2017 , 31, 20-26	,	
First clinical evaluation of a new single-use flexible ureteroscope (LithoVue) a European prospective multicentric feasibility study. World Journal of Urology, 2017, 35, 809-818	4	44
First clinical evaluation of a new single-use flexible ureteroscope (LithoVue) a European	4 5.6	4455
First clinical evaluation of a new single-use flexible ureteroscope (LithoVue) a European prospective multicentric feasibility study. World Journal of Urology, 2017, 35, 809-818 Preoperative JJ stent placement in ureteric and renal stone treatment: results from the Clinical Research Office of Endourological Society (CROES) ureteroscopy (URS) Global Study. BJU	4	
First clinical evaluation of a new single-use flexible ureteroscope (LithoVue) a European prospective multicentric feasibility study. World Journal of Urology, 2017, 35, 809-818 Preoperative JJ stent placement in ureteric and renal stone treatment: results from the Clinical Research Office of Endourological Society (CROES) ureteroscopy (URS) Global Study. BJU International, 2016, 117, 648-54 'Mini, ultra, micro' - nomenclature and cost of these new minimally invasive percutaneous	5.6	55
First clinical evaluation of a new single-use flexible ureteroscope (LithoVue) a European prospective multicentric feasibility study. World Journal of Urology, 2017, 35, 809-818 Preoperative JJ stent placement in ureteric and renal stone treatment: results from the Clinical Research Office of Endourological Society (CROES) ureteroscopy (URS) Global Study. BJU International, 2016, 117, 648-54 'Mini, ultra, micro' - nomenclature and cost of these new minimally invasive percutaneous nephrolithotomy (PCNL) techniques. Therapeutic Advances in Urology, 2016, 8, 142-6 Percutaneous Nephrolithotomy: Update, Trends, and Future Directions. European Urology, 2016,	5.6	55
First clinical evaluation of a new single-use flexible ureteroscope (LithoVue) a European prospective multicentric feasibility study. World Journal of Urology, 2017, 35, 809-818 Preoperative JJ stent placement in ureteric and renal stone treatment: results from the Clinical Research Office of Endourological Society (CROES) ureteroscopy (URS) Global Study. BJU International, 2016, 117, 648-54 'Mini, ultra, micro' - nomenclature and cost of these new minimally invasive percutaneous nephrolithotomy (PCNL) techniques. Therapeutic Advances in Urology, 2016, 8, 142-6 Percutaneous Nephrolithotomy: Update, Trends, and Future Directions. European Urology, 2016, 70, 382-96 The Clinical Research Office of the Endourological Society (CROES) Multicentre Randomised Trial of Narrow Band Imaging-Assisted Transurethral Resection of Bladder Tumour (TURBT) Versus	4 5.6 3.2	5556105
First clinical evaluation of a new single-use flexible ureteroscope (LithoVue] a European prospective multicentric feasibility study. <i>World Journal of Urology</i> , 2017 , 35, 809-818 Preoperative JJ stent placement in ureteric and renal stone treatment: results from the Clinical Research Office of Endourological Society (CROES) ureteroscopy (URS) Global Study. <i>BJU International</i> , 2016 , 117, 648-54 'Mini, ultra, micro' - nomenclature and cost of these new minimally invasive percutaneous nephrolithotomy (PCNL) techniques. <i>Therapeutic Advances in Urology</i> , 2016 , 8, 142-6 Percutaneous Nephrolithotomy: Update, Trends, and Future Directions. <i>European Urology</i> , 2016 , 70, 382-96 The Clinical Research Office of the Endourological Society (CROES) Multicentre Randomised Trial of Narrow Band Imaging-Assisted Transurethral Resection of Bladder Tumour (TURBT) Versus Conventional White Light Imaging-Assisted TURBT in Primary Non-Muscle-invasive Bladder Cancer Outcomes of Flexible Ureterorenoscopy for Solitary Renal Stones in the CROES URS Global Study.	4 5.6 3.2 10.2	555610593
First clinical evaluation of a new single-use flexible ureteroscope (LithoVuell a European prospective multicentric feasibility study. <i>World Journal of Urology</i> , 2017 , 35, 809-818 Preoperative JJ stent placement in ureteric and renal stone treatment: results from the Clinical Research Office of Endourological Society (CROES) ureteroscopy (URS) Global Study. <i>BJU International</i> , 2016 , 117, 648-54 'Mini, ultra, micro' - nomenclature and cost of these new minimally invasive percutaneous nephrolithotomy (PCNL) techniques. <i>Therapeutic Advances in Urology</i> , 2016 , 8, 142-6 Percutaneous Nephrolithotomy: Update, Trends, and Future Directions. <i>European Urology</i> , 2016 , 70, 382-96 The Clinical Research Office of the Endourological Society (CROES) Multicentre Randomised Trial of Narrow Band Imaging-Assisted Transurethral Resection of Bladder Tumour (TURBT) Versus Conventional White Light Imaging-Assisted TURBT in Primary Non-Muscle-invasive Bladder Cancer Outcomes of Flexible Ureterorenoscopy for Solitary Renal Stones in the CROES URS Global Study. <i>Journal of Urology</i> , 2015 , 194, 137-43 Postoperative infection rates in patients with a negative baseline urine culture undergoing ureteroscopic stone removal: a matched case-control analysis on antibiotic prophylaxis from the	4 5.6 3.2 10.2 2.5	55561059358
	A clinical evaluation of the new digital single-use flexible ureteroscope (UscopePU3022): an international prospective multicentered study. <i>Central European Journal of Urology</i> , 2018 , 71, 453-461 Update of the ICUD-SIU consultation on upper tract urothelial carcinoma 2016: treatment of low-risk upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 355-365 Examining Pediatric Cases From the Clinical Research Office of the Endourological Society Ureteroscopy Global Study. <i>Urology</i> , 2017 , 101, 31-37 Diagnostic dilemmas in patients with upper tract urothelial carcinoma. <i>Nature Reviews Urology</i> , 2017 , 14, 181-191 First clinical evaluation of a new single-use flexible cystoscope dedicated to double-J stent removal (Isiris) a European prospective multicenter study. <i>World Journal of Urology</i> , 2017 , 35, 1269-1275 The Evolving Role of Retrograde Intrarenal Surgery in the Treatment of Urolithiasis. <i>European Urology Focus</i> , 2017 , 3, 46-55	A clinical evaluation of the new digital single-use flexible ureteroscope (UscopePU3022): an international prospective multicentered study. <i>Central European Journal of Urology</i> , 2018 , 71, 453-461 0.9 Update of the ICUD-SIU consultation on upper tract urothelial carcinoma 2016: treatment of low-risk upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2017 , 35, 355-365 4 Examining Pediatric Cases From the Clinical Research Office of the Endourological Society Ureteroscopy Global Study. <i>Urology</i> , 2017 , 101, 31-37 5.5 Diagnostic dilemmas in patients with upper tract urothelial carcinoma. <i>Nature Reviews Urology</i> , 2017 , 14, 181-191 5.5 First clinical evaluation of a new single-use flexible cystoscope dedicated to double-J stent removal (Isiris) a European prospective multicenter study. <i>World Journal of Urology</i> , 2017 , 35, 1269-1275 4 The Evolving Role of Retrograde Intrarenal Surgery in the Treatment of Urolithiasis. <i>European Urology Focus</i> , 2017 , 3, 46-55

61	Clinical Research Office of the Endourological Society Global GreenLight Laser Study: Outcomes from a contemporary series of 713 patients. <i>International Journal of Urology</i> , 2015 , 22, 1124-30	2.3	7
60	Multiparametric ultrasound in the detection of prostate cancer: a systematic review. World Journal of Urology, 2015 , 33, 1651-9	4	72
59	The clinical research office of the endourological society ureteroscopy global study: indications, complications, and outcomes in 11,885 patients. <i>Journal of Endourology</i> , 2014 , 28, 131-9	2.7	220
58	Standardization of patient outcomes reporting in percutaneous nephrolithotomy. <i>Journal of Endourology</i> , 2014 , 28, 767-74	2.7	253
57	Bipolar versus monopolar transurethral resection of the prostate for lower urinary tract symptoms secondary to benign prostatic obstruction. <i>The Cochrane Library</i> , 2014 ,	5.2	4
56	The clinical research office of the endourological society percutaneous nephrolithotomy global study: Outcomes in the morbidly obese patient - a case control analysis. <i>Canadian Urological Association Journal</i> , 2014 , 8, E393-7	1.2	14
55	The role of magnetic resonance imaging (MRI) in focal therapy for prostate cancer: recommendations from a consensus panel. <i>BJU International</i> , 2014 , 113, 218-27	5.6	63
54	Percutaneous nephrolithotomy in children in different age groups: data from the Clinical Research Office of the Endourological Society (CROES) Percutaneous Nephrolithotomy Global Study. <i>BJU International</i> , 2013 , 111, 148-56	5.6	44
53	Exit strategies following percutaneous nephrolithotomy (PCNL): a comparison of surgical outcomes in the Clinical Research Office of the Endourological Society (CROES) PCNL Global Study. <i>World Journal of Urology</i> , 2013 , 31, 1239-44	4	11
52	Urinary tract infections and post-operative fever in percutaneous nephrolithotomy. World Journal		86
)_	of Urology, 2013 , 31, 1135-40	4	00
51	of Urology, 2013 , 31, 1135-40 Reply: To PMID 24063936. <i>Urology</i> , 2013 , 82, 1244-5	1.6	
			16
51	Reply: To PMID 24063936. <i>Urology</i> , 2013 , 82, 1244-5 Global randomized narrow band imaging versus white light study in nonmuscle invasive bladder cancer: accession to the first milestone-enrollment of 600 patients. <i>Journal of Endourology</i> , 2013 ,	1.6	
51	Reply: To PMID 24063936. <i>Urology</i> , 2013 , 82, 1244-5 Global randomized narrow band imaging versus white light study in nonmuscle invasive bladder cancer: accession to the first milestone-enrollment of 600 patients. <i>Journal of Endourology</i> , 2013 , 27, 1-3 Effect of supine vs prone position on outcomes of percutaneous nephrolithotomy in staghorn calculi: results from the Clinical Research Office of the Endourology Society Study. <i>Urology</i> , 2013 ,	1.6 2.7	16
515049	Reply: To PMID 24063936. <i>Urology</i> , 2013 , 82, 1244-5 Global randomized narrow band imaging versus white light study in nonmuscle invasive bladder cancer: accession to the first milestone-enrollment of 600 patients. <i>Journal of Endourology</i> , 2013 , 27, 1-3 Effect of supine vs prone position on outcomes of percutaneous nephrolithotomy in staghorn calculi: results from the Clinical Research Office of the Endourology Society Study. <i>Urology</i> , 2013 , 82, 1240-4 Nephrostomy in percutaneous nephrolithotomy (PCNL): does nephrostomy tube size matter? Results from the Global PCNL Study from the Clinical Research Office Endourology Society. <i>World</i>	1.6 2.7 1.6	16 41
51504948	Reply: To PMID 24063936. <i>Urology</i> , 2013 , 82, 1244-5 Global randomized narrow band imaging versus white light study in nonmuscle invasive bladder cancer: accession to the first milestone-enrollment of 600 patients. <i>Journal of Endourology</i> , 2013 , 27, 1-3 Effect of supine vs prone position on outcomes of percutaneous nephrolithotomy in staghorn calculi: results from the Clinical Research Office of the Endourology Society Study. <i>Urology</i> , 2013 , 82, 1240-4 Nephrostomy in percutaneous nephrolithotomy (PCNL): does nephrostomy tube size matter? Results from the Global PCNL Study from the Clinical Research Office Endourology Society. <i>World Journal of Urology</i> , 2013 , 31, 1563-8 Impact of stone density on outcomes in percutaneous nephrolithotomy (PCNL): an analysis of the clinical research office of the endourological society (CROES) pcnl global study database.	1.6 2.7 1.6	16 41 26
51 50 49 48 47	Reply: To PMID 24063936. <i>Urology</i> , 2013 , 82, 1244-5 Global randomized narrow band imaging versus white light study in nonmuscle invasive bladder cancer: accession to the first milestone-enrollment of 600 patients. <i>Journal of Endourology</i> , 2013 , 27, 1-3 Effect of supine vs prone position on outcomes of percutaneous nephrolithotomy in staghorn calculi: results from the Clinical Research Office of the Endourology Society Study. <i>Urology</i> , 2013 , 82, 1240-4 Nephrostomy in percutaneous nephrolithotomy (PCNL): does nephrostomy tube size matter? Results from the Global PCNL Study from the Clinical Research Office Endourology Society. <i>World Journal of Urology</i> , 2013 , 31, 1563-8 Impact of stone density on outcomes in percutaneous nephrolithotomy (PCNL): an analysis of the clinical research office of the endourological society (CROES) pcnl global study database. <i>Scandinavian Journal of Urology</i> , 2013 , 47, 509-14 An update on the Clinical Research Office of the Endourology Society Team. <i>Journal of Endourology</i>	1.6 2.7 1.6 4	16 41 26

(2011-2012)

43	Management of single large nonstaghorn renal stones in the CROES PCNL global study. <i>Journal of Urology</i> , 2012 , 187, 1293-7	2.5	33
42	TachoSil([]) sealed tubeless percutaneous nephrolithotomy to reduce urine leakage and bleeding: outcome of a randomized controlled study. <i>Journal of Urology</i> , 2012 , 188, 145-50	2.5	32
41	The CROES percutaneous nephrolithotomy global study: the influence of body mass index on outcome. <i>Journal of Urology</i> , 2012 , 188, 138-44	2.5	76
40	CROES global PCNL project: completing the puzzle of quality. <i>Journal of Endourology</i> , 2012 , 26, 581-4	2.7	О
39	A report from the publication office. <i>Journal of Endourology</i> , 2012 , 26, 1254-6	2.7	О
38	Postoperative infection rates in low risk patients undergoing percutaneous nephrolithotomy with and without antibiotic prophylaxis: a matched case control study. <i>Journal of Urology</i> , 2012 , 188, 843-7	2.5	39
37	Contrast-enhanced ultrasound as support for prostate brachytherapy treatment planning. <i>Journal of Contemporary Brachytherapy</i> , 2012 , 4, 69-74	1.9	6
36	Focal therapy for prostate cancer: patient selection and evaluation. <i>Expert Review of Anticancer Therapy</i> , 2012 , 12, 77-86	3.5	3
35	The Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study: nephrolithotomy in 189 patients with solitary kidneys. <i>Journal of Endourology</i> , 2012 , 26, 336-41	2.7	49
34	Bipolar versus monopolar transurethral resection of the prostate for lower urinary tract symptoms secondary to benign prostatic obstruction 2012 ,		4
33	Zusatzfunktionen und Innovationen in der Sonographie 2012 , 17-29		
32	Narrow-band imaging (NBI) and white light (WLI) transurethral resection of the bladder in the treatment of non-muscle-invasive bladder cancer. <i>Archivio Italiano Di Urologia Andrologia</i> , 2012 , 84, 179	9- 8 3	7
		\	
31	Operating times and bleeding complications in percutaneous nephrolithotomy: a comparison of tract dilation methods in 5,537 patients in the Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study. <i>Journal of Endourology</i> , 2011 , 25, 933-9	2.7	156
30	tract dilation methods in 5,537 patients in the Clinical Research Office of the Endourological	,	156 512
	tract dilation methods in 5,537 patients in the Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study. <i>Journal of Endourology</i> , 2011 , 25, 933-9 The Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global	,	
30	tract dilation methods in 5,537 patients in the Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study. <i>Journal of Endourology</i> , 2011 , 25, 933-9 The Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study: indications, complications, and outcomes in 5803 patients. <i>Journal of Endourology</i> , 2011 , 25, 11-1	7 ^{2.7}	512
30	tract dilation methods in 5,537 patients in the Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study. <i>Journal of Endourology</i> , 2011 , 25, 933-9 The Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study: indications, complications, and outcomes in 5803 patients. <i>Journal of Endourology</i> , 2011 , 25, 11-1 Critical review of lasers in benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2011 , 107, 1030-43 Training in ureteroscopy: a critical appraisal of the literature. <i>BJU International</i> , 2011 , 108, 798-805;	7 ^{2.7}	512

25	The Clinical Research Office of the Endourological Society Percutaneous Nephrolithotomy Global Study: tract dilation comparisons in 5537 patients. <i>Journal of Endourology</i> , 2011 , 25, 755-62	2.7	35
24	Percutaneous nephrolithotomy among patients with renal anomalies: patient characteristics and outcomes; a subgroup analysis of the clinical research office of the endourological society global percutaneous nephrolithotomy study. <i>Journal of Endourology</i> , 2011 , 25, 1627-32	2.7	52
23	1904 120W GREENLIGHT LASER PROSTATECTOMY IDNE YEAR DATA FROM AN ONGOING PROSPECTIVE MULTICENTRE STUDY (INTERNATIONAL GREENLIGHT USERS GROUP - IGLU). <i>Journal of Urology</i> , 2010 , 183,	2.5	1
22	Greenlight laser for benign prostatic hyperplasia study: a prospective international observational study on indications and perioperative outcomes. <i>Journal of Endourology</i> , 2010 , 24, 882-3	2.7	1
21	Focal therapy for prostate cancer: possibilities and limitations. <i>European Urology</i> , 2010 , 58, 57-64	10.2	80
20	Two contemporary series of percutaneous tract dilation for percutaneous nephrolithotomy. <i>Journal of Endourology</i> , 2009 , 23, 1655-61	2.7	39
19	Advances in ultrasound technology in oncologic urology. <i>Urologic Clinics of North America</i> , 2009 , 36, 133-45, vii	2.9	13
18	Bipolar transurethral resection of the prostate: the g olden standard r eclaims its leading position. <i>Current Opinion in Urology</i> , 2009 , 19, 26-32	2.8	59
17	Contrast-enhanced ultrasound and prostate cancer; a multicentre European research coordination project. <i>European Urology</i> , 2008 , 54, 982-92	10.2	95
16	Ureteral stenting and urinary stone management: a systematic review. <i>Journal of Urology</i> , 2008 , 179, 424-30	2.5	155
15	Techniques and Training with GreenLight HPS 120-W Laser Therapy of the Prostate: Position Paper. <i>European Urology Supplements</i> , 2008 , 7, 370-377	0.9	62
14	GreenLight HPS 120-W Laser for Benign Prostatic Hyperplasia: Comparative Complications and Technical Recommendations. <i>European Urology Supplements</i> , 2008 , 7, 384-392	0.9	28
13	Outcome of GreenLight HPS 120-W Laser Therapy in Specific Patient Populations: Those in Retention, on Anticoagulants, and with Large Prostates (B 0ml). <i>European Urology Supplements</i> , 2008 , 7, 378-383	0.9	76
12	Transrectal high-intensity focused ultrasound devices: a critical appraisal of the available evidence. <i>Journal of Endourology</i> , 2008 , 22, 221-9	2.7	33
11	Prevention and treatment of complications following percutaneous nephrolithotomy. <i>Current Opinion in Urology</i> , 2008 , 18, 229-34	2.8	109
10	Shock wave lithotripsy or ureteroscopy for the management of proximal ureteral calculi: an old discussion revisited. <i>Journal of Urology</i> , 2007 , 178, 1157-63	2.5	75
9	Bipolar transurethral resection of the prostatetechnical modifications and early clinical experience. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2007 , 16, 11-21	2.1	73
8	Optimising Assessment and Treatment Decisions for Men with BPH. <i>European Urology Supplements</i> , 2006 , 5, 710-715	0.9	3

LIST OF PUBLICATIONS

7	Optimising the medical management of benign prostatic hyperplasia. <i>European Urology</i> , 2004 , 45, 411-9 ₁₀ .	2	37
6	Benign prostatic hyperplasia: a progressive disease of aging men. <i>Urology</i> , 2003 , 61, 267-73		155
5	Proliferative activity and branching morphogenesis in the human prostate: a closer look at pre- and postnatal prostate growth. <i>Prostate</i> , 2001 , 49, 132-9		21
4	Guidelines for the diagnosis and treatment of benign prostatic hyperplasia: a comparative, international overview. <i>Urology</i> , 2001 , 58, 642-50		108
3	Cell kinetics of prostate exocrine and neuroendocrine epithelium and their differential interrelationship: New perspectives. <i>Prostate</i> , 1998 , 36, 62-73		37
2	A Novel Immunoenzymatic Technique to Demonstrate Multiple Antigens in Cells Based on Selective Destaining of Substrate Deposits and Its Application in Characterizing the Immunophenotype of Neuroendocrine Cells in the Human Prostate Epithelium. <i>Applied</i>		5

Imaging in Diagnosis and Staging of Urological Cancers: Ultrasound, CT, and PET141-176