

Pedro A Ribeiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1160713/publications.pdf>

Version: 2024-02-01

39
papers

1,423
citations

516710

16
h-index

361022

35
g-index

41
all docs

41
docs citations

41
times ranked

2001
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Going With the Flow – Population Genetics of the Kelp <i>Saccharina latissima</i> (Phaeophyceae, Tj ETQq1 1 0.784314rgBT /Oylock 10 | 2.5 | 4 |
| 2 | Molecular Systematics of the Long-Snouted Deep Water Dogfish (Centrophoridae, <i>Deania</i>) With Implications for Identification, Taxonomy, and Conservation. <i>Frontiers in Marine Science</i> , 2021, 7, . | 2.5 | 5 |
| 3 | A comprehensive assessment of the intertidal biodiversity along the Portuguese coast in the early 2000s. <i>Biodiversity Data Journal</i> , 2021, 9, e72961. | 0.8 | 5 |
| 4 | Remotely-sensed L4 SST underestimates the thermal fingerprint of coastal upwelling. <i>Remote Sensing of Environment</i> , 2020, 237, 111588. | 11.0 | 36 |
| 5 | Are seamounts refuge areas for fauna from polymetallic nodule fields?. <i>Biogeosciences</i> , 2020, 17, 2657-2680. | 3.3 | 23 |
| 6 | The Intertidal Zone of the North-East Atlantic Region. , 2019, , 7-46. | | 18 |
| 7 | Inbreeding in the exploited limpet <i>Patella aspera</i> across the Macaronesia archipelagos (NE Atlantic): Implications for conservation. <i>Fisheries Research</i> , 2018, 198, 180-188. | 1.7 | 11 |
| 8 | Phylogeography and phylogeny of the genus <i>Acanthonyx</i> (Decapoda, Epialtidae) in the north-east Atlantic and Mediterranean. <i>Zoologica Scripta</i> , 2017, 46, 571-583. | 1.7 | 3 |
| 9 | Essence of the patterns of cover and richness of intertidal hard bottom communities: a pan-European study. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 525-538. | 0.8 | 10 |
| 10 | Consistent patterns of spatial variability between NE Atlantic and Mediterranean rocky shores. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 539-547. | 0.8 | 11 |
| 11 | Geographic patterns of biodiversity in European coastal marine benthos. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 507-523. | 0.8 | 14 |
| 12 | The role of physical variables in biodiversity patterns of intertidal macroalgae along European coasts. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 549-560. | 0.8 | 10 |
| 13 | Exploitation promotes earlier sex change in a protandrous patellid limpet, <i>Patella aspera</i> (R&A ding, 1798. <i>Ecology and Evolution</i> , 2017, 7, 3616-3622. | 1.9 | 24 |
| 14 | Disentangling the genetic and morphological structure of <i>Patella candei</i> complex in Macaronesia (NE Atlantic). <i>Ecology and Evolution</i> , 2017, 7, 6125-6140. | 1.9 | 15 |
| 15 | First record of the cubera snapper, <i>Lutjanus cyanopterus</i> (Actinopterygii: Perciformes: Lutjanidae), from the Azores (NE Atlantic) and possible extension range for the West Atlantic. <i>Acta Ichthyologica Et Piscatoria</i> , 2017, 47, 259-263. | 0.7 | 5 |
| 16 | Threatened by mining, polymetallic nodules are required to preserve abyssal epifauna. <i>Scientific Reports</i> , 2016, 6, 26808. | 3.3 | 237 |
| 17 | A synthesis of genetic connectivity in deep-sea fauna and implications for marine reserve design. <i>Molecular Ecology</i> , 2016, 25, 3276-3298. | 3.9 | 109 |
| 18 | A multiplex microsatellite tool for conservation genetics of the endemic limpet <i>Patella candei</i> in the Macaronesian archipelagos. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 775-781. | 2.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Standardization of a <i>Patella</i> spp. (Mollusca, Gastropoda) embryo-larval bioassay and advantages of its use in marine ecotoxicology. <i>Ecotoxicology and Environmental Safety</i> , 2016, 127, 175-186. | 6.0 | 15 |
| 20 | Fisheries stocks from an ecological perspective: Disentangling ecological connectivity from genetic interchange. <i>Fisheries Research</i> , 2016, 179, 333-341. | 1.7 | 46 |
| 21 | A new multiplexed microsatellite tool for metapopulation studies in the overexploited endemic limpet <i>Patella aspera</i> (Rüdiger, 1798). <i>Animal Genetics</i> , 2015, 46, 96-97. | 1.7 | 8 |
| 22 | New species of <i>Heteropathes</i> (Anthozoa: Antipatharia) expands genus distribution to the NE Atlantic. <i>Zootaxa</i> , 2014, 3827, 293. | 0.5 | 6 |
| 23 | First record of <i>Antipathella subpinnata</i> (Anthozoa, Antipatharia) in the Azores (NE Atlantic), with description of the first monotypic garden for this species. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 99, 113-121. | 1.4 | 26 |
| 24 | Diversity, distribution and spatial structure of the cold-water coral fauna of the Azores (NE Atlantic). <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 99, 113-121. | 3.3 | 68 |
| 25 | Recent changes in the distribution of a marine gastropod, <i>Patella rustica</i> , across the Iberian Atlantic coast did not result in diminished genetic diversity or increased connectivity. <i>Journal of Biogeography</i> , 2010, 37, 1782-1796. | 3.0 | 27 |
| 26 | First record of <i>Halidrys siliquosa</i> on the Portuguese coast: counter-intuitive range expansion?. <i>Marine Biodiversity Records</i> , 2009, 2, . | 1.2 | 47 |
| 27 | Reproductive cycles of four species of <i>Patella</i> (Mollusca: Gastropoda) on the northern and central Portuguese coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 1215-1221. | 0.8 | 29 |
| 28 | New polymorphic microsatellite markers for the limpet <i>Patella rustica</i> and cross-priming testing in four <i>Patella</i> species. <i>Molecular Ecology Resources</i> , 2008, 8, 926-929. | 4.8 | 1 |
| 29 | A first record of longfin mako, <i>Isurus paucus</i> , in the mid-North Atlantic. <i>Marine Biodiversity Records</i> , 2008, 1, . | 1.2 | 4 |
| 30 | Modelling past and present geographical distribution of the marine gastropod <i>Patella rustica</i> as a tool for exploring responses to environmental change. <i>Global Change Biology</i> , 2007, 13, 2065-2077. | 9.5 | 48 |
| 31 | Do distributional shifts of northern and southern species of algae match the warming pattern?. <i>Global Change Biology</i> , 2007, 13, 2592-2604. | 9.5 | 287 |
| 32 | Development of microsatellite loci for the black-footed limpet, <i>Patella depressa</i> , and cross-amplification in two other <i>Patella</i> species. <i>Conservation Genetics</i> , 2007, 8, 739-742. | 1.5 | 6 |
| 33 | Using asymmetrical designs for environmental impact assessment of unplanned disturbances. , 2006, , 223-227. | | 1 |
| 34 | Biogeographic patterns of intertidal macroinvertebrates and their association with macroalgae distribution along the Portuguese coast. , 2006, , 185-192. | | 2 |
| 35 | Recent changes in the distribution of a marine gastropod, <i>Patella rustica</i> Linnaeus, 1758, and their relationship to unusual climatic events. <i>Journal of Biogeography</i> , 2006, 33, 812-822. | 3.0 | 119 |
| 36 | Biogeographic Patterns of Intertidal Macroinvertebrates and their Association with Macroalgae Distribution along the Portuguese Coast. <i>Hydrobiologia</i> , 2006, 555, 185-192. | 2.0 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Using Asymmetrical Designs for Environmental Impact Assessment of Unplanned Disturbances. <i>Hydrobiologia</i> , 2006, 555, 223-227. | 2.0 | 10 |
| 38 | movement of blue shark, <i>prionace glauca</i> , in the north-east atlantic based on mark-recapture data. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1107-1112. | 0.8 | 35 |
| 39 | The London Workshop on the Biogeography and Connectivity of the Clarion-Clipperton Zone. <i>Research Ideas and Outcomes</i> , 0, 2, . | 1.0 | 9 |