

Paola Neri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11608316/publications.pdf>

Version: 2024-02-01

80
papers

2,861
citations

186209

28
h-index

168321

53
g-index

80
all docs

80
docs citations

80
times ranked

3713
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of COVID-19 on the Diagnosis and Management of Multiple Myeloma: Experience from a Canadian Center. <i>Revista De Investigacion Clinica</i> , 2022, 74, .	0.2	0
2	Suboptimal response for AL amyloidosis: is it time for early switch? Experience from a single amyloid program. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2022, , 1-2.	1.4	0
3	Multiple cereblon genetic changes are associated with acquired resistance to lenalidomide or pomalidomide in multiple myeloma. <i>Blood</i> , 2021, 137, 232-237.	0.6	90
4	The impact of COVID-19 in the management of AL amyloidosis and Immunoglobulin Deposition Disease: A single-center experience. <i>European Journal of Haematology</i> , 2021, 106, 340-345.	1.1	5
5	N-Terminal pro-brain natriuretic peptide (NTproBNP) in patients with symptomatic multiple myeloma: report from a single institution. <i>Annals of Hematology</i> , 2021, 100, 2521-2527.	0.8	3
6	Copy-scAT: Deconvoluting single-cell chromatin accessibility of genetic subclones in cancer. <i>Science Advances</i> , 2021, 7, eabg6045.	4.7	19
7	Cyclophosphamide, Bortezomib and Dexamethasone (CyBorD) for the Treatment of Newly Diagnosed AL Amyloidosis: Impact of Response on Survival Outcomes. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 394-399.	0.2	11
8	Combined CCNE1 high-level amplification and overexpression is associated with unfavourable outcome in tubo-ovarian high-grade serous carcinoma. <i>Journal of Pathology: Clinical Research</i> , 2020, 6, 252-262.	1.3	33
9	Anti-myeloma potential of ruxolitinib in co-existing JAK2V617F positive smouldering myeloma and polycythaemia vera. <i>British Journal of Haematology</i> , 2020, 189, e114-e118.	1.2	2
10	Deregulation of Adaptive T Cell Immunity in Multiple Myeloma: Insights Into Mechanisms and Therapeutic Opportunities. <i>Frontiers in Oncology</i> , 2020, 10, 636.	1.3	24
11	Bortezomib maintenance for the treatment of Monoclonal Gammopathy of Renal Significance. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2019, 11, e2019007.	0.5	5
12	From Inhibition to Degradation: Targeting the Antiapoptotic Protein Myeloid Cell Leukemia 1 (MCL1). <i>Journal of Medicinal Chemistry</i> , 2019, 62, 5522-5540.	2.9	77
13	Slow lenalidomide desensitization protocol for patients with multiple myeloma: case series from a single center. <i>Leukemia and Lymphoma</i> , 2019, 60, 3199-3203.	0.6	9
14	The Pandora's box of thalidomide analogs and their substrates. <i>Blood</i> , 2019, 134, 105-106.	0.6	2
15	Genetic and Transcript Changes in Cereblon in IMiD-Treated Myeloma Patients. <i>Blood</i> , 2019, 134, 1793-1793.	0.6	0
16	Early Relapse for Multiple Myeloma Patients Undergoing Single Autologous Stem Cell Therapy: A Single-center Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, e69-e75.	0.2	6
17	Selinexor plus low-dose bortezomib and dexamethasone for patients with relapsed or refractory multiple myeloma. <i>Blood</i> , 2018, 132, 2546-2554.	0.6	110
18	Monoclonal Gammopathy of Clinical Significance - a Single Center Experience. <i>Blood</i> , 2018, 132, 4495-4495.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Bortezomib-containing regimens (BCR) for the treatment of non-transplant eligible multiple myeloma. <i>Annals of Hematology</i> , 2017, 96, 431-439.	0.8	25
20	CD86 regulates myeloma cell survival. <i>Blood Advances</i> , 2017, 1, 2307-2319.	2.5	15
21	Revised International Staging System Applied to Real World Multiple Myeloma Patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, 511-518.	0.2	37
22	New Strategies in Multiple Myeloma: Immunotherapy as a Novel Approach to Treat Patients with Multiple Myeloma. <i>Clinical Cancer Research</i> , 2016, 22, 5959-5965.	3.2	39
23	Bortezomib and melphalan conditioning increases the rate of complete response and MRD negativity for patients with multiple myeloma undergoing single autologous stem cell transplant. <i>Leukemia and Lymphoma</i> , 2016, 57, 973-976.	0.6	6
24	Co-existent B-cell and plasma cell neoplasms: a case series providing novel clinical insight. <i>Leukemia and Lymphoma</i> , 2016, 57, 557-562.	0.6	5
25	Cereblon Splicing of Exon 10 Mediates IMiDs Resistance in Multiple Myeloma: Clinical Validation in the CoMMpass Trial. <i>Blood</i> , 2016, 128, 120-120.	0.6	9
26	Genomic instability in multiple myeloma: mechanisms and therapeutic implications. <i>Expert Opinion on Biological Therapy</i> , 2013, 13, S69-S82.	1.4	35
27	Localized Surface Plasmon Resonance Detection of Biological Toxins Using Cell Surface Oligosaccharides on Glyco Chips. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 4173-4180.	4.0	52
28	Inhibitory Mechanism of 10-Hydroxy-trans-2-decenoic Acid (Royal Jelly Acid) Against Lipopolysaccharide- and Interferon- β -Induced Nitric Oxide Production. <i>Inflammation</i> , 2013, 36, 372-378.	1.7	34
29	XPO1 Inhibition Disrupts Ribosomal Subunits Assembly and Induces Multiple Myeloma (MM) Cell Death. <i>Blood</i> , 2013, 122, 3165-3165.	0.6	25
30	Outcomes and Correlative Studies Of a Phase I Trial With The Oral PARP1-2 Inhibitor Veliparib In Combination With Bortezomib In Patients With Relapsed Or Refractory Multiple Myeloma. <i>Blood</i> , 2013, 122, 1978-1978.	0.6	1
31	Lenalidomide Induces A Ribosomal Stress Response In Multiple Myeloma (MM) Cells. <i>Blood</i> , 2013, 122, 3161-3161.	0.6	0
32	Inhibitory effect of 10-hydroxy-trans-2-decenoic acid on LPS-induced IL-6 production via reducing $\text{I}\beta\text{B-}\alpha$ expression. <i>Innate Immunity</i> , 2012, 18, 429-437.	1.1	32
33	Targeting of Adhesion Molecules as a Therapeutic Strategy in Multiple Myeloma. <i>Current Cancer Drug Targets</i> , 2012, 12, 776-796.	0.8	46
34	Recombinant Shiga Toxin B Subunit Can Induce Neutralizing Immunoglobulin Y Antibody. <i>Biological and Pharmaceutical Bulletin</i> , 2012, 35, 917-923.	0.6	5
35	Panobinostat for the treatment of multiple myeloma. <i>Expert Opinion on Investigational Drugs</i> , 2012, 21, 733-747.	1.9	34
36	Inhibition of interferon- β -induced nitric oxide production by 10-hydroxy-trans-2-decenoic acid through inhibition of interferon regulatory factor-8 induction. <i>Cellular Immunology</i> , 2012, 273, 73-78.	1.4	19

#	ARTICLE	IF	CITATIONS
37	Mechanism of inhibition of lipopolysaccharide-induced interferon- \hat{I}^2 production by 2-aminopurine. <i>Molecular Immunology</i> , 2012, 52, 299-304.	1.0	16
38	Lenalidomide Suppresses 5 \hat{a} -Cap-Independent C-MYC Translation in Multiple Myeloma Cells. <i>Blood</i> , 2012, 120, 3943-3943.	0.6	1
39	High Cereblon Protein Expression Correlates with Improved Response and Survival in Myeloma Patients Treated with Lenalidomide. <i>Blood</i> , 2012, 120, 931-931.	0.6	8
40	Single chain variable fragment antibodies against Shiga toxins isolated from a human antibody phage display library. <i>Vaccine</i> , 2011, 29, 5340-5346.	1.7	16
41	Integrin \hat{I}^27 -mediated regulation of multiple myeloma cell adhesion, migration, and invasion. <i>Blood</i> , 2011, 117, 6202-6213.	0.6	134
42	Bortezomib-induced \hat{a} -BRCAness \hat{e} -sensitizes multiple myeloma cells to PARP inhibitors. <i>Blood</i> , 2011, 118, 6368-6379.	0.6	125
43	A miRNA Risk Score for the Prediction of Response to Lenalidomide in Multiple Myeloma (MM) Patients. <i>Blood</i> , 2011, 118, 987-987.	0.6	2
44	Specific Egg Yolk Immunoglobulin as a New Preventive Approach for Shiga-Toxin-Mediated Diseases. <i>PLoS ONE</i> , 2011, 6, e26526.	1.1	21
45	Bortezomib Impairs Myeloma Cells (MM) Homologous Recombination Through Inhibition of the E2-Ubiquitin-Conjugating Enzyme UBC13. <i>Blood</i> , 2011, 118, 1834-1834.	0.6	0
46	SCID-Synth-Hu: a Novel Multiple Myeloma Model for In Vivo Expansion of Primary Cells. <i>Blood</i> , 2010, 116, 452-452.	0.6	0
47	A miRNA Risk Score for the Prediction of Response to Rituximab-CHOP Therapy and Survival of Patients with Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2010, 116, 324-324.	0.6	0
48	Loss of BRCA1 function increases the antitumor activity of cisplatin against human breast cancer xenografts in vivo. <i>Cancer Biology and Therapy</i> , 2009, 8, 648-653.	1.5	88
49	In vivo activity of gemcitabine-loaded PEGylated small unilamellar liposomes against pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 64, 1009-1020.	1.1	62
50	Multivalent <i>Galacto</i> -trehaloses: Design, Synthesis, and Biological Evaluation under the Concept of Carbohydrate Modules. <i>Biomacromolecules</i> , 2009, 10, 1846-1853.	2.6	24
51	Integrin \hat{I}^27 -Mediated Regulation of Multiple Myeloma Cell Adhesion, Migration and Survival.. <i>Blood</i> , 2009, 114, 949-949.	0.6	0
52	p38 mitogen-activated protein kinase inhibitor LY2228820 enhances bortezomib-induced cytotoxicity and inhibits osteoclastogenesis in multiple myeloma; therapeutic implications. <i>British Journal of Haematology</i> , 2008, 141, 598-606.	1.2	53
53	<i>In vivo</i> anti-myeloma activity and modulation of gene expression profile induced by valproic acid, a histone deacetylase inhibitor. <i>British Journal of Haematology</i> , 2008, 143, 520-531.	1.2	59
54	Protection of mice from Shiga toxin-2 toxemia by mucosal vaccine of Shiga toxin 2B-His with <i>Escherichia coli</i> enterotoxin. <i>Vaccine</i> , 2008, 26, 469-476.	1.7	13

#	ARTICLE	IF	CITATIONS
55	A nasal vaccine comprising B-subunit derivative of Shiga toxin 2 for cross-protection against Shiga toxin types 1 and 2. <i>Vaccine</i> , 2008, 26, 2092-2099.	1.7	26
56	Neutralizing B-Cell-Activating Factor Antibody Improves Survival and Inhibits Osteoclastogenesis in a Severe Combined Immunodeficient Human Multiple Myeloma Model. <i>Clinical Cancer Research</i> , 2007, 13, 5903-5909.	3.2	122
57	Monovalent Gb3-/Gb2-Derivatives Conjugated with a Phosphatidyl Residue: A Novel Class of Shiga Toxin-Neutralizing Agent. <i>Biological and Pharmaceutical Bulletin</i> , 2007, 30, 1697-1701.	0.6	17
58	Neutralizing Activity of Polyvalent Gb ₃ , Gb ₂ and Galactose-Trehalose Models against Shiga Toxins. <i>Microbiology and Immunology</i> , 2007, 51, 581-592.	0.7	25
59	Glycochips from Polyanionic Glycopolymers as Tools for Detecting Shiga Toxins. <i>ChemBioChem</i> , 2007, 8, 2117-2124.	1.3	35
60	Establishment of BCWM.1 cell line for Waldenström's macroglobulinemia with productive in vivo engraftment in SCID-hu mice. <i>Experimental Hematology</i> , 2007, 35, 1366-1375.	0.2	61
61	TH17 Pathway and Associated Pro-Inflammatory Cytokines Promote Immune Dysfunction in Myeloma.. <i>Blood</i> , 2007, 110, 3517-3517.	0.6	15
62	Modulation of Gene Expression Profile and In Vivo Anti-Myeloma Activity Induced by Valproic Acid, a Histone Deacetylase Inhibitor.. <i>Blood</i> , 2007, 110, 4790-4790.	0.6	0
63	Role of B-Cell-Activating Factor in Adhesion and Growth of Human Multiple Myeloma Cells in the Bone Marrow Microenvironment. <i>Cancer Research</i> , 2006, 66, 6675-6682.	0.4	212
64	Aggresome induction by proteasome inhibitor bortezomib and β -tubulin hyperacetylation by tubulin deacetylase (TDAC) inhibitor LBH589 are synergistic in myeloma cells. <i>Blood</i> , 2006, 108, 3441-3449.	0.6	328
65	In vivo and in vitro cytotoxicity of R-etodolac with dexamethasone in glucocorticoid-resistant multiple myeloma cells. <i>British Journal of Haematology</i> , 2006, 134, 37-44.	1.2	18
66	MLN120B, a Novel β Kinase Inhibitor, Blocks Multiple Myeloma Cell Growth In vitro and In vivo. <i>Clinical Cancer Research</i> , 2006, 12, 5887-5894.	3.2	130
67	Elevated Apurinic/Apyrimidinic Endonuclease Activity Significantly Contributes to DNA Instability in Multiple Myeloma.. <i>Blood</i> , 2006, 108, 2077-2077.	0.6	0
68	A SCID-hu in vivo model of human Waldenström macroglobulinemia. <i>Blood</i> , 2005, 106, 1341-1345.	0.6	37
69	A clinically relevant SCID-hu in vivo model of human multiple myeloma. <i>Blood</i> , 2005, 106, 713-716.	0.6	115
70	Azaspirane (N-N-diethyl-8,8-dipropyl-2-azaspiro [4.5] decane-2-propanamine) inhibits human multiple myeloma cell growth in the bone marrow milieu in vitro and in vivo. <i>Blood</i> , 2005, 105, 4470-4476.	0.6	59
71	Combination Therapy with Interleukin-6 Receptor Superantagonist Sant7 and Dexamethasone Induces Antitumor Effects in a Novel SCID-hu In vivo Model of Human Multiple Myeloma. <i>Clinical Cancer Research</i> , 2005, 11, 4251-4258.	3.2	93
72	Expression and Modulation of Carbohydrate-Binding Protein Galectin-3 in Multiple Myeloma Cells by Combined Treatment with GCS-100 and Dexamethasone.. <i>Blood</i> , 2005, 106, 4447-4447.	0.6	1

#	ARTICLE	IF	CITATIONS
73	Establishment of a Waldenström's Macroglobulinemia Cell Line (BCWM.1) with Productive In Vivo Engraftment in SCID-hu Mice.. Blood, 2005, 106, 979-979.	0.6	5
74	Novel Model To Evaluate Changes in Gene Expression Profile of Myeloma Cells In Vivo Following Interaction with Human BM Microenvironment.. Blood, 2005, 106, 2490-2490.	0.6	1
75	Alkylphosphocholine Perifosine Inhibits Myeloma Cell Growth While Inducing Myeloid Hyperplasia in a Murine Myeloma Model.. Blood, 2005, 106, 1579-1579.	0.6	0
76	Novel Hydroxamic Acid-Derived HDAC Inhibitor LBH589 Potently Activates Intrinsic and Extrinsic Apoptotic Pathways, and Induces Tubulin Hyperacetylation in Multiple Myeloma.. Blood, 2005, 106, 1578-1578.	0.6	1
77	Dysfunctional T Regulatory Cells in Myeloma: Molecular Mechanisms of Dysregulation.. Blood, 2005, 106, 3462-3462.	0.6	1
78	Cytotoxic activity of the maytansinoid immunoconjugate B-B4â€“DM1 against CD138+ multiple myeloma cells. Blood, 2004, 104, 3688-3696.	0.6	122
79	A Clinically Relevant SCID-hu in Vivo Model of Human Multiple Myeloma.. Blood, 2004, 104, 2455-2455.	0.6	0
80	Inhibition of Human Plasmacytoma Cell Growth by a Novel JAK Kinase Inhibitor.. Blood, 2004, 104, 644-644.	0.6	0