

Pritam Thapa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11608507/publications.pdf>

Version: 2024-02-01

33
papers

1,610
citations

331670

21
h-index

395702

33
g-index

35
all docs

35
docs citations

35
times ranked

2114
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of ligand geometry on cholinesterase enzyme - A comparison of 1-isoindolinone based structural analog with Donepezil. <i>Journal of Molecular Structure</i> , 2022, 1247, 131385.	3.6	2
2	1-Isoindolinone scaffold-based natural products with a promising diverse bioactivity. <i>F₃-toterap₃</i> , 2020, 146, 104722.	2.2	37
3	Efficient activation of a visible light-activatable CA4 prodrug through intermolecular photo-unclick chemistry in mitochondria. <i>Chemical Communications</i> , 2017, 53, 1884-1887.	4.1	21
4	Folate-PEG Conjugates of a Far-Red Light-Activatable Paclitaxel Prodrug to Improve Selectivity toward Folate Receptor-Positive Cancer Cells. <i>ACS Omega</i> , 2017, 2, 6349-6360.	3.5	41
5	Quantitative modeling of the dynamics and intracellular trafficking of far-red light-activatable prodrugs: implications in stimuli-responsive drug delivery system. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2017, 44, 521-536.	1.8	9
6	Identification of a N 7-guanine adduct of 1-bromopropane in calf thymus DNA by mass spectrometry. <i>Molecular and Cellular Toxicology</i> , 2016, 12, 7-14.	1.7	6
7	Synthesis and biological evaluation of 2-phenol-4-chlorophenyl-6-aryl pyridines as topoisomerase II inhibitors and cytotoxic agents. <i>Bioorganic Chemistry</i> , 2016, 66, 145-159.	4.1	11
8	Anticancer drug released from near IR-activated prodrug overcomes spatiotemporal limits of singlet oxygen. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 1540-1549.	3.0	29
9	Far-Red Light-Activatable Prodrug of Paclitaxel for the Combined Effects of Photodynamic Therapy and Site-Specific Paclitaxel Chemotherapy. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 3204-3214.	6.4	103
10	A Series of Novel Terpyridine-Skeleton Molecule Derivants Inhibit Tumor Growth and Metastasis by Targeting Topoisomerases. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 1100-1122.	6.4	93
11	Synthesis, topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship study of 2-phenyl- or hydroxylated 2-phenyl-4-aryl-5H-indeno[1,2-b]pyridines. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 3499-3512.	3.0	22
12	Design and synthesis of conformationally constrained hydroxylated 4-phenyl-2-aryl chromenopyridines as novel and selective topoisomerase II-targeted antiproliferative agents. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6454-6466.	3.0	22
13	Discovery of dihydroxylated 2,4-diphenyl-6-thiophen-2-yl-pyridine as a non-intercalative DNA-binding topoisomerase II-specific catalytic inhibitor. <i>European Journal of Medicinal Chemistry</i> , 2014, 80, 428-438.	5.5	29
14	Retinoic acid signaling pathways in development and diseases. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 673-683.	3.0	202
15	Synthesis, antitumor activity, and structure-activity relationship study of trihydroxylated 2,4,6-triphenyl pyridines as potent and selective topoisomerase II inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2014, 84, 555-565.	5.5	32
16	2,4-Diaryl Benzofuro[3,2-b]pyridine Derivatives: Design, Synthesis, and Evaluation of Topoisomerase Inhibitory Activity and Cytotoxicity. <i>Bulletin of the Korean Chemical Society</i> , 2013, 34, 3073-3082.	1.9	21
17	Dihydroxylated 2,4,6-triphenyl pyridines: Synthesis, topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship study. <i>European Journal of Medicinal Chemistry</i> , 2012, 49, 219-228.	5.5	70
18	Design, synthesis, and antitumor evaluation of 2,4,6-triaryl pyridines containing chlorophenyl and phenolic moiety. <i>European Journal of Medicinal Chemistry</i> , 2012, 52, 123-136.	5.5	58

#	ARTICLE	IF	CITATIONS
19	2,4-Diaryl-5,6-dihydro-1,10-phenanthroline and 2,4-diaryl-5,6-dihydrothieno[2,3-h] quinoline derivatives for topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship study. <i>Bioorganic Chemistry</i> , 2012, 40, 67-78.	4.1	20
20	2,4-Diaryl-5,6-dihydro-1,10-phenanthrolines with Furyl or Thienyl Moiety at 4-Position: Synthesis, Topoisomerase I and II Inhibitory Activity, and Cytotoxicity. <i>Bulletin of the Korean Chemical Society</i> , 2012, 33, 1769-1772.	1.9	9
21	2,4-Diaryl-5H-chromeno [4,3-b]pyridines: Synthesis, Topoisomerase I and II Inhibitory Activity, and Cytotoxicity. <i>Bulletin of the Korean Chemical Society</i> , 2012, 33, 3103-3106.	1.9	10
22	Solid self-nanoemulsifying drug delivery system (S-SNEDDS) containing phosphatidylcholine for enhanced bioavailability of highly lipophilic bioactive carotenoid lutein. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2011, 79, 250-257.	4.3	111
23	Synthesis of 2,4-diaryl chromenopyridines and evaluation of their topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 3201-3209.	5.5	50
24	Synthesis, Topoisomerase I and II Inhibitory Activity, Cytotoxicity, and Structure-activity Relationship Study of Rigid Analogues of 2,4,6-Trisubstituted Pyridine Containing 5,6-Dihydrobenzo[h]quinoline Moiety. <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 303-306.	1.9	23
25	Synthesis of 2-(thienyl-2-yl or -3-yl)-4-furyl-6-aryl pyridine derivatives and evaluation of their topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2245-2254.	3.0	38
26	Novel self-nanoemulsifying drug delivery system for enhanced solubility and dissolution of lutein. <i>Archives of Pharmacal Research</i> , 2010, 33, 417-426.	6.3	95
27	2-Thienyl-4-furyl-6-aryl pyridine derivatives: Synthesis, topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship study. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 377-386.	3.0	60
28	Synthesis, topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship study of hydroxylated 2,4-diphenyl-6-aryl pyridines. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 3066-3077.	3.0	88
29	2,6-Dithienyl-4-furyl pyridines: Synthesis, topoisomerase I and II inhibition, cytotoxicity, structure-activity relationship, and docking study. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 42-47.	2.2	45
30	Synthesis, Topoisomerase I and II Inhibitory Activities, and Cytotoxicity of 4,6-Diaryl-2,4'-bipyridine Derivatives. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 1747-1750.	1.9	10
31	Synthesis of 2,6-diaryl-substituted pyridines and their antitumor activities. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 675-682.	5.5	121
32	2,4,6-Trisubstituted pyridines: Synthesis, topoisomerase I and II inhibitory activity, cytotoxicity, and structure-activity relationship. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 4351-4359.	3.0	120
33	Depurination of dA and dG Induced by 2-bromopropane at the Physiological Condition. <i>Biomolecules and Therapeutics</i> , 2007, 15, 224-229.	2.4	2