

# E S Zainudin

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1161036/e-s-zainudin-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169  
papers

5,129  
citations

38  
h-index

66  
g-index

176  
ext. papers

6,335  
ext. citations

2.9  
avg, IF

6.28  
L-index

#	Paper	IF	Citations
169	Development and characterization of sugar palm nanocrystalline cellulose reinforced sugar palm starch bionanocomposites. <i>Carbohydrate Polymers</i> , <b>2018</b> , 202, 186-202	10.3	256
168	Influence of fiber content on the mechanical and thermal properties of Kenaf fiber reinforced thermoplastic polyurethane composites. <i>Materials &amp; Design</i> , <b>2012</b> , 40, 299-303		219
167	Effect of layering sequence and chemical treatment on the mechanical properties of woven kenaf/ramid hybrid laminated composites. <i>Materials &amp; Design</i> , <b>2015</b> , 67, 173-179		186
166	Nanocrystalline Cellulose as Reinforcement for Polymeric Matrix Nanocomposites and its Potential Applications: A Review. <i>Current Analytical Chemistry</i> , <b>2018</b> , 14, 203-225	1.7	163
165	Sugar palm nanofibrillated cellulose ( <i>Arenga pinnata</i> (Wurmb.) Merr): Effect of cycles on their yield, physic-chemical, morphological and thermal behavior. <i>International Journal of Biological Macromolecules</i> , <b>2019</b> , 123, 379-388	7.9	154
164	Sugar palm ( <i>Arenga pinnata</i> (Wurmb.) Merr) cellulosic fibre hierarchy: a comprehensive approach from macro to nano scale. <i>Journal of Materials Research and Technology</i> , <b>2019</b> , 8, 2753-2766	5.5	152
163	Hybrid natural and glass fibers reinforced polymer composites material selection using Analytical Hierarchy Process for automotive brake lever design. <i>Materials &amp; Design</i> , <b>2013</b> , 51, 484-492		139
162	Effect of sugar palm nanofibrillated cellulose concentrations on morphological, mechanical and physical properties of biodegradable films based on agro-waste sugar palm ( <i>Arenga pinnata</i> (Wurmb.) Merr) starch. <i>Journal of Materials Research and Technology</i> , <b>2019</b> , 8, 4819-4830	5.5	137
161	Effect of delignification on the physical, thermal, chemical, and structural properties of sugar palm fibre. <i>BioResources</i> , <b>2017</b> , 12, 8734-8754	1.3	134
160	Effect of fibre orientations on the mechanical properties of kenaf/ramid hybrid composites for spall-liner application. <i>Defence Technology</i> , <b>2016</b> , 12, 52-58	3	117
159	Mechanical characterization of epoxy composite with multiscale reinforcements: Carbon nanotubes and short carbon fibers. <i>Materials &amp; Design</i> , <b>2014</b> , 60, 34-40		117
158	Characterization of physical, mechanical, thermal and morphological properties of agro-waste betel nut ( <i>Areca catechu</i> ) husk fibre. <i>Journal of Cleaner Production</i> , <b>2014</b> , 72, 174-180	10.3	108
157	Mechanical and thermal properties of environmentally friendly composites derived from sugar palm tree. <i>Materials &amp; Design</i> , <b>2013</b> , 49, 285-289		107
156	Sugar palm ( <i>Arenga pinnata</i> [Wurmb.] Merr) starch films containing sugar palm nanofibrillated cellulose as reinforcement: Water barrier properties. <i>Polymer Composites</i> , <b>2020</b> , 41, 459-467	3	93
155	Mechanical performance of woven kenaf-Kevlar hybrid composites. <i>Journal of Reinforced Plastics and Composites</i> , <b>2014</b> , 33, 2242-2254	2.9	88
154	Thermo-mechanical behaviors of thermoplastic starch derived from sugar palm tree ( <i>Arenga pinnata</i> ). <i>Carbohydrate Polymers</i> , <b>2013</b> , 92, 1711-6	10.3	87
153	Mechanical properties and water absorption behavior of hybridized kenaf/pineapple leaf fibre-reinforced high-density polyethylene composite. <i>Journal of Composite Materials</i> , <b>2013</b> , 47, 979-990 <sup>2.7</sup>		82

152	Hybrid reinforced thermoset polymer composite in energy absorption tube application: A review. <i>Defence Technology</i> , <b>2018</b> , 14, 291-305	3	81
151	Conceptual design of kenaf fiber polymer composite automotive parking brake lever using integrated TRIZ Morphological Chart Analytic Hierarchy Process method. <i>Materials &amp; Design</i> , <b>2014</b> , 54, 473-482		74
150	Thermal, Biodegradability and Water Barrier Properties of Bio-Nanocomposites Based on Plasticised Sugar Palm Starch and Nanofibrillated Celluloses from Sugar Palm Fibres. <i>Journal of Biobased Materials and Bioenergy</i> , <b>2020</b> , 14, 234-248	1.4	71
149	Influence of chemical treatment on the tensile properties of kenaf fiber reinforced thermoplastic polyurethane composite. <i>EXPRESS Polymer Letters</i> , <b>2012</b> , 6, 1032-1040	3.4	66
148	Enhanced Thermal and Dynamic Mechanical Properties of Synthetic/Natural Hybrid Composites with Graphene Nanoplatelets. <i>Polymers</i> , <b>2019</b> , 11,	4.5	65
147	Shrinkages and warpage in the processability of wood-filled polypropylene composite thin-walled parts formed by injection molding. <i>Materials &amp; Design</i> , <b>2013</b> , 52, 1018-1026		64
146	Effect of coir fiber loading on mechanical and morphological properties of oil palm fibers reinforced polypropylene composites. <i>Polymer Composites</i> , <b>2014</b> , 35, 1418-1425	3	64
145	Quasi-static penetration and ballistic properties of kenaf/aramid hybrid composites. <i>Materials &amp; Design</i> , <b>2014</b> , 63, 775-782		63
144	Effect of alkali treatment on mechanical and thermal properties of Kenaf fiber-reinforced thermoplastic polyurethane composite. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2012</b> , 109, 1435-1443	4.1	63
143	Degradation and physical properties of sugar palm starch/sugar palm nanofibrillated cellulose bionanocomposite. <i>Polimery</i> , <b>2019</b> , 64, 680-689	3.4	54
142	Sugar palm nanocrystalline cellulose reinforced sugar palm starch composite: Degradation and water-barrier properties. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 368, 012006	0.4	50
141	Mechanical and morphological properties of injection-molded rice husk polypropylene composites. <i>International Journal of Polymer Analysis and Characterization</i> , <b>2016</b> , 21, 305-313	1.7	50
140	Photovoltaic applications: Status and manufacturing prospects. <i>Renewable and Sustainable Energy Reviews</i> , <b>2019</b> , 102, 318-332	16.2	50
139	Thermal degradation of banana pseudo-stem filled unplasticized polyvinyl chloride (UPVC) composites. <i>Materials &amp; Design</i> , <b>2009</b> , 30, 557-562		49
138	Synthesis of vertically aligned carbon nanotubes on carbon fiber. <i>Applied Surface Science</i> , <b>2013</b> , 271, 4246-4278	4.7	47
137	POLYMER COMPOSITE MANUFACTURING USING A PULTRUSION PROCESS: A REVIEW. <i>American Journal of Applied Sciences</i> , <b>2014</b> , 11, 1798-1810	0.8	47
136	Implementation of the expert decision system for environmental assessment in composite materials selection for automotive components. <i>Journal of Cleaner Production</i> , <b>2015</b> , 107, 557-567	10.3	44
135	Tensile, physical and morphological properties of oil palm empty fruit bunch/sugarcane bagasse fibre reinforced phenolic hybrid composites. <i>Journal of Materials Research and Technology</i> , <b>2019</b> , 8, 3466-3474	5.5	43

134	Measurement of ballistic impact properties of woven kenaf/aramid hybrid composites. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2016</b> , 77, 335-343	4.6	40
133	A Review on Mechanical Performance of Hybrid Natural Fiber Polymer Composites for Structural Applications. <i>Polymers</i> , <b>2021</b> , 13,	4.5	39
132	Thermal degradation and viscoelastic properties of Kevlar/Cocos nucifera sheath reinforced epoxy hybrid composites. <i>Composite Structures</i> , <b>2019</b> , 219, 194-202	5.3	38
131	Investigating ballistic impact properties of woven kenaf-aramid hybrid composites. <i>Fibers and Polymers</i> , <b>2016</b> , 17, 275-281	2	38
130	Physical and mechanical properties of polyvinylidene fluoride - Short sugar palm fiber nanocomposites. <i>Journal of Cleaner Production</i> , <b>2019</b> , 235, 473-482	10.3	35
129	Physical, thermal, morphological, and tensile properties of cornstarch-based films as affected by different plasticizers. <i>International Journal of Food Properties</i> , <b>2019</b> , 22, 925-941	3	34
128	Exploring the Potential of Betel Nut Husk Fiber as Reinforcement in Polymer Composites: Effect of Fiber Maturity. <i>Procedia Chemistry</i> , <b>2012</b> , 4, 87-94		34
127	Mechanical and moisture diffusion behaviour of hybrid Kevlar/Cocos nucifera sheath reinforced epoxy composites. <i>Journal of Materials Research and Technology</i> , <b>2019</b> , 8, 1308-1318	5.5	34
126	Effectiveness of Alkali and Sodium Bicarbonate Treatments on Sugar Palm Fiber: Mechanical, Thermal, and Chemical Investigations. <i>Journal of Natural Fibers</i> , <b>2020</b> , 17, 877-889	1.8	34
125	A New Approach to Use Arenga Pinnata as Sustainable Biopolymer: Effects of Plasticizers on Physical Properties. <i>Procedia Chemistry</i> , <b>2012</b> , 4, 254-259		33
124	Preparation and characterization of cornhusk/sugar palm fiber reinforced Cornstarch-based hybrid composites. <i>Journal of Materials Research and Technology</i> , <b>2020</b> , 9, 200-211	5.5	33
123	Thermogravimetric Analysis Properties of Cellulosic Natural Fiber Polymer Composites: A Review on Influence of Chemical Treatments. <i>Polymers</i> , <b>2021</b> , 13,	4.5	33
122	Natural Fiber-Reinforced Polylactic Acid, Polylactic Acid Blends and Their Composites for Advanced Applications.. <i>Polymers</i> , <b>2022</b> , 14,	4.5	32
121	Potential of using multiscale corn husk fiber as reinforcing filler in cornstarch-based biocomposites. <i>International Journal of Biological Macromolecules</i> , <b>2019</b> , 139, 596-604	7.9	31
120	Effects of kenaf contents and fiber orientation on physical, mechanical, and morphological properties of hybrid laminated composites for vehicle spall liners. <i>Polymer Composites</i> , <b>2015</b> , 36, 1469-1476	2.7	31
119	The influence of multiscale fillers on the rheological and mechanical properties of carbon-nanotube/silica-reinforced epoxy composite. <i>Materials and Design</i> , <b>2015</b> , 88, 227-235	8.1	30
118	Thermal property determination of hybridized kenaf/PALF reinforced HDPE composite by thermogravimetric analysis. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2012</b> , 109, 893-900	4.1	30
117	Modification of Oil Palm Empty Fruit Bunch and Sugarcane Bagasse Biomass as Potential Reinforcement for Composites Panel and Thermal Insulation Materials. <i>Journal of Bionic Engineering</i> , <b>2019</b> , 16, 175-188	2.7	30

116	Investigating morphological and performance deterioration of injection-molded rice husk/polypropylene composites due to various liquid uptakes. <i>International Journal of Polymer Analysis and Characterization</i> , <b>2016</b> , 21, 675-685	1.7	29
115	An investigation of the processability of natural fibre reinforced polymer composites on shallow and flat thin-walled parts by injection moulding process. <i>Materials &amp; Design</i> , <b>2013</b> , 50, 451-456		28
114	Dynamic Mechanical Properties of Activated Carbon Filled Epoxy Nanocomposites. <i>International Journal of Polymer Analysis and Characterization</i> , <b>2013</b> , 18, 247-256	1.7	26
113	Mechanical Performance and Applications of CNTs Reinforced Polymer Composites-A Review. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	26
112	Mould flow and component design analysis of polymeric based composite automotive clutch pedals. <i>Journal of Materials Processing Technology</i> , <b>2006</b> , 171, 358-365	5.3	24
111	Physico-chemical and Thermal Properties of Starch Derived from Sugar Palm Tree ( <i>Arenga pinnata</i> ). <i>Asian Journal of Chemistry</i> , <b>2014</b> , 26, 955-959	0.4	23
110	The tensile properties of single sugar palm ( <i>Arenga pinnata</i> ) fibre. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2010</b> , 11, 012012	0.4	23
109	Effect of filler loading on mechanical properties of pultruded kenaf fibre reinforced vinyl ester composites. <i>Journal of Mechanical Engineering and Sciences</i> , <b>2016</b> , 10, 1931-1942	2	23
108	Material selection of natural fibre using a stepwise regression model with error analysis. <i>Journal of Materials Research and Technology</i> , <b>2019</b> , 8, 2865-2879	5.5	22
107	Improved Mechanical and Moisture-Resistant Properties of Woven Hybrid Epoxy Composites by Graphene Nanoplatelets (GNP). <i>Materials</i> , <b>2019</b> , 12,	3.5	22
106	The effects of alkali treatment on the mechanical and chemical properties of pineapple leaf fibres (PALF) and adhesion to epoxy resin. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 368, 012035	0.4	22
105	Tensile, Electrical Conductivity, and Morphological Properties of Carbon Black Filled Epoxy Composites. <i>International Journal of Polymer Analysis and Characterization</i> , <b>2013</b> , 18, 329-338	1.7	22
104	Flexural and impact properties of chemically treated sugar palm fiber reinforced high impact polystyrene composites. <i>Fibers and Polymers</i> , <b>2012</b> , 13, 894-898	2	22
103	Preliminary Review of Biocomposites Materials for Aircraft Radome Application. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 563-567	0.4	22
102	Natural-Fiber-Reinforced Chitosan, Chitosan Blends and Their Nanocomposites for Various Advanced Applications.. <i>Polymers</i> , <b>2022</b> , 14,	4.5	22
101	The crashworthiness performance of stacking sequence on filament wound hybrid composite energy absorption tube subjected to quasi-static compression load. <i>Journal of Materials Research and Technology</i> , <b>2020</b> , 9, 654-666	5.5	21
100	Automated spray up process for Pineapple Leaf Fibre hybrid biocomposites. <i>Composites Part B: Engineering</i> , <b>2019</b> , 177, 107306	10	19
99	Effect of graphene nanoplatelets on the ballistic performance of hybrid Kevlar/Cocos nucifera sheath-reinforced epoxy composites. <i>Textile Reseach Journal</i> , <b>2019</b> , 89, 4349-4362	1.7	19

98	Corn Starch () Biopolymer Plastic Reaction in Combination with Sorbitol and Glycerol. <i>Polymers</i> , <b>2021</b> , 13,	4.5	19
97	Lightweight and Durable PVDF-SSPF Composites for Photovoltaics Backsheet Applications: Thermal, Optical and Technical Properties. <i>Materials</i> , <b>2019</b> , 12,	3.5	18
96	Numerical simulation analysis of the in-cavity residual stress distribution of lignocellulosic (wood) polymer composites used in shallow thin-walled parts formed by the injection moulding process. <i>Materials &amp; Design</i> , <b>2014</b> , 55, 381-386		18
95	Sugar Palm Tree: A Versatile Plant and Novel Source for Biofibres, Biomatrices, and Biocomposites. <i>Polymers From Renewable Resources</i> , <b>2012</b> , 3, 61-78	0.4	18
94	Effect of winding orientation on energy absorption and failure modes of filament wound kenaf/glass fibre reinforced epoxy hybrid composite tubes under intermediate-velocity impact (IVI) load. <i>Journal of Materials Research and Technology</i> , <b>2021</b> , 10, 1-14	5.5	18
93	Compatibilization of HDPE/agar biocomposites with eutectic-based ionic liquid containing surfactant. <i>Journal of Reinforced Plastics and Composites</i> , <b>2014</b> , 33, 440-453	2.9	17
92	Sugar Palm Fibre and its Composites: A Review of Recent Developments. <i>BioResources</i> , <b>2016</b> , 11,	1.3	17
91	Water Absorption Behaviour and Impact Strength of Kenaf-Kevlar Reinforced Epoxy Hybrid Composites. <i>Advanced Composites Letters</i> , <b>2016</b> , 25, 096369351602500	1.2	17
90	Evaluation of ballistic performance of hybrid Kevlar /Cocos nucifera sheath reinforced epoxy composites. <i>Journal of the Textile Institute</i> , <b>2019</b> , 110, 1179-1189	1.5	17
89	Extraction, chemical composition, and characterization of potential lignocellulosic biomasses and polymers from corn plant parts. <i>BioResources</i> , <b>2019</b> , 14, 6485-6500	1.3	16
88	Polymer matrix materials selection for short sugar palm composites using integrated multi criteria evaluation method. <i>Composites Part B: Engineering</i> , <b>2019</b> , 176, 107342	10	15
87	Selection of Natural Fibre for Hybrid Laminated Composites Vehicle Spall Liners Using Analytical Hierarchy Process (AHP). <i>Applied Mechanics and Materials</i> , <b>2014</b> , 564, 400-405	0.3	15
86	The Flexural, Impact and Thermal Properties of Untreated Short Sugar Palm Fibre Reinforced High Impact Polystyrene (HIPS) Composites. <i>Polymers and Polymer Composites</i> , <b>2012</b> , 20, 493-502	0.8	15
85	Effect of Water Absorption on Mechanical Properties of Sugar Palm Fibre Reinforced Sugar Palm Starch (SPF/SPS) Biocomposites. <i>Journal of Biobased Materials and Bioenergy</i> , <b>2013</b> , 7, 90-94	1.4	14
84	Study of Hybridized Kenaf/Palf-Reinforced Hdpe Composites by Dynamic Mechanical Analysis. <i>Polymer-Plastics Technology and Engineering</i> , <b>2012</b> , 51, 146-153		14
83	Crashworthiness performance of hybrid kenaf/glass fiber reinforced epoxy tube on winding orientation effect under quasi-static compression load. <i>Defence Technology</i> , <b>2020</b> , 16, 1051-1061	3	14
82	Improved Interlaminar Shear Behaviour of a New Hybrid Kevlar/Cocos Nucifera Sheath Composites with Graphene Nanoplatelets Modified Epoxy Matrix. <i>Fibers and Polymers</i> , <b>2019</b> , 20, 1749-1753	2	13
81	Optimization and numerical simulation analysis for molded thin-walled parts fabricated using wood-filled polypropylene composites via plastic injection molding. <i>Polymer Engineering and Science</i> , <b>2015</b> , 55, 1082-1095	2.3	13

80	Effect of Fibre Surface Modification on Properties of Kenaf/Poly(vinyl alcohol) Composite Film. <i>Journal of Biobased Materials and Bioenergy</i> , <b>2013</b> , 7, 95-101	1.4	13
79	Characterization of Sugar Palm Nanocellulose and Its Potential for Reinforcement with a Starch-Based Composite <b>2018</b> , 189-220		13
78	Effect of length on crashworthiness parameters and failure modes of steel and hybrid tube made by steel and GFRP under low velocity impact. <i>International Journal of Crashworthiness</i> , <b>2012</b> , 17, 319-325 <sup>1</sup>		12
77	Energy behavior assessment of rice husk fibres reinforced polymer composite. <i>Journal of Materials Research and Technology</i> , <b>2020</b> , 9, 383-393	5.5	12
76	Effect of pMDI isocyanate additive on mechanical and thermal properties of Kenaf fibre reinforced thermoplastic polyurethane composites. <i>Bulletin of Materials Science</i> , <b>2012</b> , 35, 1151-1155	1.7	11
75	Mechanical Properties of Compression Molded Banana Pseudo-stem Filled Unplasticized Polyvinyl Chloride (UPVC) Composites. <i>Polymer-Plastics Technology and Engineering</i> , <b>2008</b> , 48, 97-101		11
74	Properties and Common Industrial Applications of Polyvinyl fluoride (PVF) and Polyvinylidene fluoride (PVDF). <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 409, 012021	0.4	11
73	Selection of Natural Fiber for Hybrid Kevlar/Natural Fiber Reinforced Polymer Composites for Personal Body Armor by Using Analytical Hierarchy Process. <i>Frontiers in Materials</i> , <b>2018</b> , 5,	4	11
72	Introduction to Natural Fiber Reinforced Vinyl Ester and Vinyl Polymer Composites <b>2018</b> , 1-25		10
71	Rheological Behaviour of Polypropylene/Kenaf Fibre Composite: Effect of Fibre Size. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 513-517	0.4	10
70	Effect of Accelerated Weathering on Tensile Properties of Kenaf Reinforced High-Density Polyethylene Composites. <i>Journal of Mechanical Engineering and Sciences</i> , <b>2012</b> , 2, 198-205	2	10
69	Hybrid and Nonhybrid Laminate Composites of Sugar Palm and Glass Fibre-Reinforced Polypropylene: Effect of Alkali and Sodium Bicarbonate Treatments. <i>International Journal of Polymer Science</i> , <b>2019</b> , 2019, 1-12	2.4	9
68	Thermo-physical, thermal degradation, and flexural properties of betel nut husk fiber reinforced vinyl ester composites. <i>Polymer Composites</i> , <b>2016</b> , 37, 2008-2017	3	9
67	Growth of carbon nanotubes on silica microparticles and their effects on mechanical properties of polypropylene nanocomposites. <i>Materials &amp; Design</i> , <b>2015</b> , 69, 181-189		9
66	Effect of Fiber Loading on the Mechanical Properties of Kenaf Fiber Reinforced Thermoplastic Polyurethane Composite. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 1058-1063	0.4	9
65	A Statistical Framework for Selecting Natural Fibre Reinforced Polymer Composites Based on Regression Model. <i>Fibers and Polymers</i> , <b>2018</b> , 19, 1039-1049	2	9
64	Development of Photovoltaic Module with Fabricated and Evaluated Novel Backsheet-Based Biocomposite Materials. <i>Materials</i> , <b>2019</b> , 12,	3.5	8
63	Pultrusion Process of Natural Fibre-Reinforced Polymer Composites <b>2015</b> , 217-231		8

62	Physical and thermal properties of microwave-dried wood lumber impregnated with phenol formaldehyde resin. <i>Journal of Composite Materials</i> , <b>2013</b> , 47, 3565-3571	2.7	8
61	A Review of Rice Husk Bio-Based Composites. <i>Current Organic Synthesis</i> , <b>2017</b> , 14, 263-271	1.9	8
60	Review of Kenaf Reinforced Hybrid Biocomposites: Potential for Defence Applications. <i>Current Analytical Chemistry</i> , <b>2018</b> , 14, 226-240	1.7	8
59	Exploration on compatibilizing effect of nonionic, anionic, and cationic surfactants on mechanical, morphological, and chemical properties of high-density polyethylene/low-density polyethylene/cellulose biocomposites. <i>Journal of Thermoplastic Composite Materials</i> , <b>2017</b> , 30, 855-884	1.9	7
58	Nanotechnology in Pulp and Paper Industries: A Review. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 251-256	1.4	7
57	Impact Strength and Hardness Properties of Banana Pseudo-Stem Filled Unplastisized PVC Composites. <i>Multidiscipline Modeling in Materials and Structures</i> , <b>2009</b> , 5, 277-282	2.2	7
56	Tensile and Flexural Behavior of Hybrid Banana Pseudostem/Glass Fibre Reinforced Polyester Composites. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 686-691	0.4	7
55	Dynamic Mechanical Behaviour of Banana-pseudostem-filled Unplasticised Polyvinyl Chloride Composites. <i>Polymers and Polymer Composites</i> , <b>2009</b> , 17, 55-61	0.8	7
54	Physical, Mechanical and Morphological Properties of Sugar Palm Fiber Reinforced Polylactic Acid Composites. <i>Fibers and Polymers</i> , 1	2	7
53	Optimizing Processing Parameters and Fiber Size for Kenaf Fiber Reinforced Thermoplastic Polyurethane Composite. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 297-302	0.4	6
52	Properties of Kenaf Filled Unplasticized Polyvinyl Chloride Composites. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 507-512	0.4	6
51	Integration of Taguchi-Grey relational analysis technique in parameter process optimization for rice husk composite <b>2019</b> , 14, 1110-1126		6
50	The effect of gelation and curing temperatures on mechanical properties of pultruded kenaf fibre reinforced vinyl ester composites. <i>Fibers and Polymers</i> , <b>2015</b> , 16, 2645-2651	2	5
49	Mechanical Properties of Sugar Palm ( Wurmb. Merr)/Glass Fiber-Reinforced Poly(lactic acid) Hybrid Composites for Potential Use in Motorcycle Components. <i>Polymers</i> , <b>2021</b> , 13,	4.5	5
48	The effect of different fibre volume fraction on mechanical properties of banana/pineapple leaf (PaLF)/glass hybrid composite <b>2017</b> ,		4
47	The effect of pulling speed on mechanical properties of pultruded kenaf fiber reinforced vinyl ester composites. <i>Journal of Vinyl and Additive Technology</i> , <b>2018</b> , 24, E13-E20	2	4
46	The effect of different linear robot travel speed on mass flowrate of pineapple leaf fibre (PALF) automated spray up composite. <i>Composites Part B: Engineering</i> , <b>2019</b> , 156, 220-228	10	4
45	Optimization of Pultrusion Process for Kenaf Fibre Reinforced Vinyl Ester Composites. <i>Applied Mechanics and Materials</i> , <b>2015</b> , 761, 499-503	0.3	4



44	Electron beam cross-linking of hybridized kenaf/pineapple leaf fiber-reinforced high-density polyethylene composite with and without cross-linking agents. <i>Journal of Reinforced Plastics and Composites</i> , <b>2011</b> , 30, 1827-1838	2.9	4
43	Optimizing Processing Parameters for Hybridized Kenaf/PALF Reinforced HDPE Composite. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 674-679	0.4	4
42	Natural Polylactic Acid-Based Fiber Composites: A Review <b>2020</b> , 21-34		4
41	Thermal and physicochemical properties of sugar palm fibre treated with borax. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 368, 012038	0.4	4
40	Polyvinyl fluoride (PVF); Its Properties, Applications, and Manufacturing Prospects. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2019</b> , 538, 012010	0.4	3
39	Rigidity Analysis of Kenaf Thermoplastic Composites Using Halpin-Tsai Equation. <i>Applied Mechanics and Materials</i> , <b>2014</b> , 548-549, 29-33	0.3	3
38	The Effect of Additives on Bending Strength of Pultruded Hybrid Reinforced Resol Type Phenolic Composite. <i>Applied Mechanics and Materials</i> , <b>2014</b> , 564, 418-421	0.3	3
37	Thermoplastic Matrix Material Selection Using Multi Criteria Decision Making Method for Hybrid Polymer Composites. <i>Applied Mechanics and Materials</i> , <b>2014</b> , 564, 439-443	0.3	3
36	Axial behavior of steel tube wrapped by composite as energy absorber under compressive load <b>2011</b> ,		3
35	Sugar Palm Fiber Reinforced Polymer Hybrid Composites: An Overview <b>2018</b> , 145-164		3
34	Physical, Mechanical, and Morphological Properties of Treated Sugar Palm/Glass Reinforced Poly(Lactic Acid) Hybrid Composites. <i>Polymers</i> , <b>2021</b> , 13,	4.5	3
33	Material selection criteria for natural fibre composite in automotive component:A review. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 368, 012002	0.4	3
32	Effect of alkaline and benzoyl chloride treatments on the mechanical and morphological properties of sugar palm fiber-reinforced poly(lactic acid) composites. <i>Textile Research Journal</i> ,004051752110418	1.7	3
31	Numerical Simulation Analysis of Unfilled and Filled Reinforced Polypropylene on Thin-Walled Parts Formed Using the Injection-Moulding Process. <i>International Journal of Polymer Science</i> , <b>2015</b> , 2015, 1-8	2.4	2
30	BIODEGRADABILITY AND MECHANICAL BEHAVIOUR OF SUGAR PALM STARCH BASED BIOPOLYMER. <i>American Journal of Applied Sciences</i> , <b>2014</b> , 11, 1836-1840	0.8	2
29	Development of Biocomposite Wall Cladding from Kenaf Fibre by Extrusion Molding Process. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 239-244	0.4	2
28	The Effect of Aging Temperature on Mechanical Properties of Banana Pseudostem Fiber Reinforced Polymer Composite. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 444-448	0.4	2
27	Energy Absorption Capability of Hybrid Tube Made by Mild Steel and GFRP under Quasi-Static Loading. <i>Advanced Materials Research</i> , <b>2011</b> , 383-390, 2741-2746	0.5	2

26	Effect of Fibre Size and Fibre Loading on Tensile Properties of Hybridized Kenaf/PALF Reinforced HDPE Composite. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 680-685	0.4	2
25	Hoop tensile strength behaviour between different thicknesses E-glass and S-glass FRP rings. <i>AIMS Materials Science</i> , <b>2019</b> , 6, 315-327	1.9	2
24	Material Selection of a Natural Fibre Reinforced Polymer Composites using an Analytical Approach. <i>Journal of Renewable Materials</i> , <b>2019</b> , 7, 1165-1179	2.4	2
23	Processability of Wood Fibre-Filled Thermoplastic Composite Thin-Walled Parts Using Injection Moulding <b>2015</b> , 351-367		1
22	Determination of pulverized material permittivity for microwave absorber application <b>2013</b> ,		1
21	Effect of Post Curing, Fibre Content and Resin-Hardener Mixing Ratio on the Properties of Kenaf-Aramid Hybrid Composites. <i>Applied Mechanics and Materials</i> , <b>2014</b> , 548-549, 7-11	0.3	1
20	Effect of Alkali Treatment on the Tensile Behavior and Structure of Betel Nut (Areca catechu) Husk Fiber. <i>Advanced Materials Research</i> , <b>2013</b> , 701, 239-242	0.5	1
19	Creep Test of Type Austenitic 316LStainless Steel at High Temperature. <i>Applied Mechanics and Materials</i> , <b>2013</b> , 368-370, 708-711	0.3	1
18	The Simulation Study of the Effect of Single and Double Gated Molds on Pressure and Temperature in Injection Molding of Polymeric Composite Clutch Pedals. <i>Multidiscipline Modeling in Materials and Structures</i> , <b>2006</b> , 2, 355-362	2.2	1
17	Physical, Mechanical, and Morphological Performances of Arrowroot () Fiber Reinforced Arrowroot Starch Biopolymer Composites.. <i>Polymers</i> , <b>2022</b> , 14,	4.5	1
16	Low Velocity Impact and Internal Pressure Behaviors of Unaged E-Glass and S-Glass/Epoxy Composite Elbow Pipe Joints. <i>Journal of Pipeline Systems Engineering and Practice</i> , <b>2020</b> , 11, 04020043	1.5	1
15	Processing and Characterization of Cornstalk/Sugar Palm Fiber Reinforced Cornstarch Biopolymer Hybrid Composites <b>2020</b> , 35-46		1
14	Characterisation of the tensile and fracture properties of filament wound natural fibre rings <b>2020</b> ,		1
13	Distribution of zinc oxide nanoparticles on unbleached and bleached bamboo paper via in-situ approaches. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 368, 012046	0.4	1
12	Mechanical, Morphological and Thermal Properties of Woven Polyester Fiber Reinforced Polylactic Acid (PLA) Composites. <i>Fibers and Polymers</i> ,1	2	1
11	Effect of stacking sequence and fiber content on mechanical and morphological properties of woven kenaf/polyester fiber reinforced polylactic acid (PLA) hybrid laminated composites. <i>Journal of Materials Research and Technology</i> , <b>2022</b> , 16, 1190-1201	5.5	0
10	Characterization of Corn Fiber-Filled Cornstarch Biopolymer Composites <b>2020</b> , 285-301		0
9	2. Corn (maize) Its fibers, polymers, composites, and applications: A review <b>2019</b> , 13-36		0

8	Optimization Method of Injection Molding Parameters for Vinyl-Based Polymer Composites <b>2018</b> , 97-108		o
7	Introduction to nanocellulose production from biological waste <b>2022</b> , 1-37		o
6	Thermal, flammability, and antimicrobial properties of arrowroot ( <i>Maranta arundinacea</i> ) fiber reinforced arrowroot starch biopolymer composites for food packaging applications. <i>International Journal of Biological Macromolecules</i> , <b>2022</b> , 213, 1-10	7.9	o
5	Analysis on the Impact Behaviors of E and S-glass Composite Elbow Pipe Joints Exposed to Impact Loading Followed by Axial Compression. <i>International Journal of Manufacturing, Materials, and Mechanical Engineering</i> , <b>2019</b> , 9, 14-25	0.5	
4	Numerical Simulation on Moulded Thin-Walled Parts via Injection Moulding Process. <i>Applied Mechanics and Materials</i> , <b>2014</b> , 575, 73-77	0.3	
3	Selection of Polymeric Based Material Composite for Fibreglass Boat Components Using Expert System. <i>Key Engineering Materials</i> , <b>2011</b> , 471-472, 1113-1117	0.4	
2	Recent development in kenaf ( <i>Hibiscus cannabinus</i> )-based biocomposites and their potential industrial applications: A review <b>2021</b> , 329-368		
1	Investigate of wave absorption performance for oil palm frond and empty fruit bunch at 5.8 GHz. <i>Journal of Fundamental and Applied Sciences</i> , <b>2018</b> , 9, 335		