# Per Karlsson

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/11613275/publications.pdf

Version: 2024-02-01

| | | | |
|---|---|---|---|
| 48<br>papers | 7,419<br>citations | 185998<br>28<br>h-index | 205818<br>48<br>g-index |
| 48<br>all docs | 48<br>docs citations | 48<br>times ranked | 10609<br>citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Personalizing the treatment of women with early breast cancer: highlights of the St Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2013. Annals of Oncology, 2013, 24, 2206-2223. | 0.6 | 2,805 |
| 2 | Tailoring therapiesâ€"improving the management of early breast cancer: St Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2015. Annals of Oncology, 2015, 26, 1533-1546. | 0.6 | 1,449 |
| 3 | Annual Hazard Rates of Recurrence for Breast Cancer During 24 Years of Follow-Up: Results From the International Breast Cancer Study Group Trials I to V. Journal of Clinical Oncology, 2016, 34, 927-935. | 0.8 | 390 |
| 4 | Axillary dissection versus no axillary dissection in patients with breast cancer and sentinel-node micrometastases (IBCSG 23-01): 10-year follow-up of a randomised, controlled phase 3 trial. Lancet Oncology, The, 2018, 19, 1385-1393. | 5.1 | 342 |
| 5 | Elevated cyclin B2 expression in invasive breast carcinoma is associated with unfavorable clinical outcome. BMC Cancer, 2013, 13, 1. | 1.1 | 293 |
| 6 | Absolute Risk Reductions for Local Recurrence After Postoperative Radiotherapy After Sector Resection for Ductal Carcinoma In Situ of the Breast. Journal of Clinical Oncology, 2008, 26, 1247-1252. | 0.8 | 232 |
| 7 | Effect of Radiotherapy After Breast-Conserving Surgery for Ductal Carcinoma in Situ: 20 Years Follow-Up in the Randomized SweDCIS Trial. Journal of Clinical Oncology, 2014, 32, 3613-3618. | 0.8 | 184 |
| 8 | Intracranial Tumors after Exposure to Ionizing Radiation during Infancy: A Pooled Analysis of Two Swedish Cohorts of 28,008 Infants with Skin Hemangioma. Radiation Research, 1998, 150, 357. | 0.7 | 156 |
| 9 | Adjuvant Tamoxifen Plus Ovarian Function Suppression Versus Tamoxifen Alone in Premenopausal Women With Early Breast Cancer: Patient-Reported Outcomes in the Suppression of Ovarian Function Trial. Journal of Clinical Oncology, 2016, 34, 1601-1610. | 0.8 | 100 |
| 10 | Cancer Incidence after Radiotherapy for Skin Haemangioma During Infancy. Acta OncolÃ³gica, 1995, 34, 735-740. | 0.8 | 99 |
| 11 | Common variants in LSP1, 2q35 and 8q24 and breast cancer risk for BRCA1 and BRCA2 mutation carriers. Human Molecular Genetics, 2009, 18, 4442-4456. | 1.4 | 99 |
| 12 | Interplay between BRCA1 and RHAMM Regulates Epithelial Apicobasal Polarization and May Influence Risk of Breast Cancer. PLoS Biology, 2011, 9, e1001199. | 2.6 | 91 |
| 13 | Clinical Implications of Gene Dosage and Gene Expression Patterns in Diploid Breast Carcinoma. Clinical Cancer Research, 2010, 16, 3860-3874. | 3.2 | 85 |
| 14 | Common variants at 12p11, 12q24, 9p21, 9q31.2 and in ZNF365 are associated with breast cancer risk for BRCA1 and/or BRCA2mutation carriers. Breast Cancer Research, 2012, 14, R33. | 2.2 | 78 |
| 15 | Socio-economic factors and breast cancer survival â€“ a population-based cohort study (Sweden). Cancer Causes and Control, 2005, 16, 419-430. | 0.8 | 77 |
| 16 | Soft tissue sarcoma after treatment for breast cancer. Radiotherapy and Oncology, 1996, 38, 25-31. | 0.3 | 74 |
| 17 | Response to Radiotherapy After Breast-Conserving Surgery in Different Breast Cancer Subtypes in the Swedish Breast Cancer Group 91 Radiotherapy Randomized Clinical Trial. Journal of Clinical Oncology, 2017, 35, 3222-3229. | 0.8 | 74 |
| 18 | Common breast cancer susceptibility alleles are associated with tumour subtypes in BRCA1 and BRCA2 mutation carriers: results from the Consortium of Investigators of Modifiers of BRCA1/2. Breast Cancer Research, 2011, 13, R110. | 2.2 | 71 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Breast Cancer Risk after Radiotherapy in Infancy: A Pooled Analysis of Two Swedish Cohorts of 17,202 Infants. Radiation Research, 1999, 151, 626. | 0.7 | 64 |
| 20 | Additive effect of the AZGP1, PIP, S100A8 and UBE2C molecular biomarkers improves outcome prediction in breast carcinoma. International Journal of Cancer, 2014, 134, 1617-1629. | 2.3 | 57 |
| 21 | Common Variants at the 19p13.1 and ZNF365 Loci Are Associated with ER Subtypes of Breast Cancer and Ovarian Cancer Risk in BRCA1 and BRCA2 Mutation Carriers. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 645-657. | 1.1 | 47 |
| 22 | Long-term inequalities in breast cancer survival â€“ a ten year follow-up study of patients managed within a National Health Care System (Sweden). Acta OncolÃ³gica, 2008, 47, 216-224. | 0.8 | 40 |
| 23 | Genetic Variation at 9p22.2 and Ovarian Cancer Risk for BRCA1 and BRCA2 Mutation Carriers. Journal of the National Cancer Institute, 2011, 103, 105-116. | 3.0 | 40 |
| 24 | Adjuvant ovarian function suppression and cognitive function in women with breast cancer. British Journal of Cancer, 2016, 114, 956-964. | 2.9 | 38 |
| 25 | Clinical relevance of breast cancer-related genes as potential biomarkers for oral squamous cell carcinoma. BMC Cancer, 2014, 14, 324. | 1.1 | 36 |
| 26 | Long-term symptoms after radiotherapy of supraclavicular lymph nodes in breast cancer patients. Radiotherapy and Oncology, 2012, 103, 155-160. | 0.3 | 35 |
| 27 | Gene expression variation to predict 10-year survival in lymph-node-negative breast cancer. BMC Cancer, 2008, 8, 254. | 1.1 | 33 |
| 28 | Breast cancer risk and possible mechanisms of radiation-induced genomic instability in the Swedish hemangioma cohort after reanalyzed dosimetry. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2015, 775, 1-9. | 0.4 | 33 |
| 29 | Common variants of the BRCA1 wild-type allele modify the risk of breast cancer in BRCA1 mutation carriers. Human Molecular Genetics, 2011, 20, 4732-4747. | 1.4 | 32 |
| 30 | Prognostic Significance of BIRC5/Survivin in Breast Cancer: Results from Three Independent Cohorts. Cancers, 2021, 13, 2209. | 1.7 | 29 |
| 31 | Evidence for SMAD3 as a modifier of breast cancer risk in BRCA2mutation carriers. Breast Cancer Research, 2010, 12, R102. | 2.2 | 25 |
| 32 | Outcome of Reproduction in Women Irradiated for Skin Hemangioma in Infancy. Radiation Research, 1998, 149, 202. | 0.7 | 24 |
| 33 | Doseâ€“Response Relationship for Parathyroid Adenoma after Exposure to Ionizing Radiation in Infancy. Radiation Research, 2002, 158, 418-423. | 0.7 | 20 |
| 34 | Breast cancer risk among Swedish hemangioma patients and possible consequences of radiation-induced genomic instability. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2009, 669, 48-55. | 0.4 | 20 |
| 35 | Breast cancer hypoxia in relation to prognosis and benefit from radiotherapy after breast-conserving surgery in a large, randomised trial with long-term follow-up. British Journal of Cancer, 2022, 126, 1145-1156. | 2.9 | 20 |
| 36 | Genome-wide multi-omics profiling of the 8p11-p12 amplicon in breast carcinoma. Oncotarget, 2018, 9, 24140-24154. | 0.8 | 19 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | A 17-marker panel for global genomic instability in breast cancer. Genomics, 2020, 112, 1151-1161. | 1.3 | 18 |
| 38 | Intracranial Tumors after Radium Treatment for Skin Hemangioma during Infancy: A Cohort and Case-Control Study. Radiation Research, 1997, 148, 161. | 0.7 | 15 |
| 39 | Distribution of Locoregional Breast Cancer Recurrence in Relation to Postoperative Radiation Fields and Biological Subtypes. International Journal of Radiation Oncology Biology Physics, 2019, 105, 285-295. | 0.4 | 15 |
| 40 | Clonal relatedness in tumour pairs of breast cancer patients. Breast Cancer Research, 2018, 20, 96. | 2.2 | 14 |
| 41 | Breast cancer risk after radiation treatment at infancy: potential consequences of radiation-induced genomic instability. Radiation Protection Dosimetry, 2011, 143, 375-379. | 0.4 | 9 |
| 42 | Postoperative radiotherapy after DCIS: Useful for whom?. Breast, 2017, 34, S43-S46. | 0.9 | 8 |
| 43 | Positive sentinel node in luminal A-like breast cancer patients - implications for adjuvant chemotherapy?. Acta OncolÃ³gica, 2019, 58, 162-167. | 0.8 | 8 |
| 44 | Genetic alterations associated with multiple primary malignancies. Cancer Medicine, 2021, 10, 4465-4477. | 1.3 | 7 |
| 45 | Quality of life under extended continuous versus intermittent adjuvant letrozole in lymph node-positive, early breast cancer patients: the SOLE randomised phase 3 trial. British Journal of Cancer, 2019, 120, 959-967. | 2.9 | 5 |
| 46 | Genomic Aberrations and Late Recurrence in Postmenopausal Women with Hormone Receptorâ€“positive Early Breast Cancer: Results from the SOLE Trial. Clinical Cancer Research, 2021, 27, 504-512. | 3.2 | 5 |
| 47 | Reliability of estimating left ventricular ejection fraction in clinical routine: a validation study of the SWEDEHEART registry. Clinical Research in Cardiology, 2023, 112, 68-74. | 1.5 | 3 |
| 48 | A Novel 18-Marker Panel Predicting Clinical Outcome in Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 1619-1628. | 1.1 | 1 |