

Zheng Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/116138/publications.pdf>

Version: 2024-02-01

27
papers

359
citations

933447

10
h-index

839539

18
g-index

32
all docs

32
docs citations

32
times ranked

434
citing authors

#	ARTICLE	IF	CITATIONS
1	Dysbiosis of the endometrial microbiota and its association with inflammatory cytokines in endometrial cancer. <i>International Journal of Cancer</i> , 2021, 148, 1708-1716.	5.1	54
2	<i>Streptococcus</i> and <i>Prevotella</i> are associated with the prognosis of oesophageal squamous cell carcinoma. <i>Journal of Medical Microbiology</i> , 2018, 67, 1058-1068.	1.8	49
3	Plasma exo-hsa_circRNA_0056616: A potential biomarker for lymph node metastasis in lung adenocarcinoma. <i>Journal of Cancer</i> , 2020, 11, 4037-4046.	2.5	41
4	Serum exosomal microRNA-7663p expression is associated with poor prognosis of esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2020, 111, 3881-3892.	3.9	30
5	Factors influencing intention to obtain the HPV vaccine and acceptability of 2-, 4- and 9-valent HPV vaccines: A study of undergraduate female health sciences students in Fujian, China. <i>Vaccine</i> , 2019, 37, 6714-6723.	3.8	29
6	HPV vaccination intent and willingness to pay for 2-,4-, and 9-valent HPV vaccines: A study of adult women aged 27-45 years in China. <i>Vaccine</i> , 2020, 38, 3021-3030.	3.8	25
7	Upregulated expression of serum exosomal hsa_circ_0026611 is associated with lymph node metastasis and poor prognosis of esophageal squamous cell carcinoma. <i>Journal of Cancer</i> , 2021, 12, 918-926.	2.5	23
8	Passive smoking and cooking oil fumes (COF) may modify the association between tea consumption and oral cancer in Chinese women. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 995-1001.	2.5	13
9	Low expression of activating transcription factor 3 in human hepatocellular carcinoma and its clinicopathological significance. <i>Pathology Research and Practice</i> , 2014, 210, 477-481.	2.3	12
10	A new classification of lymph node metastases according to the lymph node stations for predicting prognosis in surgical patients with esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 76261-76273.	1.8	11
11	Association between alcohol consumption and oesophageal microbiota in oesophageal squamous cell carcinoma. <i>BMC Microbiology</i> , 2021, 21, 73.	3.3	10
12	Independent and combined effects of dietary iron composition and selected risk factors on the risk of NAFLD in a Chinese population. <i>Scientific Reports</i> , 2019, 9, 4069.	3.3	9
13	Characteristics and interplay of esophageal microbiota in esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2022, 22, .	2.6	9
14	Risk Factors of Esophageal Squamous Cell Cancer Specific for Different Macroscopic Types. <i>Nutrition and Cancer</i> , 2020, 72, 1336-1344.	2.0	8
15	Comparison of the effectiveness of oblique and transverse incisions in the treatment of fractures of the middle and outer third of the clavicle. <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, 1308-1315.	2.6	7
16	Overall prevalence of human parvovirus B19 among blood donors in mainland China. <i>Medicine (United States)</i> , 2019, 98, 10.	1.0	5
17	Dietary fatty acid patterns and risk of oesophageal squamous cell carcinoma. <i>PeerJ</i> , 2022, 10, e13036.	2.0	5
18	Oolong tea consumption and its interactions with a novel composite index on esophageal squamous cell carcinoma. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 358.	3.7	4

#	ARTICLE	IF	CITATIONS
19	Health-related quality of life and treatment modality among esophageal squamous cell carcinoma survivors: A prospective study using time to deterioration model analysis. <i>Journal of Surgical Oncology</i> , 2021, 123, 156-163.	1.7	4
20	Achieving adequate lymph node dissection in treating esophageal squamous cell carcinomas by radical lymphadenectomy: Beyond the scope of numbers of harvested lymph nodes. <i>Oncology Letters</i> , 2019, 18, 1617-1630.	1.8	3
21	Association between compliance with quality indicators and hospitalisation expenses in patients with heart failure: a retrospective study using quantile regression model in China. <i>BMJ Open</i> , 2020, 10, e033926.	1.9	3
22	Serum Uric Acid and Cardiovascular or All-Cause Mortality in Peritoneal Dialysis Patients: A Systematic Review and Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 751182.	2.4	2
23	Trend of disparity between coastland and inland in medical expenditure burden for rural inpatients with malignant tumor in southeast of China from 2007 to 2016. <i>BMC Cancer</i> , 2020, 20, 295.	2.6	1
24	Genomic analyses reveal SCN7A is associated with the prognosis of esophageal squamous cell carcinoma. <i>Esophagus</i> , 2022, 19, 303-315.	1.9	1
25	Optimal Size Criterion for Malignant Lymph Nodes and a Novel Lymph Node Clinical Staging System for Unresectable Esophageal Squamous Cell Carcinoma: Evaluation by Multislice Spiral Computed Tomography. <i>Journal of Cancer</i> , 2021, 12, 6454-6464.	2.5	0
26	The effect of formal statistical courses attitudes on learning outcomes in a cohort of undergraduate dental students. <i>European Journal of Dental Education</i> , 2021, 25, 806-812.	2.0	0
27	Regulatory relationships of demographic, clinical characteristics and quality of care for heart failure patients in southern China. <i>International Journal for Quality in Health Care</i> , 2022, 34, .	1.8	0