Christine Barrowclough

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11615080/publications.pdf

Version: 2024-02-01

106 papers 6,325 citations

38 h-index 75989 78 g-index

107 all docs

107 docs citations

times ranked

107

4311 citing authors

#	Article	IF	CITATIONS
1	The role of attachment, coping style and reasons for substance use in substance users with psychosis. Clinical Psychology and Psychotherapy, 2022, 29, 725-732.	1.4	2
2	Feasibility and acceptability of integrated psychological therapy versus treatment as usual for people with bipolar disorder and co-morbid alcohol use: A single blind randomised controlled trial. Journal of Affective Disorders, 2019, 256, 86-95.	2.0	6
3	Facilitators and Barriers to Participating in a Randomized Controlled Trial of a Psychological Therapy for Substance Use. Journal of Nervous and Mental Disease, 2019, 207, 487-496.	0.5	4
4	Attachment and therapeutic alliance in psychological therapy for people with recent onset psychosis who use cannabis. Clinical Psychology and Psychotherapy, 2018, 25, 440-445.	1.4	10
5	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care – the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme. Programme Grants for Applied Research, 2018. 6, 1-296.	0.4	7
6	Selfâ€blame attributions in relatives of people with recentâ€onset psychosis: Associations with relatives' distress and behavioural control. British Journal of Clinical Psychology, 2017, 56, 172-188.	1.7	10
7	Activity patterns in response to symptoms in patients being treated for chronic fatigue syndrome: An experience sampling methodology study Health Psychology, 2017, 36, 264-269.	1.3	11
8	Feasibility of a wardâ€based psychological intervention to improve staff and patient relationships in psychiatric rehabilitation settings. British Journal of Clinical Psychology, 2016, 55, 236-252.	1.7	46
9	Assessing the reliability of the five minute speech sample against the Camberwell family interview in a chronic fatigue syndrome sample. Comprehensive Psychiatry, 2016, 67, 9-12.	1.5	O
10	Significant other behavioural responses and patient chronic fatigue syndrome symptom fluctuations in the context of daily life: An experience sampling study. British Journal of Health Psychology, 2016, 21, 499-514.	1.9	9
11	Culturally-adapted Family Intervention (CaFI) for African-Caribbeans diagnosed with schizophrenia and their families: a feasibility study protocol of implementation and acceptability. Pilot and Feasibility Studies, 2016, 2, 39.	0.5	27
12	An Interpersonal CBT Framework for Involving Relatives in Interventions for Psychosis: Evidence Base and Clinical Implications. Cognitive Therapy and Research, 2016, 40, 198-215.	1.2	10
13	Therapeutic alliance in psychological therapy for people with recent onset psychosis who use cannabis. Comprehensive Psychiatry, 2016, 67, 73-80.	1.5	25
14	Psychological approaches to understanding and promoting recovery in psychosis and bipolar disorder: a mixed-methods approach. Programme Grants for Applied Research, 2016, 4, 1-272.	0.4	12
15	Therapist–client relationships in a psychological therapy trial for psychosis and substance misuse. Drug and Alcohol Dependence, 2015, 152, 170-176.	1.6	17
16	The Relationship between Bipolar Disorder and Cannabis Use in Daily Life: An Experience Sampling Study. PLoS ONE, 2015, 10, e0118916.	1.1	32
17	Patient outcomes in association with significant other responses to chronic fatigue syndrome: A systematic review of the literature Clinical Psychology: Science and Practice, 2015, 22, 29-46.	0.6	19
18	The HELPER programme: HEalthy Living and Prevention of Early Relapse – three exploratory randomised controlled trials of phase-specific interventions in first-episode psychosis. Programme Grants for Applied Research, 2015, 3, 1-238.	0.4	7

#	Article	IF	Citations
19	Compliance in experience sampling methodology: the role of demographic and clinical characteristics. Psychosis, 2014, 6, 70-73.	0.4	13
20	Qualitative investigation of targets for and barriers to interventions to prevent psychosis relapse. BMC Psychiatry, 2014, 14, 201.	1.1	7
21	Factors Associated With Distress in Relatives of a Family Member Experiencing Recent-Onset Psychosis. Journal of Nervous and Mental Disease, 2014, 202, 40-46.	0.5	26
22	Feasibility of teaching motivational interviewing to parents of young adults with recent-onset schizophrenia and co-occurring cannabis use. Journal of Substance Abuse Treatment, 2014, 46, 340-345.	1.5	18
23	The impact of significant other expressed emotion on patient outcomes in chronic fatigue syndrome Health Psychology, 2014, 33, 1092-1101.	1.3	17
24	Reasons for substance use and their relationship to subclinical psychotic and affective symptoms, coping, and substance use in a nonclinical sample Psychology of Addictive Behaviors, 2014, 28, 247-256.	1.4	13
25	Expressed emotion, types of behavioural control and controllability attributions in relatives of people with recent-onset psychosis. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1377-1388.	1.6	23
26	Relatives' responses to psychosis: An exploratory investigation of low expressed emotion relatives. Psychology and Psychotherapy: Theory, Research and Practice, 2013, 86, 197-211.	1.3	12
27	Assessing fidelity to integrated motivational interviewing and CBT therapy for psychosis and substance use: the MI-CBT fidelity scale (MI-CTS). Journal of Mental Health, 2012, 21, 38-48.	1.0	23
28	Staff–patient relationships and outcomes in schizophrenia: The role of staff attributions. Behaviour Research and Therapy, 2012, 50, 210-214.	1.6	8
29	An investigation of adult attachment and the nature of relationships with voices. British Journal of Clinical Psychology, 2012, 51, 280-291.	1.7	29
30	Family interventions in schizophrenia., 2012,, 213-224.		0
31	Family interventions in schizophrenia. , 2012, , 213-224.		O
32	Integrated Motivational Interviewing and Cognitive–Behavioural Therapy for Bipolar Disorder with Comorbid Substance Use. Clinical Psychology and Psychotherapy, 2011, 18, 426-437.	1.4	21
33	The Role of Expressed Emotion in Relationships Between Psychiatric Staff and People With a Diagnosis of Psychosis: A Review of the Literature. Schizophrenia Bulletin, 2011, 37, 958-972.	2.3	53
34	Predicting Therapeutic Alliance in Clients With Psychosis and Substance Misuse. Journal of Nervous and Mental Disease, 2010, 198, 373-377.	0.5	72
35	Traumatic Events, Posttraumatic Stress Disorder, Attachment Style, and Working Alliance in a Sample of People With Psychosis. Journal of Nervous and Mental Disease, 2010, 198, 775-778.	0.5	28
36	Psychiatric staff perceptions of patient attachments: a pilot study to investigate differences in and predictors of psychiatric staff perceptions of patient attachments. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 1081-1086.	1.6	2

#	Article	IF	Citations
37	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c6325-c6325.	2.4	187
38	Self-reported reasons for substance use in schizophrenia: a Q methodological investigation. Mental Health and Substance Use: Dual Diagnosis, 2009, 2, 24-39.	0.5	14
39	Mental health problems: Are they or are they not a risk factor for dropout from drug treatment? A systematic review of the evidence. Drugs: Education, Prevention and Policy, 2009, 16, 7-38.	0.8	18
40	Parental Criticism and Adolescent Depression: Does Adolescent Self-Evaluation Act as a Mediator?. Behavioural and Cognitive Psychotherapy, 2009, 37, 553-570.	0.9	16
41	A Pilot Study Investigating the Use of Psychological Formulations to Modify Psychiatric Staff Perceptions of Service Users with Psychosis. Behavioural and Cognitive Psychotherapy, 2009, 37, 39.	0.9	61
42	Development and validation of a scale for assessing reasons for substance use in schizophrenia: The ReSUS scale. Addictive Behaviors, 2009, 34, 830-837.	1.7	24
43	Evaluating integrated MI and CBT for people with psychosis and substance misuse: Recruitment, retention and sample characteristics of the MIDAS trial. Addictive Behaviors, 2009, 34, 859-866.	1.7	42
44	Assessing illicit substance use in schizophrenia: The relationship between self report and detection by hair analysis. Schizophrenia Research, 2009, 114, 180-181.	1.1	7
45	Adult attachment, perceived earlier experiences of care giving and trauma in people with psychosis. Journal of Mental Health, 2009, 18, 280-287.	1.0	18
46	Staff attachment styles: a pilot study investigating the influence of adult attachment styles on staff psychological mindedness and therapeutic relationships. Journal of Clinical Psychology, 2008, 64, 355-363.	1.0	32
47	Adult attachment, parenting experiences, and core beliefs about self and others. Personality and Individual Differences, 2008, 44, 1246-1257.	1.6	35
48	Expressed emotion and causal attributions in relatives of post-traumatic stress disorder patients. Behaviour Research and Therapy, 2008, 46, 207-218.	1.6	27
49	Attachment theory: A framework for understanding symptoms and interpersonal relationships in psychosis. Behaviour Research and Therapy, 2008, 46, 1275-1282.	1.6	162
50	Reasons for increased substance use in psychosis. Clinical Psychology Review, 2007, 27, 494-510.	6.0	203
51	A review of the role of adult attachment style in psychosis: Unexplored issues and questions for further research. Clinical Psychology Review, 2007, 27, 458-475.	6.0	160
52	Attachment styles, earlier interpersonal relationships and schizotypy in a non-clinical sample. Psychology and Psychotherapy: Theory, Research and Practice, 2007, 80, 563-576.	1.3	65
53	Adult attachment styles and psychosis: an investigation of associations between general attachment styles and attachment relationships with specific others. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 972-976.	1.6	38
54	Psychosis and substance use problems: Using controlled drinking in interventions. Addiction Research and Theory, 2006, 14, 67-72.	1,2	1

#	Article	IF	CITATIONS
55	Treatment development for psychosis and co-occurring substance misuse: A descriptive review. Journal of Mental Health, 2006, 15, 619-632.	1.0	33
56	The role of the early therapeutic alliance in predicting drug treatment dropout. Drug and Alcohol Dependence, 2006, 83, 57-64.	1.6	115
57	Assessment of need for psychosocial interventions in an Asian population of carers of patients with schizophrenia. Journal of Advanced Nursing, 2006, 54, 284-292.	1.5	6
58	Attributions for negative events in the partners of adults with Type 1 diabetes: Associations with partners' expressed emotion and marital adjustment. British Journal of Health Psychology, 2006, 11 , 1-21.	1.9	16
59	Does Expressed Emotion need to be understood within a more systemic framework?. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 50-55.	1.6	32
60	Attachment styles, interpersonal relationships and psychotic phenomena in a non-clinical student sample. Personality and Individual Differences, 2006, 41, 707-718.	1.6	156
61	Families of People with Schizophrenia. , 2005, , 1-24.		14
62	Assessing cognitive representations of mental health problems. II. The illness perception questionnaire for schizophrenia: Relatives' version. British Journal of Clinical Psychology, 2005, 44, 163-179.	1.7	57
63	The role of the therapeutic alliance in the treatment of substance misuse: a critical review of the literature. Addiction, 2005, 100, 304-316.	1.7	339
64	Predicting the early therapeutic alliance in the treatment of drug misuse. Addiction, 2005, 100, 500-511.	1.7	74
65	Common sense representations of schizophrenia in patients and their relatives. Clinical Psychology and Psychotherapy, 2005, 12, 134-141.	1.4	10
66	Expressed emotion and attributions in relatives of schizophrenia patients with and without substance misuse. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 884-891.	1.6	25
67	COGNITIVE-BEHAVIOUR THERAPY FOR INPATIENTS WITH PSYCHOSIS AND ANGER PROBLEMS WITHIN A LOW SECURE ENVIRONMENT. Behavioural and Cognitive Psychotherapy, 2004, 32, 77-98.	0.9	23
68	Risk of non-fatal suicide ideation and behaviour in recent onset schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 927-937.	1.6	78
69	Expressed emotion, attributions and depression in mothers of children with problem behaviour. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2003, 44, 242-254.	3.1	88
70	A review of the role of illness models in severe mental illness. Clinical Psychology Review, 2003, 23, 171-196.	6.0	147
71	Attributions and expressed emotion: A review. Clinical Psychology Review, 2003, 23, 849-880.	6.0	261
72	Professional attitudes to psychiatric patients: a time for change and an end to medical paternalism. Epidemiology and Psychiatric Sciences, 2003, 12, 238-241.	1.8	10

#	Article	IF	CITATIONS
7 3	Cognitive–behavioural therapy and motivational intervention for schizophrenia and substance misuse. British Journal of Psychiatry, 2003, 183, 418-426.	1.7	204
74	Self-esteem in schizophrenia: Relationships between self-evaluation, family attitudes, and symptomatology Journal of Abnormal Psychology, 2003, 112, 92-99.	2.0	229
75	Issues in the dissemination of family intervention for psychosis. World Psychiatry, 2003, 2, 31-2.	4.8	6
76	Self-esteem in schizophrenia: relationships between self-evaluation, family attitudes, and symptomatology. Journal of Abnormal Psychology, 2003, 112, 92-9.	2.0	52
77	Expressed emotion and attributions in the carers of patients with Alzheimer's disease: The effect on carer burden Journal of Abnormal Psychology, 2002, 111, 340-349.	2.0	80
78	Maternal expressed emotion and clinician ratings of emotional maltreatment potential. Child Abuse and Neglect, 2002, 26, 1101-1106.	1.3	10
79	Are all psychological treatments for psychosis equal? The need for CBT in the treatment of psychosis and not for psychodynamic psychotherapy. Psychology and Psychotherapy: Theory, Research and Practice, 2002, 75, 365-374.	1.3	26
80	Cognitive-Behavioral Treatment of Schizophrenia. , 2002, , 382-391.		0
81	Schizophrenia and substance misuse problems: a comparison between patients with and without significant carer contact. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 523-528.	1.6	29
82	An investigation of models of illness in carers of schizophrenia patients using the Illness Perception Questionnaire. British Journal of Clinical Psychology, 2001, 40, 371-385.	1.7	89
83	Randomized Controlled Trial of Motivational Interviewing, Cognitive Behavior Therapy, and Family Intervention for Patients With Comorbid Schizophrenia and Substance Use Disorders. American Journal of Psychiatry, 2001, 158, 1706-1713.	4.0	459
84	Cognitive Behavioral Intervention for Individuals with Severe Mental Illness Who Have a Substance Misuse Problem. Psychiatric Rehabilitation Skills, 2000, 4, 216-233.	0.1	16
85	A review of expressed emotion research in health care. Clinical Psychology Review, 2000, 20, 633-666.	6.0	312
86	The application of expressed emotion to clinical work in schizophrenia. Journal of Clinical Psychology, 1998, 4, 7-23.	0.4	3
87	Depressed and nonâ€depressed mothers with problematic preschoolers: Attributions for child behaviours. British Journal of Clinical Psychology, 1998, 37, 385-398.	1.7	41
88	Appraisal, psychological adjustment and expressed emotion in relatives of patients suffering from schizophrenia. British Journal of Psychiatry, 1997, 171, 26-30.	1.7	120
89	Family Interventions in Schizophrenia and Their Long-term Outcomes. International Journal of Mental Health, 1995, 24, 38-53.	0.5	10
90	Attributions, expressed emotion, and patient relapse: An attributional model of relatives' response to schizophrenic illness. Behavior Therapy, 1994, 25, 67-88.	1.3	155

#	Article	IF	CITATIONS
91	The Salford Family Intervention Project: Relapse Rates of Schizophrenia at Five and Eight Years. British Journal of Psychiatry, 1994, 165, 829-832.	1.7	139
92	Training Community Psychiatric Nurses for Psychosocial Intervention. British Journal of Psychiatry, 1992, 160, 836-844.	1.7	77
93	Evaluating the impact of training community psychiatric nurses to educate relatives about schizophrenia. Journal of Clinical Nursing, 1992, 1, 19-25.	1.4	21
94	Some Aspects of Family Interventions in Schizophrenia. II: Financial Considerations. British Journal of Psychiatry, 1991, 159, 481-484.	1.7	91
95	Life events and management in schizophrenia. British Journal of Psychiatry, 1990, 156, 450.	1.7	O
96	Life events and management in schizophrenia. British Journal of Psychiatry, 1990, 156, 450-450.	1.7	1
97	Family Interventions for Schizophrenia. Behavior Modification, 1990, 14, 408-440.	1.1	39
98	Mental Health Services and New Research in England: Implications for the Community Management of Schizophrenia. International Perspectives Series: Psychiatry, Psychology, and Neurosciences, 1990, , 331-351.	0.2	3
99	Community Management of Schizophrenia a Two-Year Follow-Up of a Behavioural Intervention with Families. British Journal of Psychiatry, 1989, 154, 625-628.	1.7	234
100	The Community Management of Schizophrenia. British Journal of Psychiatry, 1988, 153, 532-542.	1.7	439
101	The Assessment of Psychophysiological Reactivity to the Expressed Emotion of the Relatives of Schizophrenic Patients. British Journal of Psychiatry, 1988, 152, 618-624.	1.7	78
102	A Longitudinal Psychophysiological Assessment of a Schizophrenic Patient in Relation to the Expressed Emotion of his Relatives. Behavioural Psychotherapy, 1987, 15, 45-57.	0.6	22
103	A Behavioural Family Intervention with a Schizophrenic Patient: A Case Study. Behavioural and Cognitive Psychotherapy, 1987, 15, 252-271.	0.9	19
104	Training Direct Care Staff in Goal Planning with Elderly People. Behavioural and Cognitive Psychotherapy, 1986, 14, 192-209.	0.9	12
105	Psychophysiological Assessment of Expressed Emotion in Schizophrenia: A Case Example. British Journal of Psychiatry, 1984, 145, 197-200.	1.7	23
106	â€~Psychosocial' interventions with families and their effects on the course of schizophrenia: a review. Psychological Medicine, 1984, 14, 629-642.	2.7	70