Giuseppe Zamboni

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1162517/giuseppe-zamboni-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 204
 17,656
 64
 131

 papers
 citations
 h-index
 g-index

 213
 20,344
 5.6
 5.68

 ext. papers
 ext. citations
 avg, IF
 L-index

| # | Paper | IF | Citations |
|-----|---|---------------|-----------|
| 204 | Epithelioid angiomyolipoma: a pathological entity discovered in Verona with the endorsement of Doctor Rosai. <i>Pathologica</i> , 2021 , 113, 307-315 | 1.9 | O |
| 203 | Reliability and reproducibility among different platforms for tumour BRCA testing in ovarian cancer: a study of the Italian NGS Network. <i>Journal of Clinical Pathology</i> , 2021 , 74, 668-672 | 3.9 | 1 |
| 202 | Histological Classification of Pancreatic Cystic Neoplasms 2021 , 573-583 | | |
| 201 | TSC loss is a clonal event in eosinophilic solid and cystic renal cell carcinoma: a multiregional tumor sampling study. <i>Modern Pathology</i> , 2021 , | 9.8 | 3 |
| 200 | Vascular resection during pancreatectomy for pancreatic head cancer: A technical issue or a prognostic sign?. <i>Surgery</i> , 2021 , 169, 403-410 | 3.6 | 6 |
| 199 | Angiomyolipoma of the kidney: from simple hamartoma to complex tumour. <i>Pathology</i> , 2021 , 53, 129-1 | 1 40 6 | 6 |
| 198 | Neuroendocrine neoplasms of the duodenum, ampullary region, jejunum and ileum. <i>Pathologica</i> , 2021 , 113, 12-18 | 1.9 | 1 |
| 197 | Long-Term Survivors after Upfront Resection for Pancreatic Ductal Adenocarcinoma: An Actual 5-Year Analysis of Disease-Specific and Post-Recurrence Survival. <i>Annals of Surgical Oncology</i> , 2021 , 28, 8249-8260 | 3.1 | 5 |
| 196 | Pituitary metastases from neuroendocrine neoplasms: case report and narrative review. <i>Pituitary</i> , 2021 , 24, 828-837 | 4.3 | 1 |
| 195 | Positive neck margin at frozen section analysis is a significant predictor of tumour recurrence and poor survival after pancreatodudenectomy for pancreatic cancer. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1524-1531 | 3.6 | 8 |
| 194 | Guidelines on the histopathology of chronic pancreatitis. Recommendations from the working group for the international consensus guidelines for chronic pancreatitis in collaboration with the International Association of Pancreatology, the American Pancreatic Association, the Japan | 3.8 | 22 |
| 193 | Malignant epithelial/exocrine tumors of the pancreas. <i>Pathologica</i> , 2020 , 112, 210-226 | 1.9 | 4 |
| 192 | Inflammatory and tumor-like lesions of the pancreas. <i>Pathologica</i> , 2020 , 112, 197-209 | 1.9 | 3 |
| 191 | The 2019 American College of Rheumatology/European League Against Rheumatism Classification Criteria for IgG4-Related Disease. <i>Arthritis and Rheumatology</i> , 2020 , 72, 7-19 | 9.5 | 113 |
| 190 | Genomic characterization of malignant progression in neoplastic pancreatic cysts. <i>Nature Communications</i> , 2020 , 11, 4085 | 17.4 | 27 |
| 189 | A semicentennial of pancreatic pathology: the genetic revolution is here, but don \mathbf{R} throw the baby out with the bath water!. <i>Human Pathology</i> , 2020 , 95, 99-112 | 3.7 | 1 |
| 188 | Sclerosing epithelioid mesenchymal neoplasm of the pancreas (proposed new entity. <i>Modern Pathology</i> , 2020 , 33, 456-467 | 9.8 | 5 |

(2018-2019)

| 187 | PD-L1 expression in non-small cell lung cancer: evaluation of the diagnostic accuracy of a laboratory-developed test using clone E1L3N in comparison with 22C3 and SP263 assays. <i>Human Pathology</i> , 2019 , 90, 54-59 | 3.7 | 16 | |
|-----|--|------|----|--|
| 186 | A multimodality test to guide the management of patients with a pancreatic cyst. <i>Science Translational Medicine</i> , 2019 , 11, | 17.5 | 71 | |
| 185 | DAXX mutations as potential genomic markers of malignant evolution in small nonfunctioning pancreatic neuroendocrine tumors. <i>Scientific Reports</i> , 2019 , 9, 18614 | 4.9 | 12 | |
| 184 | IgG4-related disease: a new challenging diagnosis mimicking lung cancer. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2019 , 28, 410-412 | 1.8 | 8 | |
| 183 | Molecular alterations associated with metastases of solid pseudopapillary neoplasms of the pancreas. <i>Journal of Pathology</i> , 2019 , 247, 123-134 | 9.4 | 22 | |
| 182 | Gastrointestinal juvenile-like (inflammatory/hyperplastic) mucosal polyps in neurofibromatosis type 1 with no concurrent genetic or clinical evidence of other syndromes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 259-264 | 5.1 | 3 | |
| 181 | When and how to treat women with HER2-positive, small (pT1a-b), node-negative breast cancer?. <i>Critical Reviews in Oncology/Hematology</i> , 2018 , 128, 130-138 | 7 | 1 | |
| 180 | Histologic Classification and Staging of Cystic Neoplasms 2018 , 573-579 | | | |
| 179 | Peptide receptor radionuclide therapy as neoadjuvant therapy for resectable or potentially resectable pancreatic neuroendocrine neoplasms. <i>Surgery</i> , 2018 , 163, 761-767 | 3.6 | 47 | |
| 178 | Pancreatic neuroendocrine carcinomas reveal a closer relationship to ductal adenocarcinomas than to neuroendocrine tumors G3. <i>Human Pathology</i> , 2018 , 77, 70-79 | 3.7 | 66 | |
| 177 | The number of positive nodes accurately predicts recurrence after pancreaticoduodenectomy for nonfunctioning neuroendocrine neoplasms. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 778-783 | 3.6 | 38 | |
| 176 | Depth of Intestinal Wall Infiltration and Clinical Presentation of Deep Infiltrating Endometriosis: Evaluation of 553 Consecutive Cases. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2018 , 28, 152-156 | 2.1 | 5 | |
| 175 | SUVmax after (18)fluoro-deoxyglucose positron emission tomography/computed tomography: A tool to define treatment strategies in pancreatic cancer. <i>Digestive and Liver Disease</i> , 2018 , 50, 84-90 | 3.3 | 8 | |
| 174 | PD-L1 Assays 22C3 and SP263 are Not Interchangeable in Non-Small Cell Lung Cancer When Considering Clinically Relevant Cutoffs: An Interclone Evaluation by Differently Trained Pathologists. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 1384-1389 | 6.7 | 52 | |
| 173 | Neutrophil infiltrations compared between types 1 and 2 autoimmune pancreatitis. <i>The Journal of Kansai Medical University</i> , 2018 , 69, 7-18 | О | | |
| 172 | Competitive Testing of the WHO 2010 versus the WHO 2017 Grading of Pancreatic Neuroendocrine Neoplasms: Data from a Large International Cohort Study. <i>Neuroendocrinology</i> , 2018 , 107, 375-386 | 5.6 | 52 | |
| 171 | PD-L1 Expression Heterogeneity in Non-Small Cell Lung Cancer: Defining Criteria for Harmonization between Biopsy Specimens and Whole Sections. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1113-1120 | 8.9 | 91 | |
| 170 | Whole-exome sequencing of duodenal neuroendocrine tumors in patients with neurofibromatosis type 1. <i>Modern Pathology</i> , 2018 , 31, 1532-1538 | 9.8 | 15 | |

| 169 | Somatostatin receptor expression related to TP53 and RB1 alterations in pancreatic and extrapancreatic neuroendocrine neoplasms with a Ki67-index above 20. <i>Modern Pathology</i> , 2017 , 30, 587-598 | 9.8 | 116 |
|-----|--|------|------|
| 168 | Intraductal Tubulopapillary Neoplasm of the Pancreas: A Clinicopathologic and Immunohistochemical Analysis of 33 Cases. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 313-325 | 6.7 | 53 |
| 167 | Clinical and Morphological Features of Paraduodenal Pancreatitis: An Italian Experience With 120 Patients. <i>Pancreas</i> , 2017 , 46, 489-495 | 2.6 | 13 |
| 166 | Cathepsin K expression in castration-resistant prostate carcinoma: a therapeutical target for patients at risk for bone metastases. <i>International Journal of Biological Markers</i> , 2017 , 32, e243-e247 | 2.8 | 7 |
| 165 | PD-L1 expression heterogeneity in non-small cell lung cancer: evaluation of small biopsies reliability. <i>Oncotarget</i> , 2017 , 8, 90123-90131 | 3.3 | 64 |
| 164 | Pancreatic undifferentiated carcinoma with osteoclast-like giant cells is genetically similar to, but clinically distinct from, conventional ductal adenocarcinoma. <i>Journal of Pathology</i> , 2017 , 243, 148-154 | 9.4 | 50 |
| 163 | Pancreatic intraductal tubulopapillary neoplasm is genetically distinct from intraductal papillary mucinous neoplasm and ductal adenocarcinoma. <i>Modern Pathology</i> , 2017 , 30, 1760-1772 | 9.8 | 39 |
| 162 | 959 Exocrine Pancreatopathy (EP) Associated With Diabetes Mellitus (DM) Is Histologically Distinct From Chronic Pancreatitis (CP): An International Multi-Reader Blinded Study. <i>Gastroenterology</i> , 2016 , 150, S191 | 13.3 | 2 |
| 161 | Long-term outcomes and prognostic factors in neuroendocrine carcinomas of the pancreas: Morphology matters. <i>Surgery</i> , 2016 , 159, 862-71 | 3.6 | 52 |
| 160 | Risk of misdiagnosis and overtreatment in patients with main pancreatic duct dilatation and suspected combined/main-duct intraductal papillary mucinous neoplasms. <i>Surgery</i> , 2016 , 159, 1041-9 | 3.6 | 39 |
| 159 | Neuroendocrine Carcinoma of the Breast: Current Evidence and Future Perspectives. <i>Oncologist</i> , 2016 , 21, 28-32 | 5.7 | 63 |
| 158 | Intraductal papillary mucinous neoplasms of the pancreas with concurrent pancreatic and periampullary neoplasms. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 197-204 | 3.6 | 24 |
| 157 | Magnitude of PD-1, PD-L1 and T Lymphocyte Expression on Tissue from Castration-Resistant Prostate Adenocarcinoma: An Exploratory Analysis. <i>Targeted Oncology</i> , 2016 , 11, 345-51 | 5 | 48 |
| 156 | Management of neuroendocrine carcinomas of the pancreas (WHO G3): A tailored approach between proliferation and morphology. <i>World Journal of Gastroenterology</i> , 2016 , 22, 9944-9953 | 5.6 | 23 |
| 155 | Neuroendocrine differentiation in breast carcinoma: clinicopathological features and outcome. <i>Histopathology</i> , 2016 , 68, 422-32 | 7.3 | 45 |
| 154 | Pathologic Evaluation and Reporting of Intraductal Papillary Mucinous Neoplasms of the Pancreas and Other Tumoral Intraepithelial Neoplasms of Pancreatobiliary Tract: Recommendations of Verona Consensus Meeting. <i>Annals of Surgery</i> , 2016 , 263, 162-77 | 7.8 | 165 |
| 153 | Lymph Node Involvement in Deep Infiltrating Intestinal Endometriosis: Does It Really Mean Anything?. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 787-92 | 2.2 | 6 |
| 152 | Whole genomes redefine the mutational landscape of pancreatic cancer. <i>Nature</i> , 2015 , 518, 495-501 | 50.4 | 1579 |

(2013-2015)

| 151 | A combination of molecular markers and clinical features improve the classification of pancreatic cysts. <i>Gastroenterology</i> , 2015 , 149, 1501-10 | 13.3 | 286 |
|-----|--|------|-----|
| 150 | PEComas of the kidney and of the genitourinary tract. Seminars in Diagnostic Pathology, 2015 , 32, 140-5 | 94.3 | 43 |
| 149 | Comparison of neutrophil infiltration between type 1 and type 2 autoimmune pancreatitis. <i>Pancreatology</i> , 2015 , 15, 271-80 | 3.8 | 8 |
| 148 | Mucinous cystic neoplasms and serous cystadenomas arising in the body-tail of the pancreas: MR imaging characterization. <i>European Radiology</i> , 2015 , 25, 940-9 | 8 | 30 |
| 147 | Progesterone receptor status and clinical outcome in breast cancer patients with estrogen receptor-positive locoregional recurrence. <i>Tumori</i> , 2015 , 101, 398-403 | 1.7 | 4 |
| 146 | Monosomy of chromosome 17 in breast cancer during interpretation of HER2 gene amplification. <i>American Journal of Cancer Research</i> , 2015 , 5, 2212-21 | 4.4 | |
| 145 | P16 but not retinoblastoma expression is related to clinical outcome in no-special-type triple-negative breast carcinomas. <i>Modern Pathology</i> , 2014 , 27, 204-13 | 9.8 | 9 |
| 144 | The role of (18)fluoro-deoxyglucose positron emission tomography/computed tomography in resectable pancreatic cancer. <i>Digestive and Liver Disease</i> , 2014 , 46, 744-9 | 3.3 | 13 |
| 143 | Incidental diagnosis as prognostic factor in different tumor stages of nonfunctioning pancreatic endocrine tumors. <i>Surgery</i> , 2014 , 155, 145-53 | 3.6 | 67 |
| 142 | Mucinous cystic neoplasms of the pancreas: update on the surgical pathology and molecular genetics. <i>Seminars in Diagnostic Pathology</i> , 2014 , 31, 467-474 | 4.3 | 22 |
| 141 | Targeted next-generation sequencing of cancer genes dissects the molecular profiles of intraductal papillary neoplasms of the pancreas. <i>Journal of Pathology</i> , 2014 , 233, 217-27 | 9.4 | 240 |
| 140 | Genome-wide DNA methylation patterns in pancreatic ductal adenocarcinoma reveal epigenetic deregulation of SLIT-ROBO, ITGA2 and MET signaling. <i>International Journal of Cancer</i> , 2014 , 135, 1110-8 | 7.5 | 149 |
| 139 | Retrospective comparison between preoperative diagnosis by International Consensus Diagnostic Criteria and histological diagnosis in patients with focal autoimmune pancreatitis who underwent surgery with suspicion of cancer. <i>Pancreas</i> , 2014 , 43, 698-703 | 2.6 | 14 |
| 138 | Italian consensus guidelines for the diagnostic work-up and follow-up of cystic pancreatic neoplasms. <i>Digestive and Liver Disease</i> , 2014 , 46, 479-93 | 3.3 | 90 |
| 137 | Adequacy of lymph node retrieval for ampullary cancer and its association with improved staging and survival. <i>World Journal of Surgery</i> , 2013 , 37, 1397-404 | 3.3 | 17 |
| 136 | D-chiro-inositol phosphoglycan expression in human placenta at term in diabetes. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 459-60 | 2.5 | 6 |
| 135 | The identification of a small but significant subset of patients still targetable with anti-HER2 inhibitors when affected by triple negative breast carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 1563-8 | 4.9 | 3 |
| 134 | European experts consensus statement on cystic tumours of the pancreas. <i>Digestive and Liver Disease</i> , 2013 , 45, 703-11 | 3.3 | 306 |

| 133 | Precancerous lesions of the pancreas. <i>Baillierels Best Practice and Research in Clinical Gastroenterology</i> , 2013 , 27, 299-322 | 2.5 | 46 |
|--------------------------|---|-------------------|-----------------------|
| 132 | Intraductal Papillary Mucinous Neoplasms. <i>Updates in Surgery Series</i> , 2013 , 33-52 | 0.1 | |
| 131 | Diagnostic and prognostic significance of miRNA signatures in tissues and plasma of endometrioid endometrial carcinoma patients. <i>International Journal of Cancer</i> , 2013 , 132, 1633-45 | 7.5 | 98 |
| 130 | ISL1 expression is not restricted to pancreatic well-differentiated neuroendocrine neoplasms, but is also commonly found in well and poorly differentiated neuroendocrine neoplasms of extrapancreatic origin. <i>Modern Pathology</i> , 2013 , 26, 995-1003 | 9.8 | 86 |
| 129 | Histopathology of gastrointestinal neuroendocrine neoplasms. Frontiers in Oncology, 2013, 3, 2 | 5.3 | 32 |
| 128 | Solid-pseudopapillary, Acinar, and Other Cystic Neoplasms. <i>Updates in Surgery Series</i> , 2013 , 23-31 | 0.1 | |
| 127 | Application of international consensus diagnostic criteria to an Italian series of autoimmune pancreatitis. <i>United European Gastroenterology Journal</i> , 2013 , 1, 276-84 | 5.3 | 34 |
| 126 | Synchronous pancreatic solid pseudopapillary neoplasm and intraductal papillary mucinous neoplasm. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3358-63 | 5.6 | 8 |
| 125 | Italian Experience 2013 , 211-220 | | |
| | | | |
| 124 | Mucinous Cystic Neoplasms. <i>Updates in Surgery Series</i> , 2013 , 15-21 | 0.1 | |
| 124 | Mucinous Cystic Neoplasms. <i>Updates in Surgery Series</i> , 2013 , 15-21 Invasive mucinous cystic neoplasms of the pancreas. <i>Experimental and Molecular Pathology</i> , 2012 , 93, 345-9 | 0.1 | 42 |
| | Invasive mucinous cystic neoplasms of the pancreas. Experimental and Molecular Pathology, 2012, | | 4 ² 65 |
| 123 | Invasive mucinous cystic neoplasms of the pancreas. <i>Experimental and Molecular Pathology</i> , 2012 , 93, 345-9 Clinical features and relapse rates after surgery in type 1 autoimmune pancreatitis differ from type | 4.4 | · |
| 123 | Invasive mucinous cystic neoplasms of the pancreas. <i>Experimental and Molecular Pathology</i> , 2012 , 93, 345-9 Clinical features and relapse rates after surgery in type 1 autoimmune pancreatitis differ from type 2: a study of 114 surgically treated European patients. <i>Pancreatology</i> , 2012 , 12, 276-83 | 4·4 3.8 | 65 |
| 123 | Invasive mucinous cystic neoplasms of the pancreas. <i>Experimental and Molecular Pathology</i> , 2012 , 93, 345-9 Clinical features and relapse rates after surgery in type 1 autoimmune pancreatitis differ from type 2: a study of 114 surgically treated European patients. <i>Pancreatology</i> , 2012 , 12, 276-83 Primary retroperitoneal acinar cell cystadenoma. <i>Human Pathology</i> , 2012 , 43, 446-50 Recommendations for the nomenclature of IgG4-related disease and its individual organ system | 4·4 3.8 | 65 |
| 123 122 121 | Invasive mucinous cystic neoplasms of the pancreas. <i>Experimental and Molecular Pathology</i> , 2012 , 93, 345-9 Clinical features and relapse rates after surgery in type 1 autoimmune pancreatitis differ from type 2: a study of 114 surgically treated European patients. <i>Pancreatology</i> , 2012 , 12, 276-83 Primary retroperitoneal acinar cell cystadenoma. <i>Human Pathology</i> , 2012 , 43, 446-50 Recommendations for the nomenclature of IgG4-related disease and its individual organ system manifestations. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3061-7 Deregulation of miR-100, miR-99a and miR-199b in tissues and plasma coexists with increased | 4·4 3·8 3·7 | 65 13 473 |
| 123 122 121 120 | Invasive mucinous cystic neoplasms of the pancreas. <i>Experimental and Molecular Pathology</i> , 2012 , 93, 345-9 Clinical features and relapse rates after surgery in type 1 autoimmune pancreatitis differ from type 2: a study of 114 surgically treated European patients. <i>Pancreatology</i> , 2012 , 12, 276-83 Primary retroperitoneal acinar cell cystadenoma. <i>Human Pathology</i> , 2012 , 43, 446-50 Recommendations for the nomenclature of IgG4-related disease and its individual organ system manifestations. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3061-7 Deregulation of miR-100, miR-99a and miR-199b in tissues and plasma coexists with increased expression of mTOR kinase in endometrioid endometrial carcinoma. <i>BMC Cancer</i> , 2012 , 12, 369 Schaumann bodies in Crohn® disease: a case report and review of the literature. <i>Journal of Crohnls</i> | 4.4 3.8 3.7 | 65 13 473 90 |

| 115 | Consensus statement on the pathology of IgG4-related disease. <i>Modern Pathology</i> , 2012 , 25, 1181-92 | 9.8 | 1715 |
|-----|--|-------|------|
| 114 | FGFR-1 amplification in metastatic lymph-nodal and haematogenous lobular breast carcinoma. Journal of Experimental and Clinical Cancer Research, 2012, 31, 103 | 12.8 | 31 |
| 113 | Ridge augmentation with mineralized block allografts: clinical and histological evaluation of 8 cases treated with the 3-dimensional block technique. <i>Implant Dentistry</i> , 2012 , 21, 444-8 | 2.4 | 25 |
| 112 | Clinicopathological characteristics and molecular analyses of multifocal intraductal papillary mucinous neoplasms of the pancreas. <i>Annals of Surgery</i> , 2012 , 255, 326-33 | 7.8 | 99 |
| 111 | Ductal Adenocarcinoma of the Pancreas. Surgical Pathology Clinics, 2011, 4, 487-521 | 3.9 | 5 |
| 110 | Carcinoma of the exocrine pancreas: the histology report. <i>Digestive and Liver Disease</i> , 2011 , 43 Suppl 4, S282-92 | 3.3 | 17 |
| 109 | Autoimmune pancreatitis (AIP) type 1 and type 2: an international consensus study on histopathologic diagnostic criteria. <i>Pancreas</i> , 2011 , 40, 1172-9 | 2.6 | 110 |
| 108 | Comparison of hormonal receptor and HER-2 status between breast primary tumours and relapsing tumours: clinical implications of progesterone receptor loss. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011 , 459, 1-10 | 5.1 | 49 |
| 107 | Mucinous cystic neoplasms of the liver: a clinicopathological study and comparison with intraductal papillary neoplasms of the bile duct. <i>Modern Pathology</i> , 2011 , 24, 1079-89 | 9.8 | 110 |
| 106 | Deposition of complement C3c, immunoglobulin (Ig)G4 and IgG at the basement membrane of pancreatic ducts and acini in autoimmune pancreatitis. <i>Histopathology</i> , 2010 , 57, 825-35 | 7:3 | 51 |
| 105 | International network of cancer genome projects. <i>Nature</i> , 2010 , 464, 993-8 | 50.4 | 1613 |
| 104 | Autoantibodies against the exocrine pancreas in autoimmune pancreatitis: gene and protein expression profiling and immunoassays identify pancreatic enzymes as a major target of the inflammatory process. <i>American Journal of Gastroenterology</i> , 2010 , 105, 2060-71 | 0.7 | 96 |
| 103 | Exocrine and endocrine pancreatic function in 21 patients suffering from autoimmune pancreatitis before and after steroid treatment. <i>Pancreatology</i> , 2010 , 10, 129-33 | 3.8 | 28 |
| 102 | Familial pancreatic cancer in Italy. Risk assessment, screening programs and clinical approach: a position paper from the Italian Registry. <i>Digestive and Liver Disease</i> , 2010 , 42, 597-605 | 3.3 | 33 |
| 101 | Italian consensus guidelines for chronic pancreatitis. <i>Digestive and Liver Disease</i> , 2010 , 42 Suppl 6, S381 | -4906 | 100 |
| 100 | Preferential expression of MUC6 in oncocytic and pancreatobiliary types of intraductal papillary neoplasms highlights a pyloropancreatic pathway, distinct from the intestinal pathway, in pancreatic carcinogenesis. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 364-70 | 6.7 | 302 |
| 99 | Autoimmune pancreatitis: the clinicopathological characteristics of the subtype with granulocytic epithelial lesions. <i>Journal of Gastroenterology</i> , 2010 , 45, 787-93 | 6.9 | 96 |
| 98 | Autoimmune pancreatitis: differences between the focal and diffuse forms in 87 patients. <i>American Journal of Gastroenterology</i> , 2009 , 104, 2288-94 | 0.7 | 188 |

| 97 | "Paraduodenal" pancreatitis: results of surgery on 58 consecutives patients from a single institution. <i>World Journal of Surgery</i> , 2009 , 33, 2664-9 | 3.3 | 75 |
|----|---|------------------|-----|
| 96 | Pancreatic cancer. Special issueinsights and controversies in pancreatic pathology. <i>Archives of Pathology and Laboratory Medicine</i> , 2009 , 133, 347-9 | 5 | 7 |
| 95 | Nonneoplastic mimickers of pancreatic neoplasms. <i>Archives of Pathology and Laboratory Medicine</i> , 2009 , 133, 439-53 | 5 | 39 |
| 94 | Pathology of Chronic Pancreatitis. <i>Medical Radiology</i> , 2009 , 231-259 | 0.2 | |
| 93 | Mucinous cystic neoplasm of the pancreas is not an aggressive entity: lessons from 163 resected patients. <i>Annals of Surgery</i> , 2008 , 247, 571-9 | 7.8 | 337 |
| 92 | PEComas: the past, the present and the future. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 119-32 | 5.1 | 373 |
| 91 | Autoimmune pancreatitis: histo- and immunopathological features. <i>Journal of Gastroenterology</i> , 2007 , 42 Suppl 18, 28-31 | 6.9 | 62 |
| 90 | Adenocarcinoma of the ampulla of Vater: T-stage, chromosome 17p allelic loss, and extended pancreaticoduodenectomy are relevant prognostic factors. <i>Journal of Gastrointestinal Surgery</i> , 2007 , 11, 578-88 | 3.3 | 14 |
| 89 | Perivascular epithelioid cell tumor (PEComa) in the genitourinary tract. <i>Advances in Anatomic Pathology</i> , 2007 , 14, 36-41 | 5.1 | 48 |
| 88 | Autoimmune pancreatitis: frequency, IgG4 expression, and clonality of T and B cells. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 521-8 | 6.7 | 114 |
| 87 | Intraductal and papillary variants of acinar cell carcinomas: a new addition to the challenging differential diagnosis of intraductal neoplasms. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 363-7 | o ^{6.7} | 102 |
| 86 | Intraductal papillary mucinous neoplasms and chronic pancreatitis. <i>Pancreatology</i> , 2006 , 6, 626-34 | 3.8 | 40 |
| 85 | Lipid-rich variant of pancreatic endocrine neoplasms. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 194-200 | 6.7 | 56 |
| 84 | Histopathological diagnosis of pancreatic intraepithelial neoplasia and intraductal papillary-mucinous neoplasms: interobserver agreement. <i>Pancreas</i> , 2005 , 31, 344-9 | 2.6 | 78 |
| 83 | Mucinous cystic carcinoma of the pancreas: a unique cell line and xenograft model of a preinvasive lesion. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005 , 446, 239-45 | 5.1 | 17 |
| 82 | Histopathological features of diagnostic and clinical relevance in autoimmune pancreatitis: a study on 53 resection specimens and 9 biopsy specimens. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004 , 445, 552-63 | 5.1 | 508 |
| 81 | Allelotype of ampulla of Vater cancer: highly frequent involvement of chromosome 11. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004 , 130, 339-45 | 4.9 | 4 |
| 80 | Paraduodenal pancreatitis: a clinico-pathologically distinct entity unifying "cystic dystrophy of heterotopic pancreas", "para-duodenal wall cyst", and "groove pancreatitis". <i>Seminars in Diagnostic Pathology</i> , 2004 , 21, 247-54 | 4.3 | 155 |

(2000-2004)

| 79 | CDX-2 homeobox gene product expression in neuroendocrine tumors: its role as a marker of intestinal neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1169-76 | 6.7 | 87 |
|----|---|--------------|-----|
| 78 | Autoimmune pancreatitis: pathological, clinical, and immunological features. <i>Pancreas</i> , 2003 , 27, 14-9 | 2.6 | 168 |
| 77 | SEL1L expression in pancreatic adenocarcinoma parallels SMAD4 expression and delays tumor growth in vitro and in vivo. <i>Oncogene</i> , 2003 , 22, 6359-68 | 9.2 | 32 |
| 76 | Genetic abnormalities in pancreatic cancer. <i>Molecular Cancer</i> , 2003 , 2, 7 | 42.1 | 56 |
| 75 | Sex chromosome anomalies in pancreatic endocrine tumors. <i>International Journal of Cancer</i> , 2002 , 98, 532-8 | 7.5 | 50 |
| 74 | Results of pancreaticoduodenectomy for pancreatic cancer: extended versus standard procedure. <i>World Journal of Surgery</i> , 2002 , 26, 1309-14 | 3.3 | 32 |
| 73 | Dpc4 is expressed in virtually all primary and metastatic pancreatic endocrine carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002 , 440, 155-159 | 5.1 | 12 |
| 72 | Ampulla of vater cancers: T-stage and histological subtype but not Dpc4 expression predict prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002 , 441, 19-24 | 5.1 | 11 |
| 71 | Acinar cell cystadenoma of the pancreas: a new entity?. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 698-704 | 6.7 | 88 |
| 70 | Absence of mutations in the transforming growth factor-beta inducible early gene 1, TIEG1, in pancreatic cancer. <i>Cancer Letters</i> , 2002 , 183, 179-83 | 9.9 | 10 |
| 69 | Clinicopathological features and treatment of intraductal papillary mucinous tumour of the pancreas. <i>British Journal of Surgery</i> , 2001 , 88, 376-81 | 5.3 | 138 |
| 68 | Successful xenografting of cryopreserved primary pancreatic cancers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001 , 438, 154-8 | 5.1 | 33 |
| 67 | Role of disease-causing genes in sporadic pancreatic endocrine tumors: MEN1 and VHL. <i>Genes Chromosomes and Cancer</i> , 2001 , 32, 177-81 | 5 | 77 |
| 66 | Parvalbumin is constantly expressed in chromophobe renal carcinoma. <i>Modern Pathology</i> , 2001 , 14, 760 | -3 .8 | 86 |
| 65 | Pancreatic tumours: molecular pathways implicated in ductal cancer are involved in ampullary but not in exocrine nonductal or endocrine tumorigenesis. <i>British Journal of Cancer</i> , 2001 , 84, 253-62 | 8.7 | 150 |
| 64 | Molecular characterization of pancreatic serous microcystic adenomas: evidence for a tumor suppressor gene on chromosome 10q. <i>American Journal of Pathology</i> , 2001 , 158, 317-21 | 5.8 | 89 |
| 63 | The immunohistochemical mucin expression pattern distinguishes different types of intraductal papillary mucinous neoplasms of the pancreas and determines their relationship to mucinous noncystic carcinoma and ductal adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 942-8 | 6.7 8 | 232 |
| 62 | Renal angiomyolipoma with epithelioid sarcomatous transformation and metastases: demonstration of the same genetic defects in the primary and metastatic lesions. <i>American Journal of Surgical Pathology</i> , 2000 , 24, 889-94 | 6.7 | 104 |

| 61 | Alcohol, smoking and papillomavirus infection as risk factors for esophageal squamous-cell papilloma and esophageal squamous-cell carcinoma in Italy. <i>International Journal of Cancer</i> , 2000 , 86, 874-8 | 7.5 | 59 |
|----|--|---------------|-----|
| 60 | Allelotype of pancreatic acinar cell carcinoma. <i>International Journal of Cancer</i> , 2000 , 88, 772-7 | 7.5 | 54 |
| 59 | A novel germline mutation, P48T, in the CDKN2A/p16 gene in a patient with pancreatic carcinoma. <i>Human Mutation</i> , 2000 , 16, 447-8 | 4.7 | 11 |
| 58 | Pancreatic acinar carcinoma shows a distinct pattern of chromosomal imbalances by comparative genomic hybridization. <i>Genes Chromosomes and Cancer</i> , 2000 , 28, 294-9 | 5 | 25 |
| 57 | Intraductal papillary mucinous tumors of the pancreas. Verona University Pancreatic Team. <i>International Journal of Gastrointestinal Cancer</i> , 2000 , 27, 181-93 | | 22 |
| 56 | Cancer of the ampulla of Vater: chromosome 17p allelic loss is associated with poor prognosis. <i>Gut</i> , 2000 , 46, 842-8 | 19.2 | 34 |
| 55 | Genomic anomalies in pancreatic tumors other than common adenocarcinoma. <i>Annals of the New York Academy of Sciences</i> , 1999 , 880, 179-90 | 6.5 | 1 |
| 54 | Recommendation for the examination of pancreaticoduodenectomy specimens removed from patients with carcinoma of the exocrine pancreas. A proposal for a standardized pathological staging of pancreaticoduodenectomy specimens including a checklist. <i>Digestive Surgery</i> , 1999 , 16, 291-6 | 2.5 5 | 49 |
| 53 | Mucinous cystic tumors of the pancreas: clinicopathological features, prognosis, and relationship to other mucinous cystic tumors. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 410-22 | 6.7 | 560 |
| 52 | Pancreatic endocrine tumours: evidence for a tumour suppressor pathogenesis and for a tumour suppressor gene on chromosome 17p. <i>Journal of Pathology</i> , 1998 , 186, 41-50 | 9.4 | 57 |
| 51 | Ranitidine bismuth citrate with either clarithromycin 1 g/day or 1.5 g/day is equally effective in the eradication of H. pylori and healing of duodenal ulcer. <i>Alimentary Pharmacology and Therapeutics</i> , 1998 , 12, 63-8 | 6.1 | 5 |
| 50 | Surgical treatment of pancreatic metastases from renal cell carcinomas. <i>Digestive Surgery</i> , 1998 , 15, 24 | 1 -£ 5 | 30 |
| 49 | Carcinomalike monotypic epithelioid angiomyolipoma in patients without evidence of tuberous sclerosis: a clinicopathologic and genetic study. <i>American Journal of Surgical Pathology</i> , 1998 , 22, 663-77 | <u>6</u> .7 | 148 |
| 48 | The Perivascular Epithelioid Cell and Related Lesions. <i>Advances in Anatomic Pathology</i> , 1997 , 4, 343-358 | 5.1 | 126 |
| 47 | Antral mucosal Helicobacter pylori infection density as a risk factor of duodenal ulcer. <i>Digestion</i> , 1997 , 58, 211-7 | 3.6 | 12 |
| 46 | High-affinity monomeric 67-kD laminin receptors and prognosis in pancreatic endocrine tumours. <i>Journal of Pathology,</i> 1997 , 183, 62-9 | 9.4 | 47 |
| 45 | Endocrine tumors of the pancreas: Ki-67 immunoreactivity on paraffin sections is an independent predictor for malignancy: a comparative study with proliferating-cell nuclear antigen and progesterone receptor protein immunostaining, mitotic index, and other clinicopathologic | 3.7 | 225 |
| 44 | variables. <i>Human Pathology</i> , 1996 , 27, 1124-34 Proliferation Markers and Their Uses in the Study of Endocrine Tumors. <i>Endocrine Pathology</i> , 1996 , 7, 103-119 | 4.2 | 19 |

| 43 | Lymphoepithelial cyst of the pancreas. Report of two cases and review of the literature. <i>International Journal of Gastrointestinal Cancer</i> , 1996 , 19, 71-6 | | 6 |
|----|--|-----|-----|
| 42 | APC gene mutations and allelic losses in sporadic ampullary tumours: evidence of genetic difference from tumours associated with familial adenomatous polyposis. <i>International Journal of Cancer</i> , 1996 , 68, 305-12 | 7.5 | 44 |
| 41 | Carcinoma-like signet-ring cells in gastric mucosa-associated lymphoid tissue (MALT) lymphoma. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 588-98 | 6.7 | 34 |
| 40 | Clear cell "sugar" tumor of the pancreas. A novel member of the family of lesions characterized by the presence of perivascular epithelioid cells. <i>American Journal of Surgical Pathology</i> , 1996 , 20, 722-30 | 6.7 | 296 |
| 39 | Perivascular epithelioid cell. American Journal of Surgical Pathology, 1996, 20, 1149-53 | 6.7 | 107 |
| 38 | Prospective study of the detection and treatment of small tumors of the head of the pancreas. Journal of Hepato-Biliary-Pancreatic Surgery, 1995 , 2, 347-351 | | 3 |
| 37 | Papillary cystic neoplasm of the pancreas: Radiological findings. <i>Abdominal Imaging</i> , 1995 , 20, 554-558 | | 20 |
| 36 | Cancer of the Papilla of Vater: Preoperative Cryostatic Examination of Endoscopic Biopsies to Reduce Risk and Save Time and Money. <i>Digestive Surgery</i> , 1995 , 12, 256-258 | 2.5 | |
| 35 | Delayed separation of an appendix-containing umbilical stump. <i>Journal of Pediatric Surgery</i> , 1995 , 30, 1717-8 | 2.6 | 12 |
| 34 | Routine application of polymerase chain reaction in the diagnosis of monoclonality of B-cell lymphoid proliferations. <i>Diagnostic Molecular Pathology</i> , 1995 , 4, 14-24 | | 101 |
| 33 | Authors Reply. American Journal of Surgical Pathology, 1995, 19, 242 | 6.7 | 2 |
| 32 | Solid and cystic papillary neoplasm of the pancreas: a clinico-cytopathologic and immunocytochemical study of five new cases diagnosed by fine-needle aspiration cytology and a review of the literature. <i>Diagnostic Cytopathology</i> , 1995 , 13, 233-46 | 1.4 | 49 |
| 31 | Brain metastases from post-radiation malignant peripheral nerve sheath tumour. <i>Italian Journal of Neurological Sciences</i> , 1995 , 16, 495-8 | | 15 |
| 30 | Intraductal papillary-mucinous tumours represent a distinct group of pancreatic neoplasms: an investigation of tumour cell differentiation and K-ras, p53 and c-erbB-2 abnormalities in 26 patients. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, | 5.1 | 269 |
| 29 | Breast solitary schwannoma: fine-needle aspiration biopsy and immunocytochemical analysis. <i>Diagnostic Cytopathology</i> , 1994 , 10, 221-3 | 1.4 | 22 |
| 28 | Pancreatic cancer in Europe: Ki-ras gene mutation pattern shows geographical differences. <i>International Journal of Cancer</i> , 1994 , 57, 167-71 | 7.5 | 70 |
| 27 | ras-family gene mutations in neoplasia of the ampulla of Vater. <i>International Journal of Cancer</i> , 1994 , 59, 39-42 | 7·5 | 52 |
| 26 | Extracellular matrix of small round cell tumors of childhood: an immunohistochemical study of 67 cases. <i>Pediatric Pathology</i> , 1994 , 14, 111-25 | | 6 |

| 25 | Preoperative diagnosis of renal angiomyolipoma: fine needle aspiration cytology and immunocytochemical characterization. <i>Pathology</i> , 1994 , 26, 170-5 | 1.6 | 24 |
|----|---|------|-----|
| 24 | Transbronchial biopsy in lymphangiomyomatosis of the lung. HMB45 for diagnosis. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 1092-102 | 6.7 | 171 |
| 23 | Basic fibroblast growth factor in human pheochromocytoma: a biochemical and immunohistochemical study. <i>International Journal of Cancer</i> , 1993 , 53, 5-10 | 7·5 | 27 |
| 22 | Dermoid cyst of the head of the pancreas area. <i>International Journal of Gastrointestinal Cancer</i> , 1993 , 14, 269-73 | | 14 |
| 21 | Expression of progesterone receptors in solid-cystic tumour of the pancreas: a clinicopathological and immunohistochemical study of ten cases. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1993 , 423, 425-31 | | 73 |
| 20 | Immunodetection of proliferating cell nuclear antigen assesses the growth fraction and predicts malignancy in endocrine tumors of the pancreas. <i>American Journal of Surgical Pathology</i> , 1992 , 16, 1215 | 5-23 | 71 |
| 19 | Cystic islet cell tumors of the pancreas. A clinico-pathological report of two nonfunctioning cases and review of the literature. <i>International Journal of Gastrointestinal Cancer</i> , 1992 , 11, 199-208 | | 39 |
| 18 | Progesterone receptor immunoreactivity in pancreatic endocrine tumors. An immunocytochemical study of 156 neuroendocrine tumors of the pancreas, gastrointestinal and respiratory tracts, and skin. <i>Cancer</i> , 1992 , 70, 2268-77 | 6.4 | 78 |
| 17 | False-positive immunostaining of normal epithelia and carcinomas with ascites fluid preparations of antimelanoma monoclonal antibody HMB45. <i>American Journal of Clinical Pathology</i> , 1991 , 95, 454-9 | 1.9 | 54 |
| 16 | Gastric carcinoids and their precursor lesions. A histologic and immunohistochemical study of 23 cases. <i>Cancer</i> , 1991 , 67, 663-72 | 6.4 | 134 |
| 15 | Cellular heterogeneity in lymphangiomyomatosis of the lung. <i>Human Pathology</i> , 1991 , 22, 727-8 | 3.7 | 67 |
| 14 | Melanocyte-marker-HMB-45 is regularly expressed in angiomyolipoma of the kidney. <i>Pathology</i> , 1991 , 23, 185-8 | 1.6 | 185 |
| 13 | Expression and gene rearrangement of the T-cell receptor in human thymomas. <i>Vigiliae Christianae</i> , 1990 , 58, 235-9 | 0.2 | 3 |
| 12 | Small-cell neuroendocrine carcinoma of the ampullary region. A clinicopathologic, immunohistochemical, and ultrastructural study of three cases. <i>American Journal of Surgical Pathology</i> , 1990 , 14, 703-13 | 6.7 | 57 |
| 11 | Peripheral giant cell granuloma: evidence for osteoclastic differentiation. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1990 , 70, 471-5 | | 39 |
| 10 | Pancreaticoduodenal graft in the rat: an original microsurgical technique. <i>European Surgical Research</i> , 1989 , 21, 162-7 | 1.1 | 8 |
| 9 | T-cell-rich B-cell lymphoma. American Journal of Surgical Pathology, 1989, 13, 335-7 | 6.7 | 27 |
| 8 | Breast carcinoma with positive results for melanoma marker (HMB-45). HMB-45 immunoreactivity in normal and neoplastic breast. <i>American Journal of Clinical Pathology</i> , 1989 , 92, 491-5 | 1.9 | 59 |

LIST OF PUBLICATIONS

| 7 | Signet ring melanoma, S-100 negative. American Journal of Surgical Pathology, 1989, 13, 522-3 | 6.7 | 39 |
|---|--|-----|----|
| 6 | Distribution of melanoma specific antibody (HMB-45) in benign and malignant melanocytic tumours. An immunohistochemical study on paraffin sections. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1988 , 413, 17-24 | | 78 |
| 5 | Avoiding the problem of melanin pigment. American Journal of Clinical Pathology, 1988, 90, 521-2 | 1.9 | 1 |
| 4 | Mediastinal large-cell lymphoma with sclerosis. Genotypic analysis establishes its B nature. <i>Virchows Archiv A, Pathological Anatomy and Histopathology,</i> 1987 , 412, 17-21 | | 41 |
| 3 | A distinctive cutaneous malignant neoplasm expressing the Langerhans cell phenotype. Synchronous occurrence with B-chronic lymphocytic leukemia. <i>Cancer</i> , 1985 , 55, 2417-25 | 6.4 | 46 |
| 2 | Epithelial membrane antigen expression in cholangiocarcinoma. An useful immunohistochemical tool for differential diagnosis with hepatocarcinoma. <i>Virchows Archiv A, Pathological Anatomy and Histology</i> , 1983 , 401, 307-13 | | 25 |
| 1 | Squamous papillomas of the esophagus. <i>Gastrointestinal Endoscopy</i> , 1983 , 29, 104-6 | 5.2 | 28 |