

Peter Garvin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1162832/peter-garvin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

255
citations

8
h-index

15
g-index

19
ext. papers

281
ext. citations

3.9
avg, IF

3.2
L-index

#	Paper	IF	Citations
19	Pentraxin-3 detected in human saliva shows limited correlation with biomarkers associated with systemic inflammation. <i>Apmis</i> , 2021 , 129, 304-313	3.4	2
18	Mindfulness-Based Stress Reduction for Coronary Artery Disease Patients: Potential Improvements in Mastery and Depressive Symptoms. <i>Journal of Clinical Psychology in Medical Settings</i> , 2021 , 1	2	1
17	Measuring psychosocial factors in health surveys using fewer items. <i>Health Psychology Open</i> , 2020 , 7, 2055102920975983	1.9	1
16	Pronounced Diurnal Pattern of Salivary C-Reactive Protein (CRP) With Modest Associations to Circulating CRP Levels. <i>Frontiers in Immunology</i> , 2020 , 11, 607166	8.4	3
15	Outpatient comprehensive geriatric assessment: effects on frailty and mortality in old people with multimorbidity and high health care utilization. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 519-525	4.8	29
14	A journey through chaos and calmness: experiences of mindfulness training in patients with depressive symptoms after a recent coronary event - a qualitative diary content analysis. <i>BMC Psychology</i> , 2018 , 6, 46	2.8	4
13	Inverted items and validity: A psychobiological evaluation of two measures of psychological resources and one depression scale. <i>Health Psychology Open</i> , 2018 , 5, 2055102918755045	1.9	
12	Patients requests and needs for culturally and individually adapted supportive care in type 2 diabetes patients: A comparative study between Nordic and non-Nordic patients in a social economical vulnerable area of Linköping, Sweden. <i>Primary Care Diabetes</i> , 2017 , 11, 522-528	2.4	2
11	The joint subclinical elevation of CRP and IL-6 is associated with lower health-related quality of life in comparison with no elevation or elevation of only one of the biomarkers. <i>Quality of Life Research</i> , 2016 , 25, 213-21	3.7	17
10	Psychological Resources Are Independently Associated with Markers of Inflammation in a Middle-Aged Community Sample. <i>International Journal of Behavioral Medicine</i> , 2016 , 23, 611-20	2.6	13
9	Psychological resources are associated with reduced incidence of coronary heart disease. An 8-year follow-up of a community-based Swedish sample. <i>International Journal of Behavioral Medicine</i> , 2015 , 22, 77-84	2.6	33
8	Plasma Matrix Metalloproteinase-9 Levels Predict First-Time Coronary Heart Disease: An 8-Year Follow-Up of a Community-Based Middle Aged Population. <i>PLoS ONE</i> , 2015 , 10, e0138290	3.7	22
7	Exploring trends in and determinants of educational inequalities in self-rated health. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 677-86	3	28
6	Provitamin A carotenoids are independently associated with matrix metalloproteinase-9 in plasma samples from a general population. <i>Journal of Internal Medicine</i> , 2012 , no-no	10.8	7
5	Socioeconomic differences in outpatient healthcare utilisation are mainly seen for musculoskeletal problems in groups with poor self-rated health. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 805-12	3	5
4	Plasma levels of matrix metalloproteinase-9 are independently associated with psychosocial factors in a middle-aged normal population. <i>Psychosomatic Medicine</i> , 2009 , 71, 292-300	3.7	33
3	Parish classification or dwelling coordinate for exposure assessment in environmental epidemiology - a comparative study using Geographical Information System. <i>Science of the Total Environment</i> , 2008 , 405, 324-9	10.2	

- | | | | |
|---|---|-----|----|
| 2 | Circulating matrix metalloproteinase-9 is associated with cardiovascular risk factors in a middle-aged normal population. <i>PLoS ONE</i> , 2008 , 3, e1774 | 3-7 | 52 |
| 1 | Pooling ambulatory saliva cortisol samples over consecutive days - as reliable as arithmetic means. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008 , 68, 508-12 | 2 | 3 |