

Takashi Deguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11636821/publications.pdf>

Version: 2024-02-01

135
papers

5,022
citations

81889

39
h-index

106340

65
g-index

150
all docs

150
docs citations

150
times ranked

5067
citing authors

#	ARTICLE	IF	CITATIONS
1	Emergence and evolution of antimicrobial resistance genes and mutations in <i>Neisseria gonorrhoeae</i> . <i>Genome Medicine</i> , 2021, 13, 51.	8.2	25
2	A real-time PCR assay for detecting a <i>penA</i> mutation associated with ceftriaxone resistance in <i>Neisseria gonorrhoeae</i> . <i>Journal of Global Antimicrobial Resistance</i> , 2019, 19, 46-49.	2.2	8
3	Optimal dose of sunitinib for long-term treatment in Japanese patients with renal cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 84, 987-992.	2.3	2
4	Infectious human adenoviruses are shed in urine even after disappearance of urethral symptoms. <i>PLoS ONE</i> , 2019, 14, e0212434.	2.5	15
5	Urinary exosome as a potential biomarker for urinary tract infection. <i>Cellular Microbiology</i> , 2019, 21, e13020.	2.1	26
6	Etiological role of human papillomavirus infection in the development of penile cancer. <i>International Journal of Infectious Diseases</i> , 2019, 78, 148-154.	3.3	17
7	Macrolide and fluoroquinolone resistance is uncommon in clinical strains of <i>Chlamydia trachomatis</i> . <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 610-614.	1.7	14
8	Haemophilus <i>quinteni</i> in the urethra of men complaining of urethritis symptoms. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 71-74.	1.7	8
9	Evaluation of the Microbiological Efficacy of a Single 2-Gram Dose of Extended-Release Azithromycin by Population Pharmacokinetics and Simulation in Japanese Patients with Gonococcal Urethritis. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	15
10	<i>GyrA</i> and/or <i>ParC</i> alterations of <i>Haemophilus influenzae</i> strains isolated from the urethra of men with acute urethritis. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 232-235.	1.7	9
11	Genomic surveillance of <i>Neisseria gonorrhoeae</i> to investigate the distribution and evolution of antimicrobial-resistance determinants and lineages. <i>Microbial Genomics</i> , 2018, 4, .	2.0	47
12	Surveillance of the prevalence of macrolide and/or fluoroquinolone resistance-associated mutations in <i>Mycoplasma genitalium</i> in Japan. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 861-867.	1.7	35
13	Influence of lifestyle choices on risks of <i>CYP1B1</i> polymorphisms for prostate cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 4676-4687.	3.6	4
14	Clinical courses of herpes simplex virus-induced urethritis in men. <i>Journal of Infection and Chemotherapy</i> , 2017, 23, 717-719.	1.7	6
15	Gamma-glutamyltransferase activity in exosomes as a potential marker for prostate cancer. <i>BMC Cancer</i> , 2017, 17, 316.	2.6	75
16	<i>Haemophilus influenzae</i> Isolated From Men With Acute Urethritis: Its Pathogenic Roles, Responses to Antimicrobial Chemotherapies, and Antimicrobial Susceptibilities. <i>Sexually Transmitted Diseases</i> , 2017, 44, 205-210.	1.7	21
17	Emergence of <i>Mycoplasma genitalium</i> with clinically significant fluoroquinolone resistance conferred by amino acid changes both in <i>GyrA</i> and <i>ParC</i> in Japan. <i>Journal of Infection and Chemotherapy</i> , 2017, 23, 648-650.	1.7	37
18	Effect of a Bicyclic Pyrimidine Derivative (KRP-103), a Novel Selective Tachykinin NK1 Receptor Antagonist, on Bladder Function in Guinea Pigs. <i>Drug Research</i> , 2017, 67, 302-307.	1.7	2

#	ARTICLE	IF	CITATIONS
19	Exosomes expressing carbonic anhydrase 9 promote angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2017, 492, 356-361.	2.1	83
20	Antimicrobial susceptibility of <i>Haemophilus influenzae</i> strains isolated from the urethra of men with acute urethritis and/or epididymitis. <i>Journal of Infection and Chemotherapy</i> , 2017, 23, 804-807.	1.7	23
21	Proposed treatment strategies for non-gonococcal urethritis. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 1121-1122.	9.1	6
22	New Clinical Strain of <i>Neisseria gonorrhoeae</i> with Decreased Susceptibility to Ceftriaxone, Japan. <i>Emerging Infectious Diseases</i> , 2016, 22, 142-144.	4.3	61
23	Postoperative infectious complications in patients undergoing holmium laser enucleation of the prostate: Risk factors and microbiological analysis. <i>International Journal of Urology</i> , 2016, 23, 791-796.	1.0	14
24	Novel <i>penA</i> mutations identified in <i>Neisseria gonorrhoeae</i> with decreased susceptibility to ceftriaxone isolated between 2000 and 2014 in Japan. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2466-2470.	3.0	18
25	Remarkable increase of <i>Neisseria gonorrhoeae</i> with decreased susceptibility of azithromycin and increase in the failure of azithromycin therapy in male gonococcal urethritis in Sendai in 2015. <i>Journal of Infection and Chemotherapy</i> , 2016, 22, 841-843.	1.7	22
26	Male non-gonococcal urethritis: From microbiological etiologies to demographic and clinical features. <i>International Journal of Urology</i> , 2016, 23, 325-331.	1.0	61
27	Microbiological efficacy and tolerability of a single-dose regimen of 1 g of ceftriaxone in men with gonococcal urethritis. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2559-2562.	3.0	14
28	Multidrug-Resistant <i>Mycoplasma genitalium</i> Is Increasing: Table 1.. <i>Clinical Infectious Diseases</i> , 2016, 62, 405-406.	5.8	23
29	miR-130a activates apoptotic signaling through activation of caspase-8 in taxane-resistant prostate cancer cells. <i>Prostate</i> , 2015, 75, 1568-1578.	2.3	38
30	Japanese nationwide surveillance in 2011 of antibacterial susceptibility patterns of clinical isolates from complicated urinary tract infection cases. <i>Journal of Infection and Chemotherapy</i> , 2015, 21, 623-633.	1.7	24
31	ALK Gene Translocation in Inflammatory Myofibroblastic Tumor of the Urinary Bladder: A Case Report. <i>Urology Case Reports</i> , 2015, 3, 138-140.	0.3	4
32	Bacterial loads of <i>Ureaplasma parvum</i> contribute to the development of inflammatory responses in the male urethra. <i>International Journal of STD and AIDS</i> , 2015, 26, 1035-1039.	1.1	17
33	Serum exosomal P-glycoprotein is a potential marker to diagnose docetaxel resistance and select a taxoid for patients with prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 385.e15-385.e20.	1.6	87
34	Effect of urinary excretion on the bladder tissue distribution of fluoroquinolones in rats. <i>Journal of Infection and Chemotherapy</i> , 2015, 21, 290-295.	1.7	2
35	Re: Adrian Pilatz, Hamid Hossain, Rolf Kaiser, et al. Acute Epididymitis Revisited: Impact of Molecular Diagnostics on Etiology and Contemporary Guideline Recommendations. <i>Eur Urol</i> 2015;68:428-35. <i>European Urology</i> , 2015, 68, e59-e60.	1.9	1
36	Atazanavir-Induced Urine Crystals Demonstrated by Infrared Spectroscopic Analysis. <i>Urologia Internationalis</i> , 2015, 94, 121-124.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Drug Resistance-Associated Mutations in <i>Mycoplasma genitalium</i> in Female Sex Workers, Japan. <i>Emerging Infectious Diseases</i> , 2015, 21, 1062-1064.	4.3	34
38	Sitafloxacin: Antimicrobial activity against ciprofloxacin-selected laboratory mutants of <i>Mycoplasma genitalium</i> and inhibitory activity against its DNA gyrase and topoisomerase IV. <i>Journal of Infection and Chemotherapy</i> , 2015, 21, 74-75.	1.7	11
39	Genome-wide association study identified SNP on 15q24 associated with bladder cancer risk in Japanese population. <i>Human Molecular Genetics</i> , 2015, 24, 1177-1184.	2.9	38
40	A single 2 g oral dose of extended-release azithromycin for treatment of gonococcal urethritis. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 3116-3118.	3.0	22
41	Decreased susceptibility to cephalosporins among gonococci?. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 185-186.	9.1	0
42	Occurrence of infection following prostate biopsy procedures in Japan. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 232-237.	1.7	28
43	Usefulness of quantifying leukocytes in first-voided urine to predict positivity for <i>Chlamydia trachomatis</i> in asymptomatic men at high risk for chlamydial infection. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 748-751.	1.7	6
44	Antimicrobial stewardship in urology. <i>International Journal of Urology</i> , 2014, 21, 628-629.	1.0	6
45	Remarkable increase in fluoroquinolone-resistant <i>Mycoplasma genitalium</i> in Japan. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2376-2382.	3.0	93
46	Prevalence of genital mycoplasmas in asymptomatic male partners of women diagnosed as having chlamydial infections. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 143-145.	1.7	1
47	Clinical effectiveness and safety of tazobactam/piperacillin 4.5 g for the prevention of febrile infectious complication after prostate biopsy. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 631-634.	1.7	13
48	Prediction of the persistence of <i>Mycoplasma genitalium</i> after antimicrobial chemotherapy by quantification of leukocytes in first-void urine from patients with non-gonococcal urethritis. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 298-302.	1.7	8
49	Isolation of prostate cancer-related exosomes. <i>Anticancer Research</i> , 2014, 34, 3419-23.	1.1	90
50	CCR1/CCL5 interaction promotes invasion of taxane-resistant PC3 prostate cancer cells by increasing secretion of MMPs 2/9 and by activating ERK and Rac signaling. <i>Cytokine</i> , 2013, 64, 251-257.	3.2	77
51	Contribution of Topoisomerase IV Mutation to Quinolone Resistance in <i>Mycoplasma genitalium</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1772-1776.	3.2	34
52	Prevalence and morbidity of urethral <i>Trichomonas vaginalis</i> in Japanese men with or without urethritis. <i>Sexually Transmitted Infections</i> , 2013, 89, 528-530.	1.9	11
53	Analysis of the quinolone-resistance determining region of the <i>gyrA</i> gene and the analogous region of the <i>parC</i> gene in <i>Ureaplasma parvum</i> and <i>Ureaplasma urealyticum</i> detected in first-void urine of men with non-gonococcal urethritis. <i>Journal of Antimicrobial Chemotherapy</i> , 2013, 68, 480-482.	3.0	7
54	Clinical experience with once-daily tacrolimus in de novo kidney transplant recipients from living donors in Japan: 1-year follow up. <i>Central European Journal of Urology</i> , 2013, 66, 344-9.	0.3	7

#	ARTICLE	IF	CITATIONS
55	Management of Pharyngeal Gonorrhoea Is Crucial To Prevent the Emergence and Spread of Antibiotic-Resistant <i>Neisseria gonorrhoeae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 4039-4040.	3.2	18
56	ETS1 promotes chemoresistance and invasion of paclitaxel-resistant, hormone-refractory PC3 prostate cancer cells by up-regulating MDR1 and MMP9 expression. <i>Biochemical and Biophysical Research Communications</i> , 2012, 417, 966-971.	2.1	46
57	Antimicrobial chemotherapy of <i>Mycoplasma genitalium</i> -positive non-gonococcal urethritis. <i>Expert Review of Anti-Infective Therapy</i> , 2012, 10, 791-803.	4.4	16
58	Clinical and microbiological outcomes in treatment of men with non-gonococcal urethritis with a 100-mg twice-daily dose regimen of sitafloxacin. <i>Journal of Infection and Chemotherapy</i> , 2012, 18, 414-418.	1.7	31
59	Inhibition of cortactin and SIRT1 expression attenuates migration and invasion of prostate cancer DU145 cells. <i>International Journal of Urology</i> , 2012, 19, 71-79.	1.0	36
60	Prevalence of genital mycoplasmas and ureaplasmas in men younger than 40 years of age with acute epididymitis. <i>International Journal of Urology</i> , 2012, 19, 234-238.	1.0	35
61	A new prognostic classification for overall survival in Asian patients with previously untreated metastatic renal cell carcinoma. <i>Cancer Science</i> , 2012, 103, 1695-1700.	3.9	32
62	Selection of <i>Mycoplasma genitalium</i> strains harbouring macrolide resistance-associated 23S rRNA mutations by treatment with a single 1 g dose of azithromycin. <i>Sexually Transmitted Infections</i> , 2011, 87, 412-414.	1.9	62
63	The nationwide study of bacterial pathogens associated with urinary tract infections conducted by the Japanese Society of Chemotherapy. <i>Journal of Infection and Chemotherapy</i> , 2011, 17, 126-138.	1.7	44
64	Evaluation by Monte Carlo simulation of levofloxacin dosing for complicated urinary tract infections caused by <i>Escherichia coli</i> or <i>Pseudomonas aeruginosa</i> . <i>Journal of Infection and Chemotherapy</i> , 2011, 17, 726-730.	1.7	5
65	In vitro activity of azithromycin against <i>Mycoplasma genitalium</i> and its efficacy in the treatment of male <i>Mycoplasma genitalium</i> -positive nongonococcal urethritis. <i>Journal of Infection and Chemotherapy</i> , 2011, 17, 821-824.	1.7	9
66	Pharmacokinetic properties of a once-daily formulation of tacrolimus in patients with renal transplantation. <i>Arzneimittelforschung</i> , 2011, 61, 191-196.	0.4	2
67	Macrolide Resistance-associated 23S rRNA Mutation in <i>Mycoplasma genitalium</i> , Japan. <i>Emerging Infectious Diseases</i> , 2011, 17, 1148-1150.	4.3	48
68	Cisplatin induces production of reactive oxygen species via NADPH oxidase activation in human prostate cancer cells. <i>Free Radical Research</i> , 2011, 45, 1033-1039.	3.3	97
69	MiR-34a attenuates paclitaxel resistance of hormone-refractory prostate cancer PC3 cells through direct and indirect mechanisms. <i>Prostate</i> , 2010, 70, 1501-1512.	2.3	190
70	MiR-148a Attenuates Paclitaxel Resistance of Hormone-refractory, Drug-resistant Prostate Cancer PC3 Cells by Regulating MSK1 Expression. <i>Journal of Biological Chemistry</i> , 2010, 285, 19076-19084.	3.4	173
71	Emergence and Spread of Drug Resistant <i>Neisseria gonorrhoeae</i> . <i>Journal of Urology</i> , 2010, 184, 851-858.	0.4	31
72	Microbiological outcome of complicated urinary tract infections treated with levofloxacin: a pharmacokinetic/pharmacodynamic analysis. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 573-577.	2.5	19

#	ARTICLE	IF	CITATIONS
73	Emergence of clinical strains of <i>Mycoplasma genitalium</i> harbouring alterations in ParC associated with fluoroquinolone resistance. <i>International Journal of Antimicrobial Agents</i> , 2010, 36, 255-258.	2.5	111
74	gyrB and parE mutations in urinary <i>Mycoplasma genitalium</i> DNA from men with non-gonococcal urethritis. <i>International Journal of Antimicrobial Agents</i> , 2010, 36, 477-478.	2.5	15
75	Failure to detect <i>Mycoplasma genitalium</i> in the pharynges of female sex workers in Japan. <i>Journal of Infection and Chemotherapy</i> , 2009, 15, 410-413.	1.7	26
76	Azithromycin treatment for nongonococcal urethritis negative for <i>Chlamydia trachomatis</i> , <i>Mycoplasma genitalium</i> , <i>Mycoplasma hominis</i> , <i>Ureaplasma parvum</i> , and <i>Ureaplasma urealyticum</i> . <i>International Journal of Urology</i> , 2009, 16, 215-216.	1.0	6
77	Acute renal failure due to bilateral ureteral stone impaction in an HIV-positive patient. <i>Urological Research</i> , 2008, 36, 275-277.	1.5	13
78	A role for SIRT1 in cell growth and chemoresistance in prostate cancer PC3 and DU145 cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 373, 423-428.	2.1	160
79	Effects of miR-34a on cell growth and chemoresistance in prostate cancer PC3 cells. <i>Biochemical and Biophysical Research Communications</i> , 2008, 377, 114-119.	2.1	304
80	MRI-based preplanning in low-dose-rate prostate brachytherapy. <i>Radiotherapy and Oncology</i> , 2008, 88, 115-120.	0.6	14
81	Rapid Detection of the Mosaic Structure of the <i>Neisseria gonorrhoeae penA</i> Gene, Which Is Associated with Decreased Susceptibilities to Oral Cephalosporins. <i>Journal of Clinical Microbiology</i> , 2008, 46, 1804-1810.	3.9	42
82	Lack of Nationwide Surveillance of Antimicrobial Resistance of <i>Neisseria gonorrhoeae</i> in Japan. <i>Annals of Internal Medicine</i> , 2008, 149, 363.	3.9	22
83	Quantitative Detection of <i>Ureaplasma parvum</i> (biovar 1) and <i>Ureaplasma urealyticum</i> (biovar 2) in Urine Specimens from Men With and Without Urethritis by Real-Time Polymerase Chain Reaction. <i>Sexually Transmitted Diseases</i> , 2007, 34, 416-419.	1.7	46
84	Possible roles of vinexin ² in growth and paclitaxel sensitivity in human prostate cancer PC-3 cells. <i>Cancer Biology and Therapy</i> , 2007, 6, 1800-1804.	3.4	5
85	The Role of <i>Mycoplasma genitalium</i> and <i>Ureaplasma urealyticum</i> Biovar 2 in Postgonococcal Urethritis. <i>Clinical Infectious Diseases</i> , 2007, 45, 866-871.	5.8	53
86	Decreased affinity of mosaic-structure recombinant penicillin-binding protein 2 for oral cephalosporins in <i>Neisseria gonorrhoeae</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 60, 54-60.	3.0	32
87	Prostate brachytherapy seed migration to the right ventricle: Chest radiographs and CT appearances. <i>European Journal of Radiology Extra</i> , 2007, 61, 91-93.	0.1	9
88	Effect of Edema on Postimplant Dosimetry in Prostate Brachytherapy Using CT/MRI Fusion. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 614-618.	0.8	41
89	System for simultaneous detection of 16 pathogens related to urethritis to diagnose mixed infection. <i>International Journal of Urology</i> , 2007, 14, 39-42.	1.0	7
90	Treatment of men with urethritis negative for <i>Neisseria gonorrhoeae</i> , <i>Chlamydia trachomatis</i> , <i>Mycoplasma genitalium</i> , <i>Mycoplasma hominis</i> , <i>Ureaplasma parvum</i> and <i>Ureaplasma urealyticum</i> . <i>International Journal of Urology</i> , 2007, 14, 422-425.	1.0	9

#	ARTICLE	IF	CITATIONS
91	Phosphorylation by extracellular signal-regulated kinase of a multidomain adaptor protein, vinexin, at synapses. <i>Journal of Neurochemistry</i> , 2007, 100, 545-554.	3.9	23
92	CT-based postimplant dosimetry of prostate brachytherapy: comparison of 1-mm and 5-mm section CT. <i>Radiation Medicine</i> , 2007, 25, 22-26.	0.8	2
93	Comparison of urethral diameters for calculating the urethral dose after permanent prostate brachytherapy. <i>Radiation Medicine</i> , 2007, 25, 329-334.	0.8	3
94	Threat to cefixime treatment for gonorrhoea. <i>Emerging Infectious Diseases</i> , 2007, 13, 1275-7.	4.3	131
95	Importance of the CT/MRI fusion method as a learning tool for CT-based postimplant dosimetry in prostate brachytherapy. <i>Radiotherapy and Oncology</i> , 2006, 81, 303-308.	0.6	17
96	Failure to detect urethral <i>Trichomonas vaginalis</i> in Japanese men with or without urethritis. <i>International Journal of Urology</i> , 2006, 13, 1418-1420.	1.0	7
97	Mutations in the <i>gyrA</i> and <i>parC</i> genes associated with fluoroquinolone resistance in clinical isolates of <i>Citrobacter freundii</i> . <i>FEMS Microbiology Letters</i> , 2006, 154, 409-414.	1.8	17
98	Comparison of MRI-based and CT/MRI fusion-based postimplant dosimetric analysis of prostate brachytherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 597-602.	0.8	56
99	Quantitative detection and phylogeny-based identification of mycoplasmas and ureaplasmas from human immunodeficiency virus type 1-positive patients. <i>Journal of Infection and Chemotherapy</i> , 2006, 12, 25-30.	1.7	6
100	Migration of prostate brachytherapy seeds to the vertebral venous plexus. <i>Brachytherapy</i> , 2006, 5, 127-130.	0.5	27
101	A Comparative Study of Protein Profiling by Proteomic Analysis in Camptothecin-Resistant PC3 and Camptothecin-Sensitive LNCaP Human Prostate Cancer Cells. <i>Urologia Internationalis</i> , 2006, 77, 347-354.	1.3	17
102	Efficacy of 1-day prophylaxis medication with fluoroquinolone for prostate biopsy. <i>World Journal of Urology</i> , 2005, 23, 356-360.	2.2	51
103	Emergence and Spread of <i>Neisseria gonorrhoeae</i> Clinical Isolates Harboring Mosaic-Like Structure of Penicillin-Binding Protein 2 in Central Japan. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 137-143.	3.2	200
104	Cultivation of <i>Neisseria gonorrhoeae</i> in Liquid Media and Determination of Its In Vitro Susceptibilities to Quinolones. <i>Journal of Clinical Microbiology</i> , 2005, 43, 4321-4327.	3.9	25
105	Polymerase Chain Reaction-Based Subtyping of <i>Ureaplasma Parvum</i> and <i>Ureaplasma Urealyticum</i> in First-Pass Urine Samples from Men With or Without Urethritis. <i>Sexually Transmitted Diseases</i> , 2005, 32, 454-457.	1.7	32
106	Detection of <i>Mycoplasma genitalium</i> , <i>Mycoplasma hominis</i> , <i>Ureaplasma parvum</i> (biovar 1) and <i>Ureaplasma urealyticum</i> (biovar 2) in patients with non-gonococcal urethritis using polymerase chain reaction-microtiter plate hybridization. <i>International Journal of Urology</i> , 2004, 11, 750-754.	1.0	64
107	Uncommon occurrence of fluoroquinolone resistance-associated alterations in <i>GyrA</i> and <i>ParC</i> in clinical strains of <i>Chlamydia trachomatis</i> . <i>Journal of Infection and Chemotherapy</i> , 2004, 10, 262-267.	1.7	18
108	Remarkable Increase in Central Japan in 2001-2002 of <i>Neisseria gonorrhoeae</i> Isolates with Decreased Susceptibility to Penicillin, Tetracycline, Oral Cephalosporins, and Fluoroquinolones. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 3185-3187.	3.2	100

#	ARTICLE	IF	CITATIONS
109	Association of <i>Ureaplasma urealyticum</i> (Biovar 2) With Nongonococcal Urethritis. Sexually Transmitted Diseases, 2004, 31, 192-195.	1.7	120
110	Treatment of uncomplicated gonococcal urethritis by double-dosing of 200mg cefixime at a 6-h interval. Journal of Infection and Chemotherapy, 2003, 9, 35-39.	1.7	96
111	Rapid Detection of <i>Mycoplasma genitalium</i> , <i>Mycoplasma hominis</i> , <i>Ureaplasma parvum</i> , and <i>Ureaplasma urealyticum</i> Organisms in Genitourinary Samples by PCR-Microtiter Plate Hybridization Assay. Journal of Clinical Microbiology, 2003, 41, 1850-1855.	3.9	91
112	Longitudinal Quantitative Detection by Real-Time PCR of <i>Mycoplasma genitalium</i> in First-Pass Urine of Men with Recurrent Nongonococcal Urethritis. Journal of Clinical Microbiology, 2002, 40, 3854-3856.	3.9	43
113	Phylogeny-Based Rapid Identification of <i>Mycoplasmas</i> and <i>Ureaplasmas</i> from Urethritis Patients. Journal of Clinical Microbiology, 2002, 40, 105-110.	3.9	77
114	Quantitative Detection of <i>Mycoplasma genitalium</i> from First-Pass Urine of Men with Urethritis and Asymptomatic Men by Real-Time PCR. Journal of Clinical Microbiology, 2002, 40, 1451-1455.	3.9	105
115	MYCOPLASMA GENITALIUM: ANOTHER IMPORTANT PATHOGEN OF NONGONOCOCCAL URETHRITIS. Journal of Urology, 2002, 167, 1210-1217.	0.4	83
116	Rapid detection of quinolone resistance-associated <i>gyrA</i> mutations in <i>Neisseria gonorrhoeae</i> with a LightCycler. Journal of Infection and Chemotherapy, 2002, 8, 145-150.	1.7	25
117	MYCOPLASMA GENITALIUM:. Journal of Urology, 2002, , 1210-1217.	0.4	1
118	Association of <i>Mycoplasma genitalium</i> Persistence in the Urethra With Recurrence of Nongonococcal Urethritis. Sexually Transmitted Diseases, 2001, 28, 472-476.	1.7	58
119	Development of a rapid assay for screening point mutations associated with quinolone resistance in the <i>Pseudomonas aeruginosa</i> <i>parC</i> gene. Journal of Infection and Chemotherapy, 2000, 6, 26-29.	1.7	1
120	IN VITRO SELECTION OF FLUOROQUINOLONE-RESISTANT NEISSERIA GONORRHOEAE HARBORING ALTERATIONS IN DNA GYRASE AND TOPOISOMERASE IV. Journal of Urology, 2000, 164, 847-851.	0.4	10
121	Squamous cell carcinoma of the renal pelvis in a hemodialysis patient with a catheter indwelled in the renal pelvis. A case report.. Nihon Toseki Igakkai Zasshi, 2000, 33, 1045-1048.	0.1	0
122	IN VITRO SELECTION OF FLUOROQUINOLONE-RESISTANT NEISSERIA GONORRHOEAE HARBORING ALTERATIONS IN DNA GYRASE AND TOPOISOMERASE IV. Journal of Urology, 2000, 164, 847-851.	0.4	3
123	DETECTION OF MYCOPLASMA GENITALIUM IN PATIENTS WITH URETHRITIS. Journal of Urology, 1998, 159, 405-407.	0.4	47
124	Alteration in the <i>GyrA</i> Subunit of DNA Gyrase and the <i>ParC</i> Subunit of DNA Topoisomerase IV in Quinolone-Resistant Clinical Isolates of <i>Staphylococcus epidermidis</i> . Antimicrobial Agents and Chemotherapy, 1998, 42, 3293-3295.	3.2	32
125	Alterations in the <i>GyrA</i> Subunit of DNA Gyrase and the <i>ParC</i> Subunit of DNA Topoisomerase IV Associated with Quinolone Resistance in <i>Enterococcus faecalis</i> . Antimicrobial Agents and Chemotherapy, 1998, 42, 433-435.	3.2	71
126	Pyroelectric properties of La-Modified <i>PbTiO3</i> thin films and their applications. Ferroelectrics, 1997, 195, 311-316.	0.6	4

#	ARTICLE	IF	CITATIONS
127	Fluoroquinolone Treatment Failure in Gonorrhea. Sexually Transmitted Diseases, 1997, 24, 247-250.	1.7	39
128	Comparison of in vitro Antimicrobial Activity of AM-1155 with Those of Tosufloxacin and Fleroxacin against Clinical Isolates of <i>Neisseria gonorrhoeae</i> Harboring Quinolone Resistance Alterations in GyrA and ParC. Chemotherapy, 1997, 43, 239-244.	1.6	8
129	Quinolone-Resistant <i>Neisseria gonorrhoeae</i> . Journal of Infection and Chemotherapy, 1997, 3, 73-84.	1.7	11
130	Development and Clinical Application of a Polymerase Chain Reaction-Based Assay for Detecting <i>Bacteroides ureolyticus</i> . Journal of Infection and Chemotherapy, 1997, 3, 150-153.	1.7	2
131	Detection of <i>Ureaplasma urealyticum</i> in urethral swab samples from asymptomatic men and men with urethritis by a polymerase chain reaction-based assay. Journal of Infection and Chemotherapy, 1996, 2, 209-212.	1.7	1
132	Expression of estrogen receptor in diseased human prostate assessed by non-radioactive in situ hybridization and immunohistochemistry. Prostate, 1995, 27, 304-313.	2.3	67
133	Preparation of La-Modified Lead Titanate Thin Films by Rf-Magnetron Sputtering Method and Their Pyroelectric Properties. Japanese Journal of Applied Physics, 1995, 34, L233-L235.	1.5	7
134	Electron microscopic study of acuteretrograde pyelonephritis in mice. Urology, 1990, 35, 423-427.	1.0	9
135	Studies on the Phagocytic function of Urinary Leukocytes. Journal of Urology, 1983, 129, 427-429.	0.4	27