

Erik J Henriksen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11637771/publications.pdf>

Version: 2024-02-01

65
papers

4,719
citations

125106

35
h-index

134545

62
g-index

65
all docs

65
docs citations

65
times ranked

6501
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Oxidative Stress in the Pathogenesis of Insulin Resistance and Type 2 Diabetes. , 2019, , 3-17.		10
2	Undergraduate Physiology Degree Programs in the United States: from Famine to Feast. <i>Physiology</i> , 2015, 30, 254-255.	1.6	4
3	A Radical Concept on Caveolae and Endothelial Dysfunction in Coronary Microvascular Disease in Diabetes. <i>Diabetes</i> , 2014, 63, 1200-1202.	0.3	3
4	The lipid peroxidation end-product and oxidant 4-hydroxynonenal induces insulin resistance in rat slow-twitch skeletal muscle. <i>Archives of Physiology and Biochemistry</i> , 2014, 120, 22-28.	1.0	9
5	Effects of H ₂ O ₂ on Insulin Signaling the Glucose Transport System in Mammalian Skeletal Muscle. <i>Methods in Enzymology</i> , 2013, 528, 269-278.	0.4	26
6	The role of the renin-angiotensin system in the development of insulin resistance in skeletal muscle. <i>Molecular and Cellular Endocrinology</i> , 2013, 378, 15-22.	1.6	70
7	The Novel Angiotensin II Receptor Blocker Azilsartan Medoxomil Ameliorates Insulin Resistance Induced by Chronic Angiotensin II Treatment in Rat Skeletal Muscle. <i>CardioRenal Medicine</i> , 2013, 3, 154-164.	0.7	17
8	Chronic renin inhibition with aliskiren improves glucose tolerance, insulin sensitivity, and skeletal muscle glucose transport activity in obese Zucker rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 302, R137-R142.	0.9	25
9	Contribution of the serine kinase c-Jun N-terminal kinase (JNK) to oxidant-induced insulin resistance in isolated rat skeletal muscle. <i>Archives of Physiology and Biochemistry</i> , 2012, 118, 231-236.	1.0	14
10	ANG-(1-7) reduces ANG II-induced insulin resistance by enhancing Akt phosphorylation via a Mas receptor-dependent mechanism in rat skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2012, 426, 369-373.	1.0	50
11	Critical role of the transient activation of p38 MAPK in the etiology of skeletal muscle insulin resistance induced by low-level in vitro oxidant stress. <i>Biochemical and Biophysical Research Communications</i> , 2011, 405, 439-444.	1.0	37
12	Oxidative stress and the etiology of insulin resistance and type 2 diabetes. <i>Free Radical Biology and Medicine</i> , 2011, 51, 993-999.	1.3	463
13	The Physiology undergraduate major in the University of Arizona College of Medicine: past, present, and future. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2011, 35, 103-109.	0.8	7
14	Dysregulation of Glycogen Synthase Kinase-3 in Skeletal Muscle and the Etiology of Insulin Resistance and Type 2 Diabetes. <i>Current Diabetes Reviews</i> , 2010, 6, 285-293.	0.6	60
15	Direct inhibition by angiotensin II of insulin-dependent glucose transport activity in mammalian skeletal muscle involves a ROS-dependent mechanism. <i>Archives of Physiology and Biochemistry</i> , 2010, 116, 88-95.	1.0	39
16	Chronic endocannabinoid receptor μ 1 antagonism improves metabolic parameters beyond those associated with reduced caloric intake in obese Zucker rats. <i>FASEB Journal</i> , 2010, 24, 783.8.	0.2	0
17	Attenuation of oxidant-induced muscle insulin resistance and p38 MAPK by exercise training. <i>Free Radical Biology and Medicine</i> , 2009, 47, 593-599.	1.3	20
18	Oxidant stress-induced loss of IRS-1 and IRS-2 proteins in rat skeletal muscle: Role of p38 MAPK. <i>Free Radical Biology and Medicine</i> , 2009, 47, 1486-1493.	1.3	104

#	ARTICLE	IF	CITATIONS
19	Metabolic interactions of AGE inhibitor pyridoxamine and antioxidant α -lipoic acid following 22 weeks of treatment in obese Zucker rats. <i>Life Sciences</i> , 2009, 84, 563-568.	2.0	15
20	Interactions of the advanced glycation end product inhibitor pyridoxamine and the antioxidant α -lipoic acid on insulin resistance in the obese Zucker rat. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 1465-1472.	1.5	50
21	Review: Angiotensin-converting enzyme in skeletal muscle: sentinel of blood pressure control and glucose homeostasis. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2008, 9, 75-88.	1.0	51
22	Oxidative stress-induced insulin resistance in rat skeletal muscle: role of glycogen synthase kinase-3. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E615-E621.	1.8	91
23	Roles of insulin signalling and p38 MAPK in the activation by lithium of glucose transport in insulin-resistant rat skeletal muscle. <i>Archives of Physiology and Biochemistry</i> , 2008, 114, 331-339.	1.0	26
24	The high-fat-fed lean Zucker rat: a spontaneous isocaloric model of fat-induced insulin resistance associated with muscle GSK-3 overactivity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 294, R1813-R1821.	0.9	13
25	Improvement of insulin sensitivity by antagonism of the renin-angiotensin system. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 293, R974-R980.	0.9	115
26	Alterations in soleus muscle gene expression associated with a metabolic endpoint following exercise training by lean and obese Zucker rats. <i>Physiological Genomics</i> , 2007, 29, 302-311.	1.0	15
27	Essential role of p38 MAPK for activation of skeletal muscle glucose transport by lithium. <i>Archives of Physiology and Biochemistry</i> , 2007, 113, 221-227.	1.0	20
28	Short-term in vitro inhibition of glycogen synthase kinase 3 potentiates insulin signaling in type I skeletal muscle of Zucker Diabetic Fatty rats. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 931-938.	1.5	25
29	Upregulation of Protein Kinase C α Gene and Protein Expression by Exercise Training in Muscle of Obese Zucker Rats: Correlation with Enhanced Glucose Tolerance. <i>FASEB Journal</i> , 2007, 21, A576.	0.2	0
30	The metabolic syndrome: Role of skeletal muscle metabolism. <i>Annals of Medicine</i> , 2006, 38, 389-402.	1.5	261
31	Exercise training and the antioxidant α -lipoic acid in the treatment of insulin resistance and type 2 diabetes. <i>Free Radical Biology and Medicine</i> , 2006, 40, 3-12.	1.3	123
32	Oxidant stress and skeletal muscle glucose transport: Roles of insulin signaling and p38 MAPK. <i>Free Radical Biology and Medicine</i> , 2006, 41, 818-824.	1.3	62
33	Chronic selective glycogen synthase kinase-3 inhibition enhances glucose disposal and muscle insulin action in prediabetic obese Zucker rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E207-E213.	1.8	36
34	Role of Glycogen Synthase Kinase-3 in Insulin Resistance and Type 2 Diabetes. <i>Current Drug Targets</i> , 2006, 7, 1435-1441.	1.0	159
35	Voluntary exercise training enhances glucose transport but not insulin signaling capacity in muscle of hypertensive TG(mREN2)27 rats. <i>Journal of Applied Physiology</i> , 2005, 99, 357-362.	1.2	9
36	Defective insulin signaling in skeletal muscle of the hypertensive TG(mREN2)27 rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 288, E1074-E1081.	1.8	48

#	ARTICLE	IF	CITATIONS
37	Acute selective glycogen synthase kinase-3 inhibition enhances insulin signaling in prediabetic insulin-resistant rat skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 288, E1188-E1194.	1.8	88
38	Selective angiotensin II receptor antagonism enhances whole-body insulin sensitivity and muscle glucose transport in hypertensive TG(mREN2)27 rats. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 1659-1668.	1.5	38
39	Interactions of exercise training and $\hat{1}\pm$ -lipoic acid on insulin signaling in skeletal muscle of obese Zucker rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 287, E529-E536.	1.8	78
40	Development of whole-body and skeletal muscle insulin resistance after one day of hindlimb suspension. <i>Metabolism: Clinical and Experimental</i> , 2004, 53, 1215-1222.	1.5	35
41	Metabolic Properties of Vasodilating $\hat{1}^2$ Blockers: Management Considerations for Hypertensive Diabetic Patients and Patients With the Metabolic Syndrome. <i>Journal of Clinical Hypertension</i> , 2004, 6, 690-696.	1.0	20
42	Enhanced insulin action on glucose transport and insulin signaling in 7-day unweighted rat soleus muscle. <i>Journal of Applied Physiology</i> , 2004, 97, 63-71.	1.2	18
43	Modulation of metabolic control by angiotensin converting enzyme (ACE) inhibition. <i>Journal of Cellular Physiology</i> , 2003, 196, 171-179.	2.0	115
44	Interactions of conjugated linoleic acid and lipoic acid on insulin action in the obese Zucker rat. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 1167-1174.	1.5	24
45	Modulation of muscle insulin resistance by selective inhibition of GSK-3 in Zucker diabetic fatty rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 284, E892-E900.	1.8	94
46	Selective Glycogen Synthase Kinase 3 Inhibitors Potentiate Insulin Activation of Glucose Transport and Utilization In Vitro and In Vivo. <i>Diabetes</i> , 2003, 52, 588-595.	0.3	467
47	Exercise Training and Antioxidants: Relief from Oxidative Stress and Insulin Resistance. <i>Exercise and Sport Sciences Reviews</i> , 2003, 31, 79-84.	1.6	23
48	Isomer-specific actions of conjugated linoleic acid on muscle glucose transport in the obese Zucker rat. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E98-E105.	1.8	74
49	Invited Review: Effects of acute exercise and exercise training on insulin resistance. <i>Journal of Applied Physiology</i> , 2002, 93, 788-796.	1.2	427
50	Effects of exercise training and antioxidant R-ALA on glucose transport in insulin-sensitive rat skeletal muscle. <i>Journal of Applied Physiology</i> , 2002, 92, 50-58.	1.2	28
51	Selected Contribution: Modulation of insulin resistance and hypertension by voluntary exercise training in the TG(mREN2)27 rat. <i>Journal of Applied Physiology</i> , 2002, 93, 805-812.	1.2	35
52	Interactions of exercise training and lipoic acid on skeletal muscle glucose transport in obese Zucker rats. <i>Journal of Applied Physiology</i> , 2001, 91, 145-153.	1.2	58
53	Selective Angiotensin II Receptor Antagonism Reduces Insulin Resistance in Obese Zucker Rats. <i>Hypertension</i> , 2001, 38, 884-890.	1.3	282
54	Effects of a unique conjugate of $\hat{1}\pm$ -lipoic acid and $\hat{1}^3$ -linolenic acid on insulin action in obese Zucker rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 278, R453-R459.	0.9	23

#	ARTICLE	IF	CITATIONS
55	Effects of exercise training and ACE inhibition on insulin action in rat skeletal muscle. Journal of Applied Physiology, 2000, 89, 687-694.	1.2	23
56	ACE inhibition and glucose transport in insulinresistant muscle: roles of bradykinin and nitric oxide. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1999, 277, R332-R336.	0.9	59
57	Interactions of exercise training and ACE inhibition on insulin action in obese Zucker rats. Journal of Applied Physiology, 1999, 86, 2044-2051.	1.2	47
58	The β_2 -Adrenergic modulator celiprolol reduces insulin resistance in obese zucker rats. Life Sciences, 1999, 64, 2071-2079.	2.0	11
59	Antihypertensive therapy and insulin sensitivity: Do we have to redefine the role of β -blocking agents?. American Journal of Hypertension, 1998, 11, 1258-1265.	1.0	171
60	Interactions of captopril and verapamil on glucose tolerance and insulin action in an animal model of insulin resistance. Metabolism: Clinical and Experimental, 1998, 47, 982-987.	1.5	50
61	Effect of chronic bradykinin administration on insulin action in an animal model of insulin resistance. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1998, 275, R40-R45.	0.9	36
62	Stimulation by α -Lipoic acid of glucose transport activity in skeletal muscle of lean and obese zucker rats. Life Sciences, 1997, 61, 805-812.	2.0	100
63	Antihypertensive Agent Moxonidine Enhances Muscle Glucose Transport in Insulin-Resistant Rats. Hypertension, 1997, 30, 1560-1565.	1.3	22
64	Effects of trandolapril and verapamil on glucose transport in insulin-resistant rat skeletal muscle. Metabolism: Clinical and Experimental, 1996, 45, 535-541.	1.5	67
65	Effects of captopril on glucose transport activity in skeletal muscle of obese Zucker rats. Metabolism: Clinical and Experimental, 1995, 44, 267-272.	1.5	129