
Sanaz Jafari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11649004/publications.pdf Version: 2024-02-01



SANAZ LAFADI

#	Article	IF	CITATIONS
1	Composition and physicochemical properties of calcium silicate based sealers: A review article. Journal of Clinical and Experimental Dentistry, 2017, 9, e1249-e1255.	1.2	60
2	Importance and methodologies of endodontic microleakage studies: A systematic review. Journal of Clinical and Experimental Dentistry, 2017, 9, 0-0.	1.2	34
3	The Effect of Submucosal Injection of Corticosteroids on Pain Perception and Quality of Life after Root Canal Treatment of Teeth with Irreversible Pulpitis: A Randomized Clinical Trial. Journal of Endodontics, 2019, 45, 477-482.	3.1	18
4	In vitro evaluation of the sealing ability of three newly developed root canal sealers: A bacterial microleakage study. Journal of Clinical and Experimental Dentistry, 2016, 8, 0-0.	1.2	13
5	Antibacterial Activity of MTA Fillapex and AH 26 Root Canal Sealers at Different Time Intervals. Iranian Endodontic Journal, 2016, 11, 192-7.	0.8	13
6	Genotoxicity, Bioactivity and Clinical Properties of Calcium Silicate Based Sealers: A Literature Review. Iranian Endodontic Journal, 2017, 12, 407-413.	0.8	11
7	Cytotoxicity Comparison of MTA Fillapex, AH-26 and Apatite Root Canal Sealer at Different Setting Times. Iranian Endodontic Journal, 2017, 12, 162-167.	0.8	10
8	Quantitative analysis of optical coherence tomography angiography metrics in diabetic retinopathy. Therapeutic Advances in Ophthalmology, 2020, 12, 251584141989745.	1.4	7
9	Antifungal Activity of Two Root Canal Sealers against Different Strains of. Iranian Endodontic Journal, 2017, 12, 98-102.	0.8	7
10	Er,Cr:YSGG Laser as a Novel Method for Rebonding Failed Ceramic Brackets. Photomedicine and Laser Surgery, 2016, 34, 483-486.	2.0	6
11	Endodontic microleakage studies: correlation among different methods, clinical relevance, and potential laboratory errors. Minerva Dental and Oral Science, 2017, 66, 169-177.	1.0	5