

# Nikolaus Kriegeskorte

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1165100/publications.pdf>

Version: 2024-02-01

110  
papers

21,411  
citations

44444

50  
h-index

33145

104  
g-index

142  
all docs

142  
docs citations

142  
times ranked

16539  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Face dissimilarity judgments are predicted by representational distance in morphable and image-computable models. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 3.3 | 14        |
| 2  | Distinct fronto-temporal substrates of distributional and taxonomic similarity among words: evidence from RSA of BOLD signals. NeuroImage, 2021, 224, 117408.   | 2.1 | 27        |
| 3  | FFA and OFA Encode Distinct Types of Face Identity Information. Journal of Neuroscience, 2021, 41, 1952-1969.   | 1.7 | 43        |
| 4  | An ecologically motivated image dataset for deep learning yields better models of human vision. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .                   | 3.3 | 67        |
| 5  | Semantic Data Set Construction from Human Clustering and Spatial Arrangement. Computational Linguistics, 2021, 47, 69-116.  | 2.5 | 6         |
| 6  | The representational dynamics of perceived voice emotions evolve from categories to dimensions. Nature Human Behaviour, 2021, 5, 1203-1213.   | 6.2 | 19        |
| 7  | Promises and challenges of human computational ethology. Neuron, 2021, 109, 2224-2238.  | 3.8 | 37        |
| 8  | Comparing representational geometries using whitened unbiased-distance-matrix similarity. Neurons, Behavior, Data Analysis, and Theory, 2021, 5, .  | 1.8 | 20        |
| 9  | Neural tuning and representational geometry. Nature Reviews Neuroscience, 2021, 22, 703-718.  | 4.9 | 80        |
| 10 | Capturing the objects of vision with neural networks. Nature Human Behaviour, 2021, 5, 1127-1144.   | 6.2 | 25        |
| 11 | Recurrent neural networks can explain flexible trading of speed and accuracy in biological vision. PLoS Computational Biology, 2020, 16, e1008215.  | 1.5 | 65        |
| 12 | Individual differences among deep neural network models. Nature Communications, 2020, 11, 5725.   | 5.8 | 62        |
| 13 | The brain produces mind by modeling. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 29299-29301.   | 3.3 | 7         |
| 14 | Rapid event-related, BOLD fMRI, non-human primates (NHP): choose two out of three. Scientific Reports, 2020, 10, 7485.  | 1.6 | 9         |
| 15 | Inferring exemplar discriminability in brain representations. PLoS ONE, 2020, 15, e0232551.   | 1.1 | 27        |
| 16 | Going in circles is the way forward: the role of recurrence in visual inference. Current Opinion in Neurobiology, 2020, 65, 176-193.  | 2.0 | 53        |
| 17 | Controversial stimuli: Pitting neural networks against each other as models of human cognition. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 29330-29337.        | 3.3 | 53        |
| 18 | A unifying framework for understanding neural tuning and representational geometry. Journal of Vision, 2020, 20, 235.   | 0.1 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Peeling the Onion of Brain Representations. Annual Review of Neuroscience, 2019, 42, 407-432.  | 5.0 | 84        |
| 20 | Faces and voices in the brain: A modality-general person-identity representation in superior temporal sulcus. NeuroImage, 2019, 201, 116004.   | 2.1 | 30        |
| 21 | Analysing linear multivariate pattern transformations in neuroimaging data. PLoS ONE, 2019, 14, e0223660.  | 1.1 | 20        |
| 22 | A deep learning framework for neuroscience. Nature Neuroscience, 2019, 22, 1761-1770.  | 7.1 | 563       |
| 23 | Rapid Invariant Encoding of Scene Layout in Human OPA. Neuron, 2019, 103, 161-171.e3.  | 3.8 | 50        |
| 24 | Interpreting encoding and decoding models. Current Opinion in Neurobiology, 2019, 55, 167-179.   | 2.0 | 117       |
| 25 | The spatiotemporal neural dynamics underlying perceived similarity for real-world objects. NeuroImage, 2019, 194, 12-24.   | 2.1 | 48        |
| 26 | Distinct representations of basic taste qualities in human gustatory cortex. Nature Communications, 2019, 10, 1048.  | 5.8 | 56        |
| 27 | Neural network models and deep learning. Current Biology, 2019, 29, R231-R236.   | 1.8 | 276       |
| 28 | Recurrence is required to capture the representational dynamics of the human visual system. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 21854-21863. | 3.3 | 266       |
| 29 | Cognitive Computational Neuroscience: A New Conference for an Emerging Discipline. Trends in Cognitive Sciences, 2018, 22, 365-367.  | 4.0 | 22        |
| 30 | GLMdenoise improves multivariate pattern analysis of fMRI data. NeuroImage, 2018, 183, 606-616.  | 2.1 | 31        |
| 31 | Prospective motion correction improves the sensitivity of fMRI pattern decoding. Human Brain Mapping, 2018, 39, 4018-4031.   | 1.9 | 15        |
| 32 | Cognitive computational neuroscience. Nature Neuroscience, 2018, 21, 1148-1160.  | 7.1 | 266       |
| 33 | Deep convolutional neural networks, features, and categories perform similarly at explaining primate high-level visual representations. , 2018, , .  |     | 10        |
| 34 | Fixed versus mixed RSA: Explaining visual representations by fixed and mixed feature sets from shallow and deep computational models. Journal of Mathematical Psychology, 2017, 76, 184-197.         | 1.0 | 66        |
| 35 | Representational Similarity Mapping of Distributional Semantics in Left Inferior Frontal, Middle Temporal, and Motor Cortex. Cerebral Cortex, 2017, 27, 294-309.                                     | 1.6 | 62        |
| 36 | Best practices in data analysis and sharing in neuroimaging using MRI. Nature Neuroscience, 2017, 20, 299-303.   | 7.1 | 482       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Local opposite orientation preferences in V1: fMRI sensitivity to fine-grained pattern information. <i>Scientific Reports</i> , 2017, 7, 7128.   | 1.6 | 10        |
| 38 | Building machines that adapt and compute like brains. <i>Behavioral and Brain Sciences</i> , 2017, 40, e269.   | 0.4 | 7         |
| 39 | Recurrent Convolutional Neural Networks: A Better Model of Biological Object Recognition. <i>Frontiers in Psychology</i> , 2017, 8, 1551.  | 1.1 | 144       |
| 40 | Deep Convolutional Neural Networks Outperform Feature-Based But Not Categorical Models in Explaining Object Similarity Judgments. <i>Frontiers in Psychology</i> , 2017, 8, 1726.            | 1.1 | 93        |
| 41 | Representational models: A common framework for understanding encoding, pattern-component, and representational-similarity analysis. <i>PLoS Computational Biology</i> , 2017, 13, e1005508. | 1.5 | 231       |
| 42 | Adjudicating between face-coding models with individual-face fMRI responses. <i>PLoS Computational Biology</i> , 2017, 13, e1005604.   | 1.5 | 36        |
| 43 | Categorical selectivity in the visual pathway revealed by fMRI in awake macaques. <i>Journal of Vision</i> , 2017, 17, 231.  | 0.1 | 0         |
| 44 | Representational Distance Learning for Deep Neural Networks. <i>Frontiers in Computational Neuroscience</i> , 2016, 10, 131.   | 1.2 | 30        |
| 45 | Perception and Processing of Faces in the Human Brain Is Tuned to Typical Feature Locations. <i>Journal of Neuroscience</i> , 2016, 36, 9289-9302.   | 1.7 | 58        |
| 46 | Inferring brain-computational mechanisms with models of activity measurements. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20160278.          | 1.8 | 45        |
| 47 | Grid Cells for Conceptual Spaces?. <i>Neuron</i> , 2016, 92, 280-284.  | 3.8 | 7         |
| 48 | Perceptual similarity of visual patterns predicts dynamic neural activation patterns measured with MEG. <i>NeuroImage</i> , 2016, 132, 59-70.  | 2.1 | 85        |
| 49 | Reliability of dissimilarity measures for multi-voxel pattern analysis. <i>NeuroImage</i> , 2016, 137, 188-200.  | 2.1 | 413       |
| 50 | Visual features as stepping stones toward semantics: Explaining object similarity in IT and perception with non-negative least squares. <i>Neuropsychologia</i> , 2016, 83, 201-226.         | 0.7 | 73        |
| 51 | Similarity, not complexity, determines visual working memory performance.. <i>Journal of Experimental Psychology: Learning Memory and Cognition</i> , 2015, 41, 1884-1892.                   | 0.7 | 13        |
| 52 | The brain of the beholder: honouring individual representational idiosyncrasies. <i>Language, Cognition and Neuroscience</i> , 2015, 30, 367-379.  | 0.7 | 21        |
| 53 | Deep Neural Networks: A New Framework for Modeling Biological Vision and Brain Information Processing. <i>Annual Review of Vision Science</i> , 2015, 1, 417-446.                            | 2.3 | 741       |
| 54 | Visual representations are dominated by intrinsic fluctuations correlated between areas. <i>NeuroImage</i> , 2015, 114, 275-286.   | 2.1 | 57        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Retrieval induces adaptive forgetting of competing memories via cortical pattern suppression. <i>Nature Neuroscience</i> , 2015, 18, 582-589.   | 7.1 | 227       |
| 56 | Faciotopy—A face-feature map with face-like topology in the human occipital face area. <i>Cortex</i> , 2015, 72, 156-167.   | 1.1 | 68        |
| 57 | Intersubject information mapping: revealing canonical representations of complex natural stimuli. <i>ScienceOpen Research</i> , 2015, .   | 0.6 | 1         |
| 58 | A Toolbox for Representational Similarity Analysis. <i>PLoS Computational Biology</i> , 2014, 10, e1003553.   | 1.5 | 715       |
| 59 | Reaction Time for Object Categorization Is Predicted by Representational Distance. <i>Journal of Cognitive Neuroscience</i> , 2014, 26, 132-142.  | 1.1 | 72        |
| 60 | Deep Supervised, but Not Unsupervised, Models May Explain IT Cortical Representation. <i>PLoS Computational Biology</i> , 2014, 10, e1003915.   | 1.5 | 908       |
| 61 | The Emergence of Semantic Meaning in the Ventral Temporal Pathway. <i>Journal of Cognitive Neuroscience</i> , 2014, 26, 120-131.  | 1.1 | 81        |
| 62 | What's there, distinctly, when and where?. <i>Nature Neuroscience</i> , 2014, 17, 332-333.  | 7.1 | 5         |
| 63 | Unique semantic space in the brain of each beholder predicts perceived similarity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 14565-14570. | 3.3 | 139       |
| 64 | Population coding of affect across stimuli, modalities and individuals. <i>Nature Neuroscience</i> , 2014, 17, 1114-1122.   | 7.1 | 272       |
| 65 | Representational geometry: integrating cognition, computation, and the brain. <i>Trends in Cognitive Sciences</i> , 2013, 17, 401-412.  | 4.0 | 730       |
| 66 | Abstract Encoding of Auditory Objects in Cortical Activity Patterns. <i>Cerebral Cortex</i> , 2013, 23, 2025-2037.  | 1.6 | 81        |
| 67 | Choosing the Rules: Distinct and Overlapping Frontoparietal Representations of Task Rules for Perceptual Decisions. <i>Journal of Neuroscience</i> , 2013, 33, 11852-11862.                         | 1.7 | 71        |
| 68 | Awake reactivation predicts memory in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 21159-21164.                                      | 3.3 | 181       |
| 69 | Intrinsic Structure of Visual Exemplar and Category Representations in Macaque Brain. <i>Journal of Neuroscience</i> , 2013, 33, 11346-11360.   | 1.7 | 31        |
| 70 | Representational dynamics of object vision: The first 1000 ms. <i>Journal of Vision</i> , 2013, 13, 1-1.  | 0.1 | 261       |
| 71 | Human Object-Similarity Judgments Reflect and Transcend the Primate-IT Object Representation. <i>Frontiers in Psychology</i> , 2013, 4, 128.  | 1.1 | 120       |
| 72 | fMRI orientation decoding in V1 does not require global maps or globally coherent orientation stimuli. <i>Frontiers in Psychology</i> , 2013, 4, 493.   | 1.1 | 65        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Distance-Based Partial Least Squares Analysis. Springer Proceedings in Mathematics and Statistics, 2013, , 131-145.   | 0.1 | 2         |
| 74 | Direction-Sensitive Codes for Observed Head Turns in Human Superior Temporal Sulcus. Cerebral Cortex, 2012, 22, 735-744.  | 1.6 | 31        |
| 75 | Spatiotemporal Searchlight Representational Similarity Analysis in EMEG Source Space. , 2012, , .   |     | 31        |
| 76 | Episodic Reinstatement in the Medial Temporal Lobe. Journal of Neuroscience, 2012, 32, 18150-18156.   | 1.7 | 191       |
| 77 | Categorical, Yet Graded - Single-Image Activation Profiles of Human Category-Selective Cortical Regions. Journal of Neuroscience, 2012, 32, 8649-8662.                    | 1.7 | 59        |
| 78 | Seeing patterns through the hemodynamic veil â€” The future of pattern-information fMRI. NeuroImage, 2012, 62, 1249-1256.   | 2.1 | 31        |
| 79 | Inverse MDS: Inferring Dissimilarity Structure from Multiple Item Arrangements. Frontiers in Psychology, 2012, 3, 245.  | 1.1 | 151       |
| 80 | Open Evaluation: A Vision for Entirely Transparent Post-Publication Peer Review and Rating for Science. Frontiers in Computational Neuroscience, 2012, 6, 79.             | 1.2 | 53        |
| 81 | An emerging consensus for open evaluation: 18 visions for the future of scientific publishing. Frontiers in Computational Neuroscience, 2012, 6, 94.                      | 1.2 | 32        |
| 82 | Auditory motion direction encoding in auditory cortex and high-level visual cortex. Human Brain Mapping, 2012, 33, 969-978.   | 1.9 | 54        |
| 83 | Pattern-information analysis: From stimulus decoding to computational-model testing. NeuroImage, 2011, 56, 411-421.   | 2.1 | 179       |
| 84 | Utilizing temporal information in fMRI decoding: Classifier using kernel regression methods. NeuroImage, 2011, 58, 560-571.   | 2.1 | 26        |
| 85 | A Head View-Invariant Representation of Gaze Direction in Anterior Superior Temporal Sulcus. Current Biology, 2011, 21, 1817-1821.  | 1.8 | 103       |
| 86 | Pattern-information fMRI: New questions which it opens up and challenges which face it. International Journal of Imaging Systems and Technology, 2010, 20, 31-41.         | 2.7 | 40        |
| 87 | Everything You Never Wanted to Know about Circular Analysis, but Were Afraid to Ask. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 1551-1557.                  | 2.4 | 190       |
| 88 | Face-Identity Change Activation Outside the Face System: â€œRelease from Adaptationâ€•May Not Always Indicate Neuronal Selectivity. Cerebral Cortex, 2010, 20, 2027-2042. | 1.6 | 66        |
| 89 | High-Level Visual Object Representations Are Constrained by Position. Cerebral Cortex, 2010, 20, 2916-2925.   | 1.6 | 155       |
| 90 | Comparison of multivariate classifiers and response normalizations for pattern-information fMRI. NeuroImage, 2010, 53, 103-118.   | 2.1 | 419       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Interpreting brain images: reflections on an adolescent field. Trends in Cognitive Sciences, 2010, 14, 475-476.  | 4.0 | 1         |
| 92  | How does an fMRI voxel sample the neuronal activity pattern: Compact-kernel or complex spatiotemporal filter?. NeuroImage, 2010, 49, 1965-1976.  | 2.1 | 168       |
| 93  | Relating population-code representations between man, monkey, and computational models. Frontiers in Neuroscience, 2009, 3, 363-373.   | 1.4 | 72        |
| 94  | Circular analysis in systems neuroscience: the dangers of double dipping. Nature Neuroscience, 2009, 12, 535-540.  | 7.1 | 2,379     |
| 95  | Revealing representational content with pattern-information fMRI—an introductory guide. Social Cognitive and Affective Neuroscience, 2009, 4, 101-109.   | 1.5 | 374       |
| 96  | Artifactual time-course correlations in echo-planar fMRI with implications for studies of brain function. International Journal of Imaging Systems and Technology, 2008, 18, 345-349.          | 2.7 | 19        |
| 97  | Matching Categorical Object Representations in Inferior Temporal Cortex of Man and Monkey. Neuron, 2008, 60, 1126-1141.  | 3.8 | 1,215     |
| 98  | The Arrow of Time: How Does the Brain Represent Natural Temporal Structure?. Journal of Neuroscience, 2008, 28, 7933-7935.   | 1.7 | 0         |
| 99  | Representational similarity analysis — connecting the branches of systems neuroscience. Frontiers in Systems Neuroscience, 2008, 2, 4.   | 1.2 | 2,012     |
| 100 | Individual faces elicit distinct response patterns in human anterior temporal cortex. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20600-20605. | 3.3 | 464       |
| 101 | Neural correlates of trust. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 20084-20089.   | 3.3 | 313       |
| 102 | Analyzing for information, not activation, to exploit high-resolution fMRI. NeuroImage, 2007, 38, 649-662.   | 2.1 | 244       |
| 103 | Combining the tools: Activation- and information-based fMRI analysis. NeuroImage, 2007, 38, 666-668.   | 2.1 | 51        |
| 104 | The neuroscientific exploitation of high-resolution functional magnetic resonance imaging. , 2006, 2006, 21-4.   |     | 1         |
| 105 | Information-based functional brain mapping. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 3863-3868.   | 3.3 | 1,918     |
| 106 | Primary Visual Cortex Activity along the Apparent-Motion Trace Reflects Illusory Perception. PLoS Biology, 2005, 3, e265.  | 2.6 | 196       |
| 107 | Cortical capacity constraints for visual working memory: dissociation of fMRI load effects in a fronto-parietal network. NeuroImage, 2003, 20, 1518-1530.                                      | 2.1 | 292       |
| 108 | Human Cortical Object Recognition from a Visual Motion Flowfield. Journal of Neuroscience, 2003, 23, 1451-1463.  | 1.7 | 53        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Apparent Motion: Event-Related Functional Magnetic Resonance Imaging of Perceptual Switches and States. <i>Journal of Neuroscience</i> , 2002, 22, RC219-RC219. | 1.7 | 102       |
| 110 | An Efficient Algorithm for Topologically Correct Segmentation of the Cortical Sheet in Anatomical MR Volumes. <i>NeuroImage</i> , 2001, 14, 329-346.            | 2.1 | 218       |