
Muhammad Iqbal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11652960/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Flowering time in wheat (Triticum aestivum L.): a key factor for global adaptability. Euphytica, 2014, 197, 1-26.	1.2	168
2	QTLs associated with agronomic traits in the Attila × CDC Go spring wheat population evaluated under conventional management. PLoS ONE, 2017, 12, e0171528.	2.5	68
3	Molecular characterization of vernalization response genes in Canadian spring wheat. Genome, 2007, 50, 511-516.	2.0	57
4	Genetic analysis of flowering and maturity time in high latitude spring wheat. Euphytica, 2007, 154, 207-218.	1.2	55
5	Genetic Improvement in Grain Yield and other Traits of Wheat Grown in Western Canada. Crop Science, 2016, 56, 613-624.	1.8	45
6	QTLs Associated with Agronomic Traits in the Cutler × AC Barrie Spring Wheat Mapping Population Using Single Nucleotide Polymorphic Markers. PLoS ONE, 2016, 11, e0160623.	2.5	36
7	Genetic variation for flowering time and height reducing genes and important traits in western Canadian spring wheat. Euphytica, 2016, 208, 377-390.	1.2	35
8	Mapping QTLs Controlling Agronomic Traits in the â€~Attila' × â€~CDC Go' Spring Wheat Population u Organic Management using 90K SNP Array. Crop Science, 2017, 57, 365-377.	nder 1.8	30
9	Genome-wide association mapping of genomic regions associated with phenotypic traits in Canadian western spring wheat. Molecular Breeding, 2017, 37, 1.	2.1	30
10	Agronomic and physiological aspects of nitrogen use efficiency in conventional and organic cereal-based production systems. Renewable Agriculture and Food Systems, 2018, 33, 443-466.	1.8	26
11	Population Structure and Genomewide Association Analysis of Resistance to Disease and Insensitivity to Ptr Toxins in Canadian Spring Wheat Using 90K SNP Array. Crop Science, 2017, 57, 1522-1539.	1.8	24
12	Physical mapping of QTL associated with agronomic and end-use quality traits in spring wheat under conventional and organic management systems. Theoretical and Applied Genetics, 2021, 134, 3699-3719.	3.6	23
13	The Effect of Vernalization Genes on Earliness and Related Agronomic Traits of Spring Wheat in Northern Growing Regions. Crop Science, 2007, 47, 1031-1039.	1.8	22
14	Mapping of QTLs associated with resistance to common bunt, tan spot, leaf rust, and stripe rust in a spring wheat population. Molecular Breeding, 2017, 37, 1.	2.1	21
15	Earliness per se quantitative trait loci and their interaction with Vrn-B1 locus in a spring wheat population. Molecular Breeding, 2015, 35, 1.	2.1	19
16	Effect of Lr34/Yr18 on agronomic and quality traits in a spring wheat mapping population and implications for breeding. Molecular Breeding, 2016, 36, 1.	2.1	18
17	Allelic variation at the Vrn-A1, Vrn-B1, Vrn-D1, Vrn-B3 and Ppd-D1a loci of Pakistani spring wheat cultivars. Electronic Journal of Biotechnology, 2001, 14, .	2.2	16
18	Mapping genomic regions controlling agronomic traits in spring wheat under conventional and organic managements. Crop Science, 2020, 60, 2038-2052.	1.8	16

Muhammad Iqbal

#	Article	IF	CITATIONS
19	Investigating Genetic Progress and Variation for Nitrogen Use Efficiency in Spring Wheat. Crop Science, 2018, 58, 1542-1557.	1.8	15
20	Mapping QTL Associated with Stripe Rust, Leaf Rust, and Leaf Spotting in a Canadian Spring Wheat Population. Crop Science, 2019, 59, 650-658.	1.8	15
21	Physical Mapping of QTL in Four Spring Wheat Populations under Conventional and Organic Management Systems. I. Earliness. Plants, 2021, 10, 853.	3.5	13
22	Genomic Predictions for Common Bunt, FHB, Stripe Rust, Leaf Rust, and Leaf Spotting Resistance in Spring Wheat. Genes, 2022, 13, 565.	2.4	13
23	Allelic variation and effects of 16 candidate genes on disease resistance in western Canadian spring wheat cultivars. Molecular Breeding, 2017, 37, 1.	2.1	11
24	Genome-based prediction of agronomic traits in spring wheat under conventional and organic management systems. Theoretical and Applied Genetics, 2021, 135, 537.	3.6	10
25	Genetic diversity and selective sweeps in historical and modern Canadian spring wheat cultivars using the 90K SNP array. Scientific Reports, 2021, 11, 23773.	3.3	10
26	Genetic analyses of native Fusarium head blight resistance in two spring wheat populations identifies QTL near the B1, Ppd-D1, Rht-1, Vrn-1, Fhb1, Fhb2, and Fhb5 loci. Theoretical and Applied Genetics, 2020, 133, 2775-2796.	3.6	9
27	Phenotypic performance and associated QTL of â€~Peace' × â€~CDC Stanley' mapping population under conventional and organic management systems. Crop Science, 2021, 61, 3469-3483.	1.8	8
28	Determination of Rust Resistance Gene Complex <i><scp>L</scp>r34/<scp>Y</scp>r18</i> in Spring Wheat and its Effect on Components of Partial Resistance. Journal of Phytopathology, 2012, 160, 628-636.	1.0	5
29	Genomeâ€wide association mapping of agronomic traits and grain characteristics in spring wheat under conventional and organic management systems. Crop Science, 0, , .	1.8	5
30	The performance of spring wheat cultivar mixtures under conventional and organic management in Western Canada. , 2020, 3, e20003.		4
31	Comparison of single-trait and multi-trait genomic predictions on agronomic and disease resistance traits in spring wheat. Theoretical and Applied Genetics, 2022, 135, 2747-2767.	3.6	4
32	There are Different Pathways to Stable Spring Wheat Grain Yield and Nitrogen Utilization Efficiency in Conventional and Organicallyâ€Managed Systems. Agronomy Journal, 2019, 111, 2370-2377.	1.8	3
33	Genomic Prediction Accuracy of Stripe Rust in Six Spring Wheat Populations by Modeling Genotype by Environment Interaction. Plants, 2022, 11, 1736.	3.5	3
34	Genetic Analysis of Yield and Yield Contributing Quantitative Traits in Bread Wheat Under Sodium Chloride Salinity. Journal of Agricultural Science, 2013, 5, .	0.2	2