

Eiji Kawasaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1165392/publications.pdf>

Version: 2024-02-01

36
papers

1,183
citations

623734

14
h-index

377865

34
g-index

41
all docs

41
docs citations

41
times ranked

1019
citing authors

#	ARTICLE	IF	CITATIONS
1	Fulminant Type 1 Diabetes. <i>Diabetes Care</i> , 2003, 26, 2345-2352.	8.6	278
2	Report of the Committee of the Japan Diabetes Society on the Research of Fulminant and Acute-onset Type 1 Diabetes Mellitus: New diagnostic criteria of fulminant type 1 diabetes mellitus (2012). <i>Journal of Diabetes Investigation</i> , 2012, 3, 536-539.	2.4	187
3	Type 1 Diabetes and Autoimmunity. <i>Clinical Pediatric Endocrinology</i> , 2014, 23, 99-105.	0.8	100
4	Diagnostic criteria for acute-onset type 1 diabetes mellitus (2012): Report of the Committee of the Japanese Diabetes Society on the Research of Fulminant and Acute-onset Type 1 Diabetes Mellitus. <i>Journal of Diabetes Investigation</i> , 2014, 5, 115-118.	2.4	82
5	Autoantibodies to Multiple Islet Autoantigens in Patients with Abrupt Onset Type 1 Diabetes and Diabetes Diagnosed with Urinary Glucose Screening. <i>Journal of Autoimmunity</i> , 1999, 13, 257-265.	6.5	52
6	ZnT8 and type 1 diabetes [Review]. <i>Endocrine Journal</i> , 2012, 59, 531-537.	1.6	52
7	Differences in the humoral autoreactivity to zinc transporter 8 between childhood- and adult-onset type 1 diabetes in Japanese patients. <i>Clinical Immunology</i> , 2011, 138, 146-153.	3.2	51
8	Autoantibodies to Insulin, Insulinoma-Associated Antigen-2, and Zinc Transporter 8 Improve the Prediction of Early Insulin Requirement in Adult-Onset Autoimmune Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 707-713.	3.6	48
9	Association of Type 1 Diabetes with Two Loci on 12q13 and 16p13 and the Influence Coexisting Thyroid Autoimmunity in Japanese. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 231-235.	3.6	47
10	Diagnostic criteria for slowly progressive insulin-dependent (type 1) diabetes mellitus (SPIDDM) (2012): report by the Committee on Slowly Progressive Insulin-Dependent (Type 1) Diabetes Mellitus of the Japan Diabetes Society. <i>Diabetology International</i> , 2015, 6, 1-7.	1.4	44
11	Insulin Gene/IDDM2Locus in Japanese Type 1 Diabetes: Contribution of Class I Alleles and Influence of Class I Subdivision in Susceptibility to Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1791-1795.	3.6	31
12	Zinc transporter 8 autoantibodies in fulminant, acute-onset, and slow-onset patients with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2011, 27, 895-898.	4.0	23
13	Report of the Committee of the Japan Diabetes Society on the Research of Fulminant and Acute-onset Type 1 Diabetes Mellitus: New Diagnostic Criteria of Fulminant Type 1 Diabetes Mellitus (2012). <i>Diabetology International</i> , 2012, 3, 179-183.	1.4	20
14	Clinical and Genetic Characteristics of Non-Insulin-Requiring Glutamic Acid Decarboxylase (GAD) Autoantibody-Positive Diabetes: A Nationwide Survey in Japan. <i>PLoS ONE</i> , 2016, 11, e0155643.	2.5	18
15	Discrepancy of glutamic acid decarboxylase ⁶⁵ autoantibody results between RSR radioimmunoassay and enzyme-linked immunosorbent assay in patients with type 1 diabetes is related to autoantibody affinity. <i>Journal of Diabetes Investigation</i> , 2019, 10, 990-996.	2.4	16
16	Diagnostic criteria for acute-onset type 1 diabetes mellitus (2012). <i>Diabetology International</i> , 2013, 4, 221-225.	1.4	13
17	Insulin administration may trigger pancreatic β -cell destruction in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 220-229.	2.8	12
18	Novel enzyme-linked immunosorbent assay for bivalent ZnT8 autoantibodies. <i>Acta Diabetologica</i> , 2014, 51, 429-434.	2.5	10

#	ARTICLE	IF	CITATIONS
19	Efficacy of nutrition therapy for glucose intolerance in Japanese women diagnosed with gestational diabetes based on IADPSG criteria during early gestation. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 400-406.	2.8	10
20	Risk factors for sudden death and cardiac arrest at the onset of fulminant type 1 diabetes mellitus. <i>Diabetology International</i> , 2016, 7, 281-288.	1.4	10
21	Variants in the <i>BACH2</i> and <i>CLEC16A</i> gene might be associated with susceptibility to insulin-triggered type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1447-1453.	2.4	8
22	Statin-induced autoimmune hepatitis in patients with type 1 diabetes: A report of two cases and literature review. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1673-1676.	2.4	8
23	Effect of nutritional counseling and long term isomaltulose based liquid formula (MHN-01) intake on metabolic syndrome. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015, 57, 140-144.	1.4	8
24	Current aspects on the clinical immunology and genetics of autoimmune diabetes in Japan. <i>Diabetes Research and Clinical Practice</i> , 2007, 77, S104-S109.	2.8	7
25	Insulin Administration May Trigger Type 1 Diabetes in Japanese Type 2 Diabetes Patients With Type 1 Diabetes High-Risk HLA Class II and the Insulin Gene VNTR Genotype. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1793-E1797.	3.6	6
26	Zinc transporter 8 autoantibodies complement glutamic acid decarboxylase and insulinoma-associated antigen 2 autoantibodies in the identification and characterization of Japanese type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1181-1187.	2.4	6
27	Different interaction of onset age and duration of type 1 diabetes on the dynamics of autoantibodies to insulinoma-associated antigen 2 and zinc transporter 8. <i>Journal of Diabetes Investigation</i> , 2021, 12, 510-515.	2.4	6
28	Sequential elevation of autoantibodies to thyroglobulin and glutamic acid decarboxylase in type 1 diabetes. <i>World Journal of Diabetes</i> , 2013, 4, 227.	3.5	5
29	Development of type 1 diabetes in a patient treated with anti-interleukin 6 receptor antibody for rheumatoid arthritis. <i>Journal of Diabetes Investigation</i> , 2022, 13, 738-740.	2.4	5
30	Characterization of patients with diabetes who were incidentally found to be glutamic acid decarboxylase antibody positive by bridging enzyme-linked immunosorbent assay. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1507-1510.	2.4	4
31	Humoral Immune Response to Islet Autoantigens in Japanese Patients with Type 1 Diabetes. <i>Annals of the New York Academy of Sciences</i> , 2008, 1150, 248-251.	3.8	3
32	Emergence of anti-islet autoantibodies in Japanese patients with type 1 diabetes. <i>Endocrine Journal</i> , 2010, 57, 623-628.	1.6	3
33	Increased diagnosis of autoimmune childhood-onset Japanese type 1 diabetes using a new glutamic acid decarboxylase antibody enzyme-linked immunosorbent assay kit, compared with a previously used glutamic acid decarboxylase antibody radioimmunoassay kit. <i>Journal of Diabetes Investigation</i> , 2020, 11, 594-602.	2.4	2
34	Recurrent Hypoglycemia Due to a High Titer of Insulin Antibody in Response to Exogenous Insulin Administration in Two Cases of Type 1 Diabetes. <i>Internal Medicine</i> , 2022, 61, 687-695.	0.7	2
35	Combined intervention for the tertiary prevention of type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2016, 7, 300-302.	2.4	1
36	Efficacy of omarigliptin, once-weekly dipeptidyl peptidase-4 inhibitor, in patients with type 2 diabetes. <i>World Journal of Diabetes</i> , 2021, 12, 2087-2095.	3.5	1