

Michael R Hunsaker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11655112/publications.pdf>

Version: 2024-02-01

51
papers

3,000
citations

147801

31
h-index

197818

49
g-index

52
all docs

52
docs citations

52
times ranked

2857
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Hippocampal Subregions in Detecting Spatial Novelty.. Behavioral Neuroscience, 2005, 119, 145-153.	1.2	237
2	The operation of pattern separation and pattern completion processes associated with different attributes or domains of memory. Neuroscience and Biobehavioral Reviews, 2013, 37, 36-58.	6.1	218
3	The role of the dentate gyrus, CA3a,b, and CA3c for detecting spatial and environmental novelty. Hippocampus, 2008, 18, 1064-1073.	1.9	212
4	The interactions and dissociations of the dorsal hippocampus subregions: How the dentate gyrus, CA3, and CA1 process spatial information.. Behavioral Neuroscience, 2008, 122, 16-26.	1.2	172
5	Dissociations across the dorsal-ventral axis of CA3 and CA1 for encoding and retrieval of contextual and auditory-cued fear. Neurobiology of Learning and Memory, 2008, 89, 61-69.	1.9	140
6	The Role of CA1 in the Acquisition of an Object-Trace-Odor Paired Associate Task.. Behavioral Neuroscience, 2005, 119, 781-786.	1.2	112
7	Dissociating the roles of dorsal and ventral CA1 for the temporal processing of spatial locations, visual objects, and odors.. Behavioral Neuroscience, 2008, 122, 643-650.	1.2	112
8	Dissociations of the medial and lateral perforant path projections into dorsal DG, CA3, and CA1 for spatial and nonspatial (visual object) information processing.. Behavioral Neuroscience, 2007, 121, 742-750.	1.2	111
9	Evaluating the differential roles of the dorsal dentate gyrus, dorsal CA3, and dorsal CA1 during a temporal ordering for spatial locations task. Hippocampus, 2008, 18, 955-964.	1.9	111
10	Widespread non-central nervous system organ pathology in fragile X premutation carriers with fragile X-associated tremor/ataxia syndrome and CGG knock-in mice. Acta Neuropathologica, 2011, 122, 467-479.	7.7	102
11	Evaluating the temporal context of episodic memory: The role of CA3 and CA1. Behavioural Brain Research, 2008, 188, 310-315.	2.2	89
12	The CA3 subregion of the hippocampus is critical for episodic memory processing by means of relational encoding in rats.. Behavioral Neuroscience, 2008, 122, 1217-1225.	1.2	89
13	The temporal attributes of episodic memory. Behavioural Brain Research, 2010, 215, 299-309.	2.2	86
14	Effects of ventral and dorsal CA1 subregional lesions on trace fear conditioning. Neurobiology of Learning and Memory, 2006, 86, 72-81.	1.9	82
15	Dissociating the role of the parietal cortex and dorsal hippocampus for spatial information processing.. Behavioral Neuroscience, 2005, 119, 1307-1315.	1.2	77
16	The medial and lateral entorhinal cortex both contribute to contextual and item recognition memory: A test of the binding of items and context model. Hippocampus, 2013, 23, 380-391.	1.9	72
17	Progressive spatial processing deficits in a mouse model of the fragile X premutation.. Behavioral Neuroscience, 2009, 123, 1315-1324.	1.2	71
18	Neuropathologic features in the hippocampus and cerebellum of three older men with fragile X syndrome. Molecular Autism, 2011, 2, 2.	4.9	68

#	ARTICLE	IF	CITATIONS
19	Disconnection analysis of CA3 and DG in mediating encoding but not retrieval in a spatial maze learning task. <i>Learning and Memory</i> , 2006, 13, 458-464.	1.3	64
20	Ubiquitin-positive intranuclear inclusions in neuronal and glial cells in a mouse model of the fragile X premutation. <i>Brain Research</i> , 2010, 1318, 155-166.	2.2	59
21	The role of the dorsal CA1 and ventral CA1 in memory for the temporal order of a sequence of odors. <i>Neurobiology of Learning and Memory</i> , 2010, 93, 111-116.	1.9	57
22	Temporal ordering deficits in female CGG KI mice heterozygous for the fragile X premutation. <i>Behavioural Brain Research</i> , 2010, 213, 263-268.	2.2	54
23	Abnormal dendrite and spine morphology in primary visual cortex in the CGG knock-in mouse model of the fragile X premutation. <i>Epilepsia</i> , 2012, 53, 150-160.	5.1	48
24	The role of the dorsal and ventral hippocampus in olfactory working memory. <i>Neurobiology of Learning and Memory</i> , 2011, 96, 361-366.	1.9	47
25	The role of CA3 and CA1 in the acquisition of an object-trace-place paired-associate task.. <i>Behavioral Neuroscience</i> , 2006, 120, 1252-1256.	1.2	46
26	Motor deficits on a ladder rung task in male and female adolescent and adult CGG knock-in mice. <i>Behavioural Brain Research</i> , 2011, 222, 117-121.	2.2	42
27	Intranuclear inclusions in a fragile X mosaic male. <i>Translational Neurodegeneration</i> , 2013, 2, 10.	8.0	37
28	A double dissociation of subcortical hippocampal efferents for encoding and consolidation/retrieval of spatial information. <i>Hippocampus</i> , 2008, 18, 699-709.	1.9	35
29	A behavioral analysis of the role of CA3 and CA1 subcortical efferents during classical fear conditioning.. <i>Behavioral Neuroscience</i> , 2009, 123, 624-630.	1.2	35
30	Rare Intranuclear Inclusions in the Brains of 3 Older Adult Males With Fragile X Syndrome: Implications for the Spectrum of Fragile X-Associated Disorders. <i>Journal of Neuropathology and Experimental Neurology</i> , 2011, 70, 462-469.	1.7	33
31	Behavioral characterization of a transection of dorsal CA3 subcortical efferents: Comparison with scopolamine and physostigmine infusions into dorsal CA3. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 127-136.	1.9	32
32	CGG trinucleotide repeat length modulates neural plasticity and spatiotemporal processing in a mouse model of the fragile X premutation. <i>Hippocampus</i> , 2012, 22, 2260-2275.	1.9	31
33	Female CGG knock-in mice modeling the fragile X premutation are impaired on a skilled forelimb reaching task. <i>Neurobiology of Learning and Memory</i> , 2012, 97, 229-234.	1.9	30
34	Comprehensive neurocognitive endophenotyping strategies for mouse models of genetic disorders. <i>Progress in Neurobiology</i> , 2012, 96, 220-241.	5.7	24
35	Human topological task adapted for rats: Spatial information processes of the parietal cortex. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 389-394.	1.9	18
36	Evaluation of Metric, Topological, and Temporal Ordering Memory Tasks after Lateral Fluid Percussion Injury. <i>Journal of Neurotrauma</i> , 2013, 30, 292-300.	3.4	18

#	ARTICLE	IF	CITATIONS
37	Role of dCA3 efferents via the fimbria in the acquisition of a delay nonmatch to place task. Hippocampus, 2007, 17, 494-502.	1.9	16
38	Spatiotemporal processing deficits in female CGG KI mice modeling the fragile X premutation. Behavioural Brain Research, 2012, 233, 29-34.	2.2	16
39	Mouse Models of the Fragile X Premutation and the Fragile X Associated Tremor/Ataxia Syndrome. Results and Problems in Cell Differentiation, 2012, 54, 255-269.	0.7	16
40	Astroglial-targeted expression of the fragile X CGG repeat premutation in mice yields RAN translation, motor deficits and possible evidence for cell-to-cell propagation of FXTAS pathology. Acta Neuropathologica Communications, 2019, 7, 27.	5.2	14
41	Distribution and frequency of intranuclear inclusions in female CGG KI mice modeling the fragile X premutation. Brain Research, 2012, 1472, 124-137.	2.2	13
42	The importance of considering all attributes of memory in behavioral endophenotyping of mouse models of genetic disease.. Behavioral Neuroscience, 2012, 126, 371-380.	1.2	11
43	The hippocampi of children with chromosome 22q11.2 deletion syndrome have localized anterior alterations that predict severity of anxiety. Journal of Psychiatry and Neuroscience, 2016, 41, 203-213.	2.4	9
44	A Semi-Automated Pipeline for the Segmentation of Rhesus Macaque Hippocampus: Validation across a Wide Age Range. PLoS ONE, 2014, 9, e89456.	2.5	8
45	Neurocognitive endophenotypes in CGG KI and Fmr1 KO mouse models of Fragile X-Associated disorders: an analysis of the state of the field. F1000Research, 2013, 2, 287.	1.6	8
46	Reduced activity-dependent protein levels in a mouse model of the fragile X premutation. Neurobiology of Learning and Memory, 2014, 109, 160-168.	1.9	7
47	Transecting the dorsal fornix results in novelty detection but not temporal ordering deficits in rats. Behavioural Brain Research, 2009, 201, 192-197.	2.2	6
48	Adaptation of the Arizona Cognitive Task Battery for use with the Ts65Dn mouse model (Mus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 189-206.	0.5	3
49	Chapter 1.5 The attributes of episodic memory processing. Handbook of Behavioral Neuroscience, 2008, , 57-79.	0.7	1
50	Applying the Attribute Model to Develop Behavioral Tasks that Phenocopy Human Clinical Phenotypes Using Mouse Disease Models: An Endophenotyping Approach. , 2016, , 337-366.		1
51	Unpacking Memory Processes. , 2014, , 95-111.		0