

Göran Sandberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11655171/publications.pdf>

Version: 2024-02-01

130
papers

18,642
citations

20817

60
h-index

16650

123
g-index

130
all docs

130
docs citations

130
times ranked

12608
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of Auxin Homeostasis and Gradients in <i>Arabidopsis</i> Roots through the Formation of the Indole-3-Acetic Acid Catabolite 2-Oxindole-3-Acetic Acid. <i>Plant Cell</i> , 2013, 25, 3858-3870.	6.6	131
2	Sequential induction of auxin efflux and influx carriers regulates lateral root emergence. <i>Molecular Systems Biology</i> , 2013, 9, 699.	7.2	104
3	Soluble Carbohydrates Regulate Auxin Biosynthesis via PIF Proteins in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 24, 4907-4916.	6.6	205
4	Reduced Expression of the SHORT-ROOT Gene Increases the Rates of Growth and Development in Hybrid Poplar and <i>Arabidopsis</i> . <i>PLoS ONE</i> , 2011, 6, e28878.	2.5	32
5	SHORT-ROOT Regulates Primary, Lateral, and Adventitious Root Development in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2011, 155, 384-398.	4.8	163
6	Cytokinin Regulation of Auxin Synthesis in <i>Arabidopsis</i> Involves a Homeostatic Feedback Loop Regulated via Auxin and Cytokinin Signal Transduction. <i>Plant Cell</i> , 2010, 22, 2956-2969.	6.6	247
7	Methods of Plant Hormone Analysis. , 2010, , 717-740.		14
8	The <i>Populus</i> Genome Integrative Explorer (PopGenIE): a new resource for exploring the <i>Populus</i> genome. <i>New Phytologist</i> , 2009, 182, 1013-1025.	7.3	208
9	An Auxin Gradient and Maximum in the <i>Arabidopsis</i> Root Apex Shown by High-Resolution Cell-Specific Analysis of IAA Distribution and Synthesis. <i>Plant Cell</i> , 2009, 21, 1659-1668.	6.6	439
10	The auxin influx carrier LAX3 promotes lateral root emergence. <i>Nature Cell Biology</i> , 2008, 10, 946-954.	10.3	715
11	Rapid Synthesis of Auxin via a New Tryptophan-Dependent Pathway Is Required for Shade Avoidance in Plants. <i>Cell</i> , 2008, 133, 164-176.	28.9	928
12	Disruptions in AUX1-Dependent Auxin Influx Alter Hypocotyl Phototropism in <i>Arabidopsis</i> . <i>Molecular Plant</i> , 2008, 1, 129-144.	8.3	53
13	Dissecting the Molecular Basis of the Regulation of Wood Formation by Auxin in Hybrid Aspen. <i>Plant Cell</i> , 2008, 20, 843-855.	6.6	194
14	Ethylene Upregulates Auxin Biosynthesis in <i>Arabidopsis</i> Seedlings to Enhance Inhibition of Root Cell Elongation. <i>Plant Cell</i> , 2007, 19, 2186-2196.	6.6	536
15	Ubiquitin Lysine 63 Chain-Forming Ligases Regulate Apical Dominance in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2007, 19, 1898-1911.	6.6	97
16	A gradient of auxin and auxin-dependent transcription precedes tropic growth responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 236-241.	7.1	210
17	Probing cytokinin homeostasis in <i>Arabidopsis thaliana</i> by constitutively overexpressing two forms of the maize cytokinin oxidase/dehydrogenase 1 gene. <i>Plant Science</i> , 2006, 171, 114-122.	3.6	10
18	STY1 regulates auxin homeostasis and affects apical-basal patterning of the <i>Arabidopsis</i> gynoecium. <i>Plant Journal</i> , 2006, 47, 112-123.	5.7	172

#	ARTICLE	IF	CITATIONS
19	Roles of Arabidopsis ATP/ADP isopentenyltransferases and tRNA isopentenyltransferases in cytokinin biosynthesis. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 16598-16603.	7.1	485
20	Proteomic Analysis of Different Mutant Genotypes of Arabidopsis Led to the Identification of 11 Proteins Correlating with Adventitious Root Development. Plant Physiology, 2006, 140, 349-364.	4.8	104
21	hca: an Arabidopsis mutant exhibiting unusual cambial activity and altered vascular patterning. Plant Journal, 2005, 44, 271-289.	5.7	41
22	Arabidopsis KNOX1 Proteins Activate Cytokinin Biosynthesis. Current Biology, 2005, 15, 1566-1571.	3.9	474
23	Maintenance of Embryonic Auxin Distribution for Apical-Basal Patterning by PIN-FORMED-Dependent Auxin Transport in Arabidopsis. Plant Cell, 2005, 17, 2517-2526.	6.6	135
24	Carbohydrate-Active Enzymes Involved in the Secondary Cell Wall Biogenesis in Hybrid Aspen. Plant Physiology, 2005, 137, 983-997.	4.8	173
25	Auxin and Light Control of Adventitious Rooting in Arabidopsis Require ARGONAUTE1. Plant Cell, 2005, 17, 1343-1359.	6.6	339
26	Sites and Regulation of Auxin Biosynthesis in Arabidopsis Roots. Plant Cell, 2005, 17, 1090-1104.	6.6	466
27	Functional Genomics Approach to Elucidate the Regulation of Vascular Development in Poplar. , 2005, , 49-62.		0
28	A PINOID-Dependent Binary Switch in Apical-Basal PIN Polar Targeting Directs Auxin Efflux. Science, 2004, 306, 862-865.	12.6	703
29	Auxin regulation of cytokinin biosynthesis in Arabidopsis thaliana: A factor of potential importance for auxin-cytokinin-regulated development. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 8039-8044.	7.1	497
30	A High-Resolution Transcript Profile across the Wood-Forming Meristem of Poplar Identifies Potential Regulators of Cambial Stem Cell Identity[W]. Plant Cell, 2004, 16, 2278-2292.	6.6	353
31	A Family of Auxin-Conjugate Hydrolases That Contributes to Free Indole-3-Acetic Acid Levels during Arabidopsis Germination. Plant Physiology, 2004, 135, 978-988.	4.8	220
32	A Populus EST resource for plant functional genomics. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 13951-13956.	7.1	278
33	Versatile Gene-Specific Sequence Tags for Arabidopsis Functional Genomics: Transcript Profiling and Reverse Genetics Applications. Genome Research, 2004, 14, 2176-2189.	5.5	282
34	Derivatization for LC-Electrospray Ionization-MS: A Tool for Improving Reversed-Phase Separation and ESI Responses of Bases, Ribosides, and Intact Nucleotides. Analytical Chemistry, 2004, 76, 2869-2877.	6.5	89
35	A transcriptional timetable of autumn senescence. Genome Biology, 2004, 5, R24.	9.6	226
36	Increased Endogenous Auxin Production in Arabidopsis thaliana Causes Both Earlier Described and Novel Auxin-Related Phenotypes. Journal of Plant Growth Regulation, 2003, 22, 240-252.	5.1	15

#	ARTICLE	IF	CITATIONS
37	Identification of new aromatic cytokinins in <i>Arabidopsis thaliana</i> and <i>Populus alba</i> leaves by LC-(+)ESI-MS and capillary liquid chromatography/frit-fast atom bombardment mass spectrometry. <i>Physiologia Plantarum</i> , 2003, 117, 579-590.	5.2	83
38	Out of the woods: forest biotechnology enters the genomic era. <i>Current Opinion in Biotechnology</i> , 2003, 14, 206-213.	6.6	61
39	Dissecting <i>Arabidopsis</i> lateral root development. <i>Trends in Plant Science</i> , 2003, 8, 165-171.	8.8	618
40	The <i>Arabidopsis</i> AtIPT8/PGA22 Gene Encodes an Isopentenyl Transferase That Is Involved in De Novo Cytokinin Biosynthesis. <i>Plant Physiology</i> , 2003, 131, 167-176.	4.8	119
41	Gravity-regulated differential auxin transport from columella to lateral root cap cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 2987-2991.	7.1	509
42	Functional Genomics of Wood Formation in Hybrid Aspen. , 2003, , 453-454.		0
43	A Genomic Approach to Elucidate Gene Function during Wood Formation. , 2003, , 433-438.		0
44	AUX1 Promotes Lateral Root Formation by Facilitating Indole-3-Acetic Acid Distribution between Sink and Source Tissues in the <i>Arabidopsis</i> Seedling. <i>Plant Cell</i> , 2002, 14, 589-597.	6.6	473
45	Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in <i>Arabidopsis thaliana</i> . , 2002, , 249-272.		13
46	FLOOZY of petunia is a flavin mono-oxygenase-like protein required for the specification of leaf and flower architecture. <i>Genes and Development</i> , 2002, 16, 753-763.	5.9	166
47	AtPIN4 Mediates Sink-Driven Auxin Gradients and Root Patterning in <i>Arabidopsis</i> . <i>Cell</i> , 2002, 108, 661-673.	28.9	763
48	Cell Polarity Signaling in <i>Arabidopsis</i> Involves a BFA-Sensitive Auxin Influx Pathway. <i>Current Biology</i> , 2002, 12, 329-334.	3.9	131
49	Shoot-derived auxin is essential for early lateral root emergence in <i>Arabidopsis</i> seedlings. <i>Plant Journal</i> , 2002, 29, 325-332.	5.7	463
50	The role of auxin-binding protein 1 in the expansion of tobacco leaf cells. <i>Plant Journal</i> , 2002, 28, 607-617.	5.7	112
51	Sites and homeostatic control of auxin biosynthesis in <i>Arabidopsis</i> during vegetative growth. <i>Plant Journal</i> , 2002, 28, 465-474.	5.7	531
52	Environmental and auxin regulation of wood formation involves members of the Aux/IAA gene family in hybrid aspen. <i>Plant Journal</i> , 2002, 31, 675-685.	5.7	119
53	Over-expression of an <i>Arabidopsis</i> gene encoding a glucosyltransferase of indole-3-acetic acid: phenotypic characterisation of transgenic lines. <i>Plant Journal</i> , 2002, 32, 573-583.	5.7	130
54	Title is missing!. <i>Plant Growth Regulation</i> , 2002, 36, 181-189.	3.4	15

#	ARTICLE	IF	CITATIONS
55	Title is missing!. Plant Molecular Biology, 2002, 49, 249-272.	3.9	145
56	Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in Arabidopsis thaliana. Plant Molecular Biology, 2002, 50, 309-332.	3.9	191
57	Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in Arabidopsis thaliana. Plant Molecular Biology, 2002, 49, 249-72.	3.9	70
58	cDNA microarray analysis of small plant tissue samples using a cDNA tag target amplification protocol. Plant Journal, 2001, 25, 585-591.	5.7	61
59	Metabolism of indole-3-acetic acid by orange (Citrus sinensis) flavedo tissue during fruit development. Phytochemistry, 2001, 57, 179-187.	2.9	35
60	Auxin Transport Promotes Arabidopsis Lateral Root Initiation. Plant Cell, 2001, 13, 843-852.	6.6	930
61	bus, a Bushy Arabidopsis CYP79F1 Knockout Mutant with Abolished Synthesis of Short-Chain Aliphatic Glucosinolates. Plant Cell, 2001, 13, 351-367.	6.6	235
62	Localization of the auxin permease AUX1 suggests two functionally distinct hormone transport pathways operate in the Arabidopsis root apex. Genes and Development, 2001, 15, 2648-2653.	5.9	571
63	Control of axillary bud initiation and shoot architecture in Arabidopsis through the SUPERSHOOT gene. Genes and Development, 2001, 15, 1577-1588.	5.9	169
64	Identification and Biochemical Characterization of an Arabidopsis Indole-3-acetic Acid Glucosyltransferase. Journal of Biological Chemistry, 2001, 276, 4350-4356.	3.4	242
65	Quantitative Analysis of Indole-3-Acetic Acid Metabolites in Arabidopsis. Plant Physiology, 2001, 127, 1845-1853.	4.8	184
66	Developmental Regulation of Indole-3-Acetic Acid Turnover in Scots Pine Seedlings. Plant Physiology, 2001, 125, 464-475.	4.8	99
67	Deuterium in vivo labelling of cytokinins in Arabidopsis thaliana analysed by capillary liquid chromatography/frit-fast atom bombardment mass spectrometry. , 2000, 35, 13-22.		17
68	Transgenic tobacco plants co-expressing Agrobacterium iaa and ipt genes have wild-type hormone levels but display both auxin- and cytokinin-overproducing phenotypes. Plant Journal, 2000, 23, 279-284.	5.7	66
69	Activation of CDK-activating kinase is dependent on interaction with H-type cyclins in plants. Plant Journal, 2000, 24, 11-20.	5.7	62
70	The relative importance of tryptophan-dependent and tryptophan-independent biosynthesis of indole-3-acetic acid in tobacco during vegetative growth. Planta, 2000, 211, 715-721.	3.2	46
71	Precolumn derivatization and capillary liquid chromatographic/frit-fast atom bombardment mass spectrometric analysis of cytokinins in Arabidopsis thaliana. , 1998, 33, 892-902.		38
72	Ectopic expression of oat phytochrome A in hybrid aspen changes critical daylength for growth and prevents cold acclimatization. Plant Journal, 1997, 12, 1339-1350.	5.7	264

#	ARTICLE	IF	CITATIONS
73	Stable-isotope labeled metabolites of the phytohormone, indole-3-acetic acid. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1997, 39, 433-440.	1.0	19
74	Expression of two heterologous promoters, <i>Agrobacterium rhizogenes</i> rolC and cauliflower mosaic virus 35S, in the stem of transgenic hybrid aspen plants during the annual cycle of growth and dormancy. <i>Plant Molecular Biology</i> , 1996, 31, 887-895.	3.9	57
75	Identification of glucopyranosyl- β -1,4-glucopyranosyl- β -1-N-oxindole-3-acetyl-N-aspartic acid, a new IAA catabolite, by liquid chromatography/tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 1995, 30, 1007-1017.	1.6	18
76	Separation and identification of cytokinins using combined capillary liquid chromatography/mass spectrometry. <i>Biological Mass Spectrometry</i> , 1993, 22, 201-210.	0.5	14
77	Synthesis of the β -D-glucosyl ester of [carbonyl- ^{13}C]-indole-3-acetic acid. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1993, 33, 933-939.	1.0	11
78	Indole-3-acetic acid homeostasis in transgenic tobacco plants expressing the <i>Agrobacterium rhizogenes</i> rolB gene. <i>Plant Journal</i> , 1993, 3, 681-689.	5.7	89
79	Effect of L-alanine and some other amino acids on thymocyte proliferation in vivo. <i>Immunobiology</i> , 1993, 188, 62-69.	1.9	8
80	Indole-3-acetic acid homeostasis in transgenic tobacco plants expressing the <i>Agrobacterium rhizogenes</i> rolB gene. <i>Plant Journal</i> , 1993, 3, 681-689.	5.7	5
81	Metabolism of Indole-3-Acetic Acid by Pericarp Discs from Immature and Mature Tomato (<i>Lycopersicon</i>) Tj ETQq1 1,0,784314,rgBT /O 4.8 478	4.8	478
82	Analysis of Indole-3-Acetic Acid Metabolites from <i>Dalbergia dolichopetala</i> by High Performance Liquid Chromatography-Mass Spectrometry. <i>Plant Physiology</i> , 1992, 100, 63-68.	4.8	28
83	Transgenic Tobacco Plants Coexpressing the <i>Agrobacterium tumefaciens</i> <i>iaaM</i> and <i>iaaH</i> Genes Display Altered Growth and Indoleacetic Acid Metabolism. <i>Plant Physiology</i> , 1992, 99, 1062-1069.	4.8	132
84	Correlation between the expression of T-DNA IAA biosynthetic genes from developmentally regulated promoters and the distribution of IAA in different organs of transgenic tobacco. <i>Physiologia Plantarum</i> , 1992, 85, 679-688.	5.2	14
85	Spatial pattern of cauliflower mosaic virus 35S promoter-luciferase expression in transgenic hybrid aspen trees monitored by enzymatic assay and non-destructive imaging. <i>Transgenic Research</i> , 1992, 1, 209-220.	2.4	138
86	Liquid chromatography/mass spectrometry of conjugates and oxidative metabolites of indole-3-acetic acid. <i>Biological Mass Spectrometry</i> , 1992, 21, 292-298.	0.5	37
87	Correlation between the expression of T-DNA IAA biosynthetic genes from developmentally regulated promoters and the distribution of IAA in different organs of transgenic tobacco. <i>Physiologia Plantarum</i> , 1992, 85, 679-688.	5.2	3
88	In vivo stimulation of thymocyte proliferation by thymocyte growth peptide (TGP). <i>International Journal of Immunopharmacology</i> , 1991, 13, 649-654.	1.1	3
89	Free and Conjugated Indoleacetic Acid (IAA) Contents in Transgenic Tobacco Plants Expressing the <i>iaaM</i> and <i>iaaH</i> IAA Biosynthesis Genes from <i>Agrobacterium tumefaciens</i> . <i>Plant Physiology</i> , 1991, 95, 480-485.	4.8	64
90	Presence of indole-3-acetic acid in chloroplasts of <i>Nicotiana tabacum</i> and <i>Pinus sylvestris</i> . <i>Planta</i> , 1990, 180, 562-568.	3.2	25

#	ARTICLE	IF	CITATIONS
91	Studies on thymocyte subpopulations in guinea pigs: in vivo differentiation of bromodeoxyuridine labelled cells, with special reference to rosette-forming ability. <i>Immunology Letters</i> , 1989, 21, 249-255.	2.5	4
92	Engineering of monomeric bacterial luciferases by fusion of luxA and luxB genes in <i>Vibrio harveyi</i> . <i>Gene</i> , 1989, 81, 335-347.	2.2	52
93	Effects of growth regulators on germination of picea abies and Pinus sylvestris seeds. <i>Scandinavian Journal of Forest Research</i> , 1988, 3, 83-95.	1.4	3
94	Endogenous Hormones, Germination and Early Seedling Growth of <i>Dalbergia dolichopetala</i> . <i>Journal of Plant Physiology</i> , 1988, 132, 762-765.	3.5	5
95	Application of growth regulators in aqueous media and organic solvents to seeds of <i>Picea abies</i> and <i>Pinus sylvestris</i> . <i>Scandinavian Journal of Forest Research</i> , 1988, 3, 97-105.	1.4	2
96	Analysis of Indole-3-Acetic Acid and Related Indoles in Culture Medium from <i>Azospirillum lipoferum</i> and <i>Azospirillum brasilense</i> . <i>Applied and Environmental Microbiology</i> , 1988, 54, 2833-2837.	3.1	98
97	Detection of abscisic acid, indole-3-acetic acid and indole-3-ethanol in seeds of <i>Dalbergia dolichopetala</i> . <i>Phytochemistry</i> , 1987, 26, 327-328.	2.9	11
98	Levels of endogenous indole-3-acetic acid in the vascular cambium region of <i>Abies balsamea</i> trees during the activity - rest - quiescence transition. <i>Physiologia Plantarum</i> , 1987, 71, 163-170.	5.2	58
99	Dynamics of indole-3-acetic acid and indole-3-ethanol during development and germination of <i>Pinus sylvestris</i> seeds. <i>Physiologia Plantarum</i> , 1987, 71, 411-418.	5.2	29
100	Effects of sodium diethyldithiocarbamate, solvent, temperature and plant extracts on the stability of indoles. <i>Physiologia Plantarum</i> , 1986, 68, 519-522.	5.2	14
101	Indole-3-acetic Acid Content in Buds of Five Willow Genotypes. <i>Journal of Plant Physiology</i> , 1986, 125, 485-489.	3.5	3
102	Purification of indole-3-acetic acid in plant extracts by immunoaffinity chromatography. <i>Phytochemistry</i> , 1986, 25, 295-298.	2.9	27
103	Indole-3-acetic acid and indole-3-ethanol in light-grown <i>Pisum sativum</i> seedlings and their localization in chloroplast fractions. <i>Phytochemistry</i> , 1986, 25, 299-302.	2.9	17
104	Identification of 4-chloroindole-3-acetic acid and indole-3-aldehyde in seeds of <i>Pinus sylvestris</i> . <i>Physiologia Plantarum</i> , 1986, 68, 511-518.	5.2	51
105	Precision and accuracy of radioimmunoassay in the analysis of endogenous 3-indoleacetic acid from needles of scots pine. <i>Phytochemistry</i> , 1985, 24, 1439-1442.	2.9	33
106	Identification and Quantification of Indole-3-methanol in Etiolated Seedlings of Scots Pine (<i>Pinus</i>)	4.8	35
107	Catabolism of indole-3-acetic acid to indole-3-methanol in a crude enzyme extract and in protoplasts from Scots pine (<i>Pinus sylvestris</i>). <i>Physiologia Plantarum</i> , 1985, 64, 438-444.	5.2	14
108	Analysis of 3-indole carboxylic acid in <i>Pinus sylvestris</i> needles. <i>Phytochemistry</i> , 1984, 23, 99-102.	2.9	46

#	ARTICLE	IF	CITATIONS
109	Effects of light on the catabolism of [2-14C]-3-indole acetic acid in protoplasts, a chloroplast-rich fraction, and a crude cytoplasmic preparation from barley (<i>Hordeum vulgare</i> L). <i>Plant, Cell and Environment</i> , 1983, 6, 111-115.	5.7	8
110	Inhibition by xanthine derivatives of adenosine receptor-stimulated cyclic adenosine 3',5'-cyclic monophosphate accumulation in rat and guinea-pig thymocytes. <i>British Journal of Pharmacology</i> , 1983, 80, 639-644.	5.4	32
111	Identification of endogenous N-(3-indoleacetyl)aspartic acid in scots pine (<i>Pinus sylvestris</i> L.) by combined gas chromatography-mass spectrometry, using high-performance liquid chromatography for quantification. <i>Journal of Chromatography A</i> , 1982, 238, 151-156.	3.7	35
112	Biosynthesis of indole-3-acetic acid in protoplasts, chloroplasts and a cytoplasmic fraction from barley (<i>Hordeum vulgare</i> L). <i>Planta</i> , 1982, 156, 541-545.	3.2	24
113	Population variation and diurnal changes in the content of indole-3-acetic acid of pine seedlings (<i>Pinus sylvestris</i> L.) grown in a controlled environment. <i>Physiologia Plantarum</i> , 1982, 54, 375-380.	5.2	10
114	Effects of a short-day treatment on pool size, synthesis, degradation and transport of 3-indole-acetic acid in Scots pine (<i>Pinus sylvestris</i> L.) seedlings. <i>Physiologia Plantarum</i> , 1982, 55, 309-314.	5.2	8
115	Precision and accuracy of indole-3-acetic acid analyses performed with the 2-methylindole- α -pyrone fluorescence assay and with a high performance liquid chromatography technique with spectrofluorimetric detection, exemplified on pine tissue (<i>Pinus sylvestris</i> L). <i>Physiologia Plantarum</i> , 1982, 55, 315-322.	5.2	13
116	Chromatography of acid phytohormones on columns of Sephadex LH-20 and insoluble poly-N-vinylpyrrolidone, and application to the analysis of conifer extracts. <i>Physiologia Plantarum</i> , 1981, 53, 219-224.	5.2	17
117	Identification of 3-indoleacetic acid in <i>Pinus sylvestris</i> L. by gas chromatography-mass spectrometry, and quantitative analysis by ion-pair reversed-phase liquid chromatography with spectrofluorimetric detection. <i>Journal of Chromatography A</i> , 1981, 205, 125-137.	3.7	47
118	Cyclic amp in freshly prepared thymocyte suspensions. evidence for stimulation by endogenous adenosine. <i>Biochemical Pharmacology</i> , 1978, 27, 2675-2682.	4.4	30
119	INFLUENCE OF THYMECTOMY, TRANSFER OF THYMUS AND BONE MARROW CELLS AND TREATMENT WITH THYMOSIN ON THE DEPRESSED SPLENIC RELEASE OF LYMPHOCYTES INTO THE BLOOD AFTER IRRADIATION. <i>Acta Pathologica Et Microbiologica Scandinavica Section A, Pathology</i> , 1975, 83A, 360-368.	0.1	1
120	Effects of Adrenergic α - and β -Receptor Stimulation on the Release of Lymphocytes and Granulocytes from the Spleen. <i>Scandinavian Journal of Haematology</i> , 1973, 11, 275-286.	0.0	51
121	Splenic Blood Flow in the Guinea-Pig Measured with Xenon 133, and Calculation of the Venous Output of Lymphocytes from the Spleen. <i>Acta Physiologica Scandinavica</i> , 1972, 84, 208-216.	2.2	16
122	Release of Lymphocytes from the Spleen in Neonatally Thymectomized Guinea-Pigs. <i>Scandinavian Journal of Haematology</i> , 1972, 9, 52-60.	0.0	1
123	Venous Output of ^3H -Thymidine-Labelled Lymphocytes from the Spleen. <i>Scandinavian Journal of Haematology</i> , 1972, 9, 387-395.	0.0	5
124	RELEASE OF ANTIGEN-BINDING CELLS FROM THE SPLEEN INTO THE BLOOD. <i>Acta Pathologica Et Microbiologica Scandinavica Section A, Pathology</i> , 1972, 80A, 477-486.	0.1	1
125	On the Origin of FoÅKurloff Cells. <i>Scandinavian Journal of Haematology</i> , 1971, 8, 380-391.	0.0	8
126	EFFECT OF PRIMARY IMMUNIZATION WITH SHEEP ERYTHROCYTES ON THE RELEASE OF CELLS FROM THE SPLEEN AND ON PERIPHERAL BLOOD LYMPHOCYTE POPULATION IN YOUNG GUINEA-PIGS. <i>Acta Pathologica Et Microbiologica Scandinavica - Section B Microbiology and Immunology</i> , 1970, 78B, 277-284.	0.0	1

#	ARTICLE	IF	CITATIONS
127	Release of Splenic Cells into the Blood of Guineaâ€Pigs of Different Ages. Scandinavian Journal of Haematology, 1970, 7, 104-111.	0.0	14
128	REGULATION OF OUTPUT OF LYMPHOCYTES FROM THE SPLEEN. Acta Pathologica Et Microbiologica Scandinavica, 1969, 76, 43-51.	0.0	6
129	REGULATION OF OUTPUT OF LYMPHOCYTES FROM THE SPLEEN. Acta Pathologica Et Microbiologica Scandinavica, 1969, 76, 52-60.	0.0	9
130	MIGRATION OF SPLENIC LYMPHOCYTES. Acta Pathologica Et Microbiologica Scandinavica, 1968, 72, 379-384.	0.0	22