

Walter J Paulus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11656046/walter-j-paulus-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

16,505
citations

56
h-index

127
g-index

170
ext. papers

19,699
ext. citations

9.5
avg, IF

6.87
L-index

#	Paper	IF	Citations
151	From Systemic Inflammation to Myocardial Fibrosis: The Heart Failure With Preserved Ejection Fraction Paradigm Revisited. <i>Circulation Research</i> , 2021 , 128, 1451-1467	15.7	23
150	Deliberating the Diagnostic Dilemma of Heart Failure With Preserved Ejection Fraction. <i>Circulation</i> , 2020 , 142, 1770-1780	16.7	11
149	Diagnostic value of echocardiographic markers for diastolic dysfunction and heart failure with preserved ejection fraction. <i>Heart Failure Reviews</i> , 2020 , 1	5	3
148	How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). <i>European Journal of Heart Failure</i> , 2020 , 22, 391-412	12.3	84
147	Risk of bias in studies investigating novel diagnostic biomarkers for heart failure with preserved ejection fraction. A systematic review. <i>European Journal of Heart Failure</i> , 2020 , 22, 1586-1597	12.3	6
146	Enhanced clinical phenotyping by mechanistic bioprofiling in heart failure with preserved ejection fraction: insights from the MEDIA-DHF study (The Metabolic Road to Diastolic Heart Failure). <i>Biomarkers</i> , 2020 , 25, 201-211	2.6	11
145	Unfolding Discoveries in Heart Failure. <i>New England Journal of Medicine</i> , 2020 , 382, 679-682	59.2	28
144	Stratified Treatment of Heart Failure with preserved Ejection Fraction: rationale and design of the STADIA-HFpEF trial. <i>ESC Heart Failure</i> , 2020 , 7, 4478	3.7	7
143	Sex differences in circulating proteins in heart failure with preserved ejection fraction. <i>Biology of Sex Differences</i> , 2020 , 11, 47	9.3	5
142	Alterations in Ventricular Function: Diastolic Heart Failure 2020 , 151-165.e3		
141	How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2019 , 40, 3297-3317	9.5	379
140	Cardiac Microvascular Endothelial Enhancement of Cardiomyocyte Function Is Impaired by Inflammation and Restored by Empagliflozin. <i>JACC Basic To Translational Science</i> , 2019 , 4, 575-591	8.7	71
139	Arterial Remodeling and Dysfunction in the ZSF1 Rat Model of Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2019 , 12, e005596	7.6	13
138	Diastolic dysfunction is initiated by cardiomyocyte impairment ahead of endothelial dysfunction due to increased oxidative stress and inflammation in an experimental prediabetes model. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 137, 119-131	5.8	16
137	Type 2 diabetes mellitus and heart failure: a position statement from the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2018 , 20, 853-872	12.3	264
136	The effect of biological DMARDs on the risk of congestive heart failure in rheumatoid arthritis: a systematic review. <i>Expert Opinion on Biological Therapy</i> , 2018 , 18, 585-594	5.4	15
135	Stretch-induced compliance: a novel adaptive biological mechanism following acute cardiac load. <i>Cardiovascular Research</i> , 2018 , 114, 656-667	9.9	10

134	Multiple common comorbidities produce left ventricular diastolic dysfunction associated with coronary microvascular dysfunction, oxidative stress, and myocardial stiffening. <i>Cardiovascular Research</i> , 2018 , 114, 954-964	9.9	96
133	Distinct Myocardial Targets for Diabetes Therapy in Heart Failure With Preserved or Reduced Ejection Fraction. <i>JACC: Heart Failure</i> , 2018 , 6, 1-7	7.9	51
132	Right heart dysfunction and failure in heart failure with preserved ejection fraction: mechanisms and management. Position statement on behalf of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2018 , 20, 16-37	12.3	137
131	Investigating a biomarker-driven approach to target collagen turnover in diabetic heart failure with preserved ejection fraction patients. Effect of torasemide versus furosemide on serum C-terminal propeptide of procollagen type I (DROP-PIP trial). <i>European Journal of Heart Failure</i> , 2018 , 20, 460-470	12.3	16
130	p47phox-Dependent Reactive Oxygen Species Stimulate Nuclear Translocation of the FoxO1 Transcription Factor During Metabolic Inhibition in Cardiomyoblasts. <i>Cell Biochemistry and Biophysics</i> , 2018 , 76, 401-410	3.2	5
129	Heart failure and diabetes: metabolic alterations and therapeutic interventions: a state-of-the-art review from the Translational Research Committee of the Heart Failure Association-European Society of Cardiology. <i>European Heart Journal</i> , 2018 , 39, 4243-4254	9.5	113
128	Molecular and pathophysiological links between heart failure with preserved ejection fraction and type 2 diabetes mellitus. <i>European Journal of Heart Failure</i> , 2018 , 20, 1649-1652	12.3	6
127	Early-onset preeclampsia predisposes to preclinical diastolic left ventricular dysfunction in the fifth decade of life: An observational study. <i>PLoS ONE</i> , 2018 , 13, e0198908	3.7	22
126	Effects of tDCS on motor learning and memory formation: A consensus and critical position paper. <i>Clinical Neurophysiology</i> , 2017 , 128, 589-603	4.3	166
125	EB Crystallin Reverses High Diastolic Stiffness of Failing Human Cardiomyocytes. <i>Circulation: Heart Failure</i> , 2017 , 10, e003626	7.6	13
124	Effect of early-onset preeclampsia on cardiovascular risk in the fifth decade of life. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 523.e1-523.e7	6.4	72
123	Shared biomarkers between female diastolic heart failure and pre-eclampsia: a systematic review and meta-analysis. <i>ESC Heart Failure</i> , 2017 , 4, 88-98	3.7	33
122	Heart failure with preserved ejection fraction: a nephrologist-directed primer. <i>Heart Failure Reviews</i> , 2017 , 22, 765-773	5	12
121	Phenotype-Specific Treatment of Heart Failure With Preserved Ejection Fraction: A Multiorgan Roadmap. <i>Circulation</i> , 2016 , 134, 73-90	16.7	485
120	Increased local delivery of antagomir therapeutics to the rodent myocardium using ultrasound and microbubbles. <i>Journal of Controlled Release</i> , 2016 , 222, 18-31	11.7	24
119	Ventricular myocarditis coincides with atrial myocarditis in patients. <i>Cardiovascular Pathology</i> , 2016 , 25, 141-8	3.8	23
118	From comorbidities to heart failure with preserved ejection fraction: a story of oxidative stress. <i>Heart</i> , 2016 , 102, 320-30	5.1	17
117	Myocardial Microvascular Inflammatory Endothelial Activation in Heart Failure With Preserved Ejection Fraction. <i>JACC: Heart Failure</i> , 2016 , 4, 312-24	7.9	262

116	MicroRNA 214 Is a Potential Regulator of Thyroid Hormone Levels in the Mouse Heart Following Myocardial Infarction, by Targeting the Thyroid-Hormone-Inactivating Enzyme Deiodinase Type III. <i>Frontiers in Endocrinology</i> , 2016 , 7, 22	5.7	28
115	Connecting heart failure with preserved ejection fraction and renal dysfunction: the role of endothelial dysfunction and inflammation. <i>European Journal of Heart Failure</i> , 2016 , 18, 588-98	12.3	173
114	Circulating ACE2 activity correlates with cardiovascular disease development. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016 , 17,	3	56
113	Myocardial infarction induces atrial inflammation that can be prevented by C1-esterase inhibitor. <i>Journal of Clinical Pathology</i> , 2016 , 69, 1093-1099	3.9	6
112	Distinct Endothelial Cell Responses in the Heart and Kidney Microvasculature Characterize the Progression of Heart Failure With Preserved Ejection Fraction in the Obese ZSF1 Rat With Cardiorenal Metabolic Syndrome. <i>Circulation: Heart Failure</i> , 2016 , 9, e002760	7.6	46
111	Atrial fibrillation coincides with the advanced glycation end product N ^ε (carboxymethyl)lysine in the atrium. <i>American Journal of Pathology</i> , 2015 , 185, 2096-104	5.8	17
110	Clinical diabetic cardiomyopathy: a two-faced disease with restrictive and dilated phenotypes. <i>European Heart Journal</i> , 2015 , 36, 1718-27, 1727a-1727c	9.5	294
109	Phosphodiesterase 9A controls nitric-oxide-independent cGMP and hypertrophic heart disease. <i>Nature</i> , 2015 , 519, 472-6	50.4	208
108	Ultrasound and microbubble-induced local delivery of MicroRNA-based therapeutics. <i>Ultrasound in Medicine and Biology</i> , 2015 , 41, 163-76	3.5	15
107	Pathophysiological rationale and diagnostic targets for diastolic stress testing. <i>Heart</i> , 2015 , 101, 1355-60	3.1	14
106	Low-grade inflammation and endothelial dysfunction explain the association between retinopathy and left ventricular ejection fraction in men: an 8-year follow-up of the Hoorn Study. <i>Journal of Diabetes and Its Complications</i> , 2014 , 28, 819-23	3.2	9
105	Left ventricular diastolic dysfunction and myocardial stiffness in diabetic mice is attenuated by inhibition of dipeptidyl peptidase 4. <i>Cardiovascular Research</i> , 2014 , 104, 423-31	9.9	54
104	New strategies for heart failure with preserved ejection fraction: the importance of targeted therapies for heart failure phenotypes. <i>European Heart Journal</i> , 2014 , 35, 2797-815	9.5	231
103	Clinical Cardiology: Current Practice Guidelines Katritsis Demosthenes G. Gersh Bernard J. Camm A. John, eds. 1171 pages. Oxford, UK: Oxford University Press, 2013. ISBN-10: 0521867126. ISBN-13: 978-0521867122. 230 pages. \$115.00. ISBN: 978-0-19-968528-8. <i>Circulation</i> , 2014 , 129, 1171-1172	16.7	
102	CrossTalk opposing view: the late sodium current is not an important player in the development of diastolic heart failure (heart failure with a preserved ejection fraction). <i>Journal of Physiology</i> , 2014 , 592, 415-7	3.9	5
101	Early NADPH oxidase-2 activation is crucial in phenylephrine-induced hypertrophy of H9c2 cells. <i>Cellular Signalling</i> , 2014 , 26, 1818-24	4.9	16
100	Increased nitrosative/oxidative stress lowers myocardial protein kinase G activity in heart failure with preserved ejection fraction. <i>BMC Pharmacology & Toxicology</i> , 2013 , 14,	2.6	78
99	Biomarkers of heart failure with normal ejection fraction: a systematic review. <i>European Journal of Heart Failure</i> , 2013 , 15, 1350-62	12.3	79

98	B-type natriuretic peptide and prognosis in heart failure patients with preserved and reduced ejection fraction. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 1498-506	15.1	286
97	A novel paradigm for heart failure with preserved ejection fraction: comorbidities drive myocardial dysfunction and remodeling through coronary microvascular endothelial inflammation. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 263-71	15.1	1791
96	Myocardial titin hypophosphorylation importantly contributes to heart failure with preserved ejection fraction in a rat metabolic risk model. <i>Circulation: Heart Failure</i> , 2013 , 6, 1239-49	7.6	183
95	The cGMP signaling pathway as a therapeutic target in heart failure with preserved ejection fraction. <i>Journal of the American Heart Association</i> , 2013 , 2, e000536	6	82
94	Right ventricular diastolic impairment in patients with pulmonary arterial hypertension. <i>Circulation</i> , 2013 , 128, 2016-25, 1-10	16.7	228
93	Myocardial stress and hypertrophy: a complex interface between biophysics and cardiac remodeling. <i>Journal of Clinical Investigation</i> , 2013 , 123, 3701-3	15.9	55
92	A novel electrocardiographic index for the diagnosis of diastolic dysfunction. <i>PLoS ONE</i> , 2013 , 8, e79152	3.7	13
91	Molecular and cellular basis for diastolic dysfunction. <i>Current Heart Failure Reports</i> , 2012 , 9, 293-302	2.8	77
90	NOX5 expression is increased in intramyocardial blood vessels and cardiomyocytes after acute myocardial infarction in humans. <i>American Journal of Pathology</i> , 2012 , 180, 2222-9	5.8	43
89	Independent associations of glucose status and arterial stiffness with left ventricular diastolic dysfunction: an 8-year follow-up of the Hoorn Study. <i>Diabetes Care</i> , 2012 , 35, 1258-64	14.6	19
88	Low myocardial protein kinase G activity in heart failure with preserved ejection fraction. <i>Circulation</i> , 2012 , 126, 830-9	16.7	306
87	Prospective associations of B-type natriuretic peptide with markers of left ventricular function in individuals with and without type 2 diabetes: an 8-year follow-up of the Hoorn Study. <i>Diabetes Care</i> , 2012 , 35, 2510-4	14.6	23
86	Bisoprolol delays progression towards right heart failure in experimental pulmonary hypertension. <i>Circulation: Heart Failure</i> , 2012 , 5, 97-105	7.6	161
85	Cellular Mechanisms for Diastolic Dysfunction in the Human Heart. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 2532-2538	2.6	3
84	Cellular Mechanisms for Diastolic Dysfunction in the Human Heart. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 2532-2538	2.6	9
83	Cellular mechanisms for diastolic dysfunction in the human heart. <i>Current Pharmaceutical Biotechnology</i> , 2012 , 13, 2532-8	2.6	7
82	Heart failure with preserved ejection fraction: pathophysiology, diagnosis, and treatment. <i>European Heart Journal</i> , 2011 , 32, 670-9	9.5	715
81	Distinct mechanisms for diastolic dysfunction in diabetes mellitus and chronic pressure-overload. <i>Basic Research in Cardiology</i> , 2011 , 106, 801-14	11.8	50

80	Treatment of heart failure with normal ejection fraction. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2011 , 13, 26-34	2.1	8
79	Diabetes mellitus worsens diastolic left ventricular dysfunction in aortic stenosis through altered myocardial structure and cardiomyocyte stiffness. <i>Circulation</i> , 2011 , 124, 1151-9	16.7	152
78	Left-ventricular remodeling after myocardial infarction is associated with a cardiomyocyte-specific hypothyroid condition. <i>Endocrinology</i> , 2011 , 152, 669-79	4.8	78
77	Advantages of deformation indices over systolic velocities in assessment of longitudinal systolic function in patients with heart failure and normal ejection fraction. <i>European Journal of Heart Failure</i> , 2011 , 13, 292-302	12.3	42
76	Heart failure and cognitive function in the general population: the Hoorn Study. <i>European Journal of Heart Failure</i> , 2011 , 13, 1362-9	12.3	62
75	NOX2, p22phox and p47phox are targeted to the nuclear pore complex in ischemic cardiomyocytes colocalizing with local reactive oxygen species. <i>Cellular Physiology and Biochemistry</i> , 2011 , 27, 471-8	3.9	16
74	Intravenous clusterin administration reduces myocardial infarct size in rats. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 893-902	4.6	43
73	Peripartum cardiomyopathy as a part of familial dilated cardiomyopathy. <i>Circulation</i> , 2010 , 121, 2169-75	16.7	169
72	The basement membrane of intramyocardial capillaries is thickened in patients with acute myocardial infarction. <i>Journal of Vascular Research</i> , 2010 , 47, 54-60	1.9	10
71	Slightly elevated B-type natriuretic peptide levels in a non-heart failure range indicate a worse left ventricular diastolic function in individuals with, as compared with individuals without, type 2 diabetes: the Hoorn Study. <i>European Journal of Heart Failure</i> , 2010 , 12, 958-65	12.3	20
70	Novel strategies in diastolic heart failure. <i>Heart</i> , 2010 , 96, 1147-53	5.1	16
69	Antioxidant treatment attenuates pulmonary arterial hypertension-induced heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H1038-47	5.2	93
68	Treatment of heart failure with normal ejection fraction: an inconvenient truth!. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 526-37	15.1	196
67	The role of asymmetric dimethylarginine and arginine in the failing heart and its vasculature. <i>European Journal of Heart Failure</i> , 2010 , 12, 1274-81	12.3	50
66	More severe cellular phenotype in human idiopathic dilated cardiomyopathy compared to ischemic heart disease. <i>Journal of Muscle Research and Cell Motility</i> , 2010 , 31, 289-301	3.5	32
65	Ultrasound and microbubble-targeted delivery of macromolecules is regulated by induction of endocytosis and pore formation. <i>Circulation Research</i> , 2009 , 104, 679-87	15.7	327
64	Distinct myocardial effects of beta-blocker therapy in heart failure with normal and reduced left ventricular ejection fraction. <i>European Heart Journal</i> , 2009 , 30, 1863-72	9.5	46
63	Right ventricular pacing improves right heart function in experimental pulmonary arterial hypertension: a study in the isolated heart. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 297, H1752-9	5.2	62

62	Hypophosphorylation of the Stiff N2B titin isoform raises cardiomyocyte resting tension in failing human myocardium. <i>Circulation Research</i> , 2009 , 104, 780-6	15.7	251
61	Is echocardiographic evaluation of diastolic function useful in determining clinical care? Doppler echocardiography yields dubious estimates of left ventricular diastolic pressures. <i>Circulation</i> , 2009 , 120, 810-20; discussion 820	16.7	96
60	Transcriptional and posttranslational modifications of titin: implications for diastole. <i>Circulation Research</i> , 2009 , 104, 12-4	15.7	48
59	Pioglitazone improves cardiac function and alters myocardial substrate metabolism without affecting cardiac triglyceride accumulation and high-energy phosphate metabolism in patients with well-controlled type 2 diabetes mellitus. <i>Circulation</i> , 2009 , 119, 2069-77	16.7	175
58	RhoA-ROCK signaling is involved in contraction-mediated inhibition of SERCA2a expression in cardiomyocytes. <i>Pflugers Archiv European Journal of Physiology</i> , 2009 , 458, 785-93	4.6	19
57	Inhibition of type 2A secretory phospholipase A2 reduces death of cardiomyocytes in acute myocardial infarction. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009 , 14, 753-63	5.4	29
56	The failing diabetic heart: focus on diastolic left ventricular dysfunction. <i>Current Diabetes Reports</i> , 2009 , 9, 79-86	5.6	32
55	Diastolic and systolic heart failure: different stages or distinct phenotypes of the heart failure syndrome?. <i>Current Heart Failure Reports</i> , 2009 , 6, 281-6	2.8	11
54	Aortic stenosis. <i>Lancet, The</i> , 2009 , 373, 956-66	40	506
53	Molecular determinants of heart failure with normal left ventricular ejection fraction. <i>Pharmacological Reports</i> , 2009 , 61, 139-45	3.9	43
52	Myofilament degradation and dysfunction of human cardiomyocytes in Fabry disease. <i>American Journal of Pathology</i> , 2008 , 172, 1482-90	5.8	38
51	Circulating white blood cells and platelets amplify oxidative stress in heart failure. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008 , 5, 811-20		50
50	Diastolic stiffness of the failing diabetic heart: importance of fibrosis, advanced glycation end products, and myocyte resting tension. <i>Circulation</i> , 2008 , 117, 43-51	16.7	509
49	Nitric oxide: the missing lusitrope in failing myocardium. <i>European Heart Journal</i> , 2008 , 29, 2453-5	9.5	14
48	H9c2 cardiomyoblasts produce thyroid hormone. <i>American Journal of Physiology - Cell Physiology</i> , 2008 , 294, C1227-33	5.4	19
47	Sarcomeric dysfunction in heart failure. <i>Cardiovascular Research</i> , 2008 , 77, 649-58	9.9	123
46	Coronary Artery Disease and Diastolic Left Ventricular Dysfunction 2008 , 243-262		
45	Invasive Evaluation of Diastolic Left Ventricular Dysfunction 2008 , 137-147		

44	Quantitative analysis of myofilament protein phosphorylation in small cardiac biopsies. <i>Proteomics - Clinical Applications</i> , 2007 , 1, 1285-90	3.1	64
43	Effects of aging on left atrioventricular coupling and left ventricular filling assessed using cardiac magnetic resonance imaging in healthy subjects. <i>American Journal of Cardiology</i> , 2007 , 100, 122-7	3	45
42	Right-ventricular failure is associated with increased mitochondrial complex II activity and production of reactive oxygen species. <i>Cardiovascular Research</i> , 2007 , 75, 770-81	9.9	128
41	Right ventricular diastolic dysfunction and the acute effects of sildenafil in pulmonary hypertension patients. <i>Chest</i> , 2007 , 132, 11-7	5.3	115
40	How to diagnose diastolic heart failure: a consensus statement on the diagnosis of heart failure with normal left ventricular ejection fraction by the Heart Failure and Echocardiography Associations of the European Society of Cardiology. <i>European Heart Journal</i> , 2007 , 28, 2539-50	9.5	1934
39	Does myocardial fibrosis hinder contractile function and perfusion in idiopathic dilated cardiomyopathy? PET and MR imaging study. <i>Radiology</i> , 2006 , 240, 380-8	20.5	47
38	Functional effects of protein kinase C-mediated myofilament phosphorylation in human myocardium. <i>Cardiovascular Research</i> , 2006 , 69, 876-87	9.9	66
37	Myocardial structure and function differ in systolic and diastolic heart failure. <i>Circulation</i> , 2006 , 113, 1966-73	16.7	469
36	Iconoclasts topple adaptive myocardial hypertrophy in aortic stenosis. <i>European Heart Journal</i> , 2005 , 26, 1697-9	9.5	7
35	SIH--a novel lipophilic iron chelator--protects H9c2 cardiomyoblasts from oxidative stress-induced mitochondrial injury and cell death. <i>Journal of Molecular and Cellular Cardiology</i> , 2005 , 39, 345-54	5.8	80
34	Matrix, cytoskeleton, or myofilaments: which one to blame for diastolic left ventricular dysfunction?. <i>Progress in Cardiovascular Diseases</i> , 2005 , 47, 276-84	8.5	29
33	Cardiomyocyte stiffness in diastolic heart failure. <i>Circulation</i> , 2005 , 111, 774-81	16.7	395
32	Myocardial Contractile Effects of Nitric Oxide 2004 , 33-45		1
31	What mechanisms underlie diastolic dysfunction in heart failure?. <i>Circulation Research</i> , 2004 , 94, 1533-42	15.7	377
30	Contractile arrest reveals calcium-dependent stimulation of SERCA2a mRNA expression in cultured ventricular cardiomyocytes. <i>Cardiovascular Research</i> , 2004 , 63, 537-44	9.9	26
29	Nitric oxide's role in the heart: control of beating or breathing?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H8-13	5.2	54
28	Myocardial fibrosis blunts nitric oxide synthase-related preload reserve in human dilated cardiomyopathy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003 , 284, H10-6	5.2	10
27	Myocardial contractile effects of nitric oxide. <i>Heart Failure Reviews</i> , 2002 , 7, 371-83	5	23

26	Endomyocardial nitric oxide synthase and the hemodynamic phenotypes of human dilated cardiomyopathy and of athlete's heart. <i>Cardiovascular Research</i> , 2002 , 55, 270-8; discussion 225-8	9.9	20
25	The role of nitric oxide in the failing heart. <i>Heart Failure Reviews</i> , 2001 , 6, 105-18	5	49
24	Nitric Oxide and Cardiac Contractility in Human Heart Failure. <i>Circulation</i> , 2001 , 104, 2260-2262	16.7	30
23	The Role of Nitric Oxide in the Failing Heart. <i>Developments in Cardiovascular Medicine</i> , 2001 , 35-48		
22	Beneficial effects of nitric oxide on cardiac diastolic function: The flip side of the coin? <i>Heart Failure Reviews</i> , 2000 , 5, 337-44	5	24
21	Endomyocardial nitric oxide synthase and left ventricular preload reserve in dilated cardiomyopathy. <i>Circulation</i> , 1999 , 99, 3009-16	16.7	135
20	How are cytokines activated in heart failure?. <i>European Journal of Heart Failure</i> , 1999 , 1, 309-12	12.3	44
19	Myocardial contractile effects of L-arginine in the human allograft. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 1332-8	15.1	11
18	Dobutamine enhances cardiodepressant effects of receptor-mediated coronary endothelial stimulation. <i>Circulation</i> , 1997 , 95, 90-6	16.7	32
17	Left ventricular contractile effects of inducible nitric oxide synthase in the human allograft. <i>Circulation</i> , 1997 , 96, 3436-42	16.7	26
16	Paracrine coronary endothelial modulation of diastolic left ventricular function in man: implications for diastolic heart failure. <i>Journal of Cardiac Failure</i> , 1996 , 2, S155-64	3.3	7
15	The cardiac endothelium: cardioactive mediators. <i>Progress in Cardiovascular Diseases</i> , 1996 , 39, 263-84	8.5	38
14	Myocardial contractile response to nitric oxide and cGMP. <i>Circulation</i> , 1996 , 93, 1223-9	16.7	190
13	The influence of endothelium-derived nitric oxide on myocardial contractile function. <i>International Journal of Cardiology</i> , 1995 , 50, 225-31	3.2	39
12	Paracrine coronary endothelial control of left ventricular function in humans. <i>Circulation</i> , 1995 , 92, 2119-26	16.7	124
11	Endothelial control of vascular and myocardial function in heart failure. <i>Cardiovascular Drugs and Therapy</i> , 1994 , 8, 437-46	3.9	14
10	Rationale and application of coronary transstenotic pressure gradient measurements. <i>Catheterization and Cardiovascular Diagnosis</i> , 1994 , 33, 250-61		27
9	Comparative Effects of Ischemia and Hypoxemia on Left Ventricular Diastolic Function in Humans 1994 , 303-321		1

8	Transstenotic coronary pressure gradient measurement in humans: in vitro and in vivo evaluation of a new pressure monitoring angioplasty guide wire. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 119-26	15.1	183
7	Diastolic function of the nonfilling human left ventricle. <i>Journal of the American College of Cardiology</i> , 1992 , 20, 1524-32	15.1	35
6	Failure of myocardial inactivation: a clinical assessment in the hypertrophied heart. <i>Basic Research in Cardiology</i> , 1992 , 87 Suppl 2, 145-61	11.8	2
5	Orifice variability of the stenotic aortic valve: evaluation before and after balloon aortic valvuloplasty. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 1263-9	15.1	20
4	From hemodynamic principles to clinical management. <i>Developments in Cardiovascular Medicine</i> , 1991 , 1-20		
3	Failure of Inactivation of Hypertrophied Myocardium: A Cause of Impaired Left Ventricular Filling in Hypertrophic Cardiomyopathy and Aortic Stenosis 1987 , 291-304		1
2	Comparison of the effects of nitroprusside and nifedipine on diastolic properties in patients with hypertrophic cardiomyopathy: altered left ventricular loading or improved muscle inactivation?. <i>Journal of the American College of Cardiology</i> , 1983 , 2, 879-86	15.1	87
1	Improved diastolic function and systolic performance in hypertrophic cardiomyopathy after nifedipine. <i>New England Journal of Medicine</i> , 1980 , 303, 801-3	59.2	78