## Francesca Mallamaci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11656408/publications.pdf

Version: 2024-02-01

258 papers 17,776 citations

68 h-index 125 g-index

260 all docs

260 docs citations

times ranked

260

13589 citing authors

#	Article	IF	CITATIONS
1	A Prospective Study of the Prevalence of Primary Aldosteronism in 1,125 Hypertensive Patients. Journal of the American College of Cardiology, 2006, 48, 2293-2300.	1.2	1,236
2	Plasma concentration of asymmetrical dimethylarginine and mortality in patients with end-stage renal disease: a prospective study. Lancet, The, 2001, 358, 2113-2117.	6.3	993
3	Adiponectin, Metabolic Risk Factors, and Cardiovascular Events among Patients with End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2002, 13, 134-141.	3.0	560
4	Plasma Norepinephrine Predicts Survival and Incident Cardiovascular Events in Patients With End-Stage Renal Disease. Circulation, 2002, 105, 1354-1359.	1.6	485
5	Vitamin D levels and patient outcome in chronic kidney disease. Kidney International, 2009, 75, 88-95.	2.6	384
6	Atherosclerotic Renal Artery Stenosis: Epidemiology, Cardiovascular Outcomes, and Clinical Prediction Rules. Journal of the American Society of Nephrology: JASN, 2002, 13, S179-S183.	3.0	379
7	Asymmetrical Dimethylarginine Predicts Progression to Dialysis and Death in Patients with Chronic Kidney Disease: A Competing Risks Modeling Approach. Journal of the American Society of Nephrology: JASN, 2005, 16, 2449-2455.	3.0	352
8	Epidemiology, contributors to, and clinical trials of mortality risk in chronic kidney failure. Lancet, The, 2014, 383, 1831-1843.	6.3	341
9	Left ventricular mass monitoring in the follow-up of dialysis patients: Prognostic value of left ventricular hypertrophy progression. Kidney International, 2004, 65, 1492-1498.	2.6	299
10	Chronic Fluid Overload and Mortality in ESRD. Journal of the American Society of Nephrology: JASN, 2017, 28, 2491-2497.	3.0	286
11	Exercise in Patients on Dialysis: A Multicenter, Randomized Clinical Trial. Journal of the American Society of Nephrology: JASN, 2017, 28, 1259-1268.	3.0	272
12	Cardiac Natriuretic Peptides Are Related to Left Ventricular Mass and Function and Predict Mortality in Dialysis Patients. Journal of the American Society of Nephrology: JASN, 2001, 12, 1508-1515.	3.0	270
13	The systemic nature of CKD. Nature Reviews Nephrology, 2017, 13, 344-358.	4.1	265
14	Hyperhomocysteinemia predicts cardiovascular outcomes in hemodialysis patients. Kidney International, 2002, 61, 609-614.	2.6	247
15	Prognostic Impact of the Indexation of Left Ventricular Mass in Patients Undergoing Dialysis. Journal of the American Society of Nephrology: JASN, 2001, 12, 2768-2774.	3.0	246
16	Asymmetric Dimethylarginine, C-Reactive Protein, and Carotid Intima-Media Thickness in End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2002, 13, 490-496.	3.0	235
17	Detection of Pulmonary Congestion by Chest Ultrasound in Dialysis Patients. JACC: Cardiovascular Imaging, 2010, 3, 586-594.	2.3	232
18	Pulmonary Congestion Predicts Cardiac Events and Mortality in ESRD. Journal of the American Society of Nephrology: JASN, 2013, 24, 639-646.	3.0	221

#	Article	IF	CITATIONS
19	Inflammation Markers, Adhesion Molecules, and All-Cause and Cardiovascular Mortality in Patients with ESRD: Searching for the Best Risk Marker by Multivariate Modeling. Journal of the American Society of Nephrology: JASN, 2005, 16, S83-S88.	3.0	217
20	Uric Acid and Endothelial Dysfunction in Essential Hypertension. Journal of the American Society of Nephrology: JASN, 2006, 17, 1466-1471.	3.0	202
21	Left ventricular hypertrophy, cardiac remodeling and asymmetric dimethylarginine (ADMA) in hemodialysis patients. Kidney International, 2002, 62, 339-345.	2.6	194
22	Phosphate May Promote CKD Progression and Attenuate Renoprotective Effect of ACE Inhibition. Journal of the American Society of Nephrology: JASN, 2011, 22, 1923-1930.	3.0	190
23	Longâ€ŧerm CAPD patients are volume expanded and display more severe left ventricular hypertrophy than haemodialysis patients. Nephrology Dialysis Transplantation, 2001, 16, 1459-1464.	0.4	181
24	Prognostic Value of Echocardiographic Indicators of Left Ventricular Systolic Function in Asymptomatic Dialysis Patients. Journal of the American Society of Nephrology: JASN, 2004, 15, 1029-1037.	3.0	180
25	Inflammation is associated with carotid atherosclerosis in dialysis patients. Journal of Hypertension, 2000, 18, 1207-1213.	0.3	179
26	Identification of the Uric Acid Thresholds Predicting an Increased Total and Cardiovascular Mortality Over 20 Years. Hypertension, 2020, 75, 302-308.	1.3	177
27	Inflammation and outcome in end-stage renal failure: Does female gender constitute a survival advantage?. Kidney International, 2002, 62, 1791-1798.	2.6	175
28	Traditional and emerging cardiovascular risk factors in end-stage renal disease. Kidney International, 2003, 63, S105-S110.	2.6	168
29	Prognostic Value of Ultrasonographic Measurement of Carotid Intima Media Thickness in Dialysis Patients. Journal of the American Society of Nephrology: JASN, 2001, 12, 2458-2464.	3.0	166
30	Adrenalectomy Lowers Incident Atrial Fibrillation in Primary Aldosteronism Patients at Long Term. Hypertension, 2018, 71, 585-591.	1.3	149
31	The double challenge of resistant hypertension and chronic kidney disease. Lancet, The, 2015, 386, 1588-1598.	6.3	147
32	SGLT-2 inhibitors and GLP-1 receptor agonists for nephroprotection and cardioprotection in patients with diabetes mellitus and chronic kidney disease. A consensus statement by the EURECA-m and the DIABESITY working groups of the ERA-EDTA. Nephrology Dialysis Transplantation, 2019, 34, 208-230.	0.4	147
33	Diagnostic potential of cardiac natriuretic peptides in dialysis patients. Kidney International, 2001, 59, 1559-1566.	2.6	145
34	Troponin is related to left ventricular mass and predicts all-cause and cardiovascular mortality in hemodialysis patients. American Journal of Kidney Diseases, 2002, 40, 68-75.	2.1	144
35	Comparison of the Captopril and the Saline Infusion Test for Excluding Aldosterone-Producing Adenoma. Hypertension, 2007, 50, 424-431.	1.3	142
36	Hypertension in dialysis patients: a consensus document by the European Renal and Cardiovascular Medicine (EURECA-m) working group of the European Renal Association–European Dialysis and Transplant Association (ERA-EDTA) and the Hypertension and the Kidney working group of the European Society of Hypertension (ESH)*. Nephrology Dialysis Transplantation, 2017, 32, 620-640.	0.4	133

#	Article	IF	CITATIONS
37	Low Triiodothyronine: A New Facet of Inflammation in End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2005, 16, 2789-2795.	3.0	132
38	Comparison of Calcium Acetate and Sevelamer on Vascular Function and Fibroblast Growth Factor 23 in CKD Patients: A Randomized Clinical Trial. American Journal of Kidney Diseases, 2012, 59, 177-185.	2.1	128
39	The Agreement between Auscultation and Lung Ultrasound in Hemodialysis Patients: The LUST Study. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 2005-2011.	2.2	124
40	Norepinephrine and Concentric Hypertrophy in Patients With End-Stage Renal Disease. Hypertension, 2002, 40, 41-46.	1.3	123
41	Endothelial Dysfunction in Chronic Kidney Disease, from Biology to Clinical Outcomes: A 2020 Update. Journal of Clinical Medicine, 2020, 9, 2359.	1.0	123
42	Nocturnal Hypoxemia Predicts Incident Cardiovascular Complications in Dialysis Patients. Journal of the American Society of Nephrology: JASN, 2002, 13, 729-733.	3.0	122
43	Autonomic neuropathy is linked to nocturnal hypoxaemia and to concentric hypertrophy and remodelling in dialysis patients. Nephrology Dialysis Transplantation, 2001, 16, 70-77.	0.4	121
44	Nocturnal hypoxemia, night-day arterial pressure changes and left ventricular geometry in dialysis patients. Kidney International, 1998, 53, 1078-1084.	2.6	120
45	Novel Cardiovascular Risk Factors in End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2004, 15, 77S-80.	3.0	120
46	ACE Inhibition Is Renoprotective among Obese Patients with Proteinuria. Journal of the American Society of Nephrology: JASN, 2011, 22, 1122-1128.	3.0	119
47	Pulmonary Hypertension in CKD. American Journal of Kidney Diseases, 2013, 61, 612-622.	2.1	119
48	Prognostic value of combined use of biomarkers of inflammation, endothelial dysfunction, and myocardiopathy in patients with ESRD. Kidney International, 2005, 67, 2330-2337.	2.6	116
49	Prognostic value of 24-hour ambulatory blood pressure monitoring and of night/day ratio in nondiabetic, cardiovascular events-free hemodialysis patients. Kidney International, 2005, 68, 1294-1302.	2.6	114
50	Adiponectin is markedly increased in patients with nephrotic syndrome and is related to metabolic risk factors. Kidney International, 2003, 63, S98-S102.	2.6	110
51	Paricalcitol and Endothelial Function in Chronic Kidney Disease Trial. Hypertension, 2014, 64, 1005-1011.	1.3	106
52	Dissecting Inflammation in ESRD: Do Cytokines and C-Reactive Protein Have a Complementary Prognostic Value for Mortality in Dialysis Patients?. Journal of the American Society of Nephrology: JASN, 2006, 17, S169-S173.	3.0	101
53	Inflammation and Asymmetric Dimethylarginine for Predicting Death and Cardiovascular Events in ESRD Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1714-1721.	2.2	98
54	Subclinical hypothyroidism is linked to micro-inflammation and predicts death in continuous ambulatory peritoneal dialysis. Nephrology Dialysis Transplantation, 2006, 22, 538-544.	0.4	94

#	Article	IF	Citations
55	Analysis of the Relationship between Norepinephrine and Asymmetric Dimethyl Arginine Levels among Patients with End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2004, 15, 435-441.	3.0	93
56	Prediction of left ventricular geometry by clinic, pre-dialysis and 24-h ambulatory BP monitoring in hemodialysis patients. Journal of Hypertension, 1999, 17, 1751-1758.	0.3	92
57	Left atrial volume in end-stage renal disease: a prospective cohort study. Journal of Hypertension, 2006, 24, 1173-1180.	0.3	90
58	Prospective evaluation of the saline infusion test for excluding primary aldosteronism due to aldosterone-producing adenoma. Journal of Hypertension, 2007, 25, 1433-1442.	0.3	90
59	Hypertension in Chronic Kidney Disease Part 2. Hypertension, 2016, 67, 1102-1110.	1.3	86
60	Sympathetic Nerve Traffic Activation in Essential Hypertension and Its Correlates. Hypertension, 2018, 72, 483-491.	1.3	79
61	Left Atrial Volume Monitoring and Cardiovascular Risk in Patients with End-Stage Renal Disease: A Prospective Cohort Study. Journal of the American Society of Nephrology: JASN, 2007, 18, 1316-1322.	3.0	78
62	Clinical management of the uraemic syndrome in chronic kidney disease. Lancet Diabetes and Endocrinology, the, 2016, 4, 360-373.	5.5	78
63	Inflammation and Atherosclerosis in End-Stage Renal Disease. Blood Purification, 2003, 21, 29-36.	0.9	76
64	Predictors of Cardiovascular Death in ESRD. Seminars in Nephrology, 2005, 25, 358-362.	0.6	76
65	Adipose tissue as a source of inflammatory cytokines in health and disease: Focus on end-stage renal disease. Kidney International, 2003, 63, S65-S68.	2.6	72
66	Physical Performance and Clinical Outcomes in Dialysis Patients: A Secondary Analysis of the Excite Trial. Kidney and Blood Pressure Research, 2014, 39, 205-211.	0.9	72
67	Sleep Apnea in Renal Patients. Journal of the American Society of Nephrology: JASN, 2001, 12, 2854-2859.	3.0	72
68	Within-Patient Reproducibility of the Aldosterone:Renin Ratio in Primary Aldosteronism. Hypertension, 2010, 55, 83-89.	1.3	70
69	Association between Resistin Levels and All-Cause and Cardiovascular Mortality: A New Study and a Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0120419.	1.1	69
70	The 2020 Italian Society of Arterial Hypertension (SIIA) practical guidelines for the management of primary aldosteronism. International Journal of Cardiology: Hypertension, 2020, 5, 100029.	2.2	69
71	Diagnostic value of troponin T for alterations in left ventricular mass and function in dialysis patients. Kidney International, 2002, 62, 1884-1890.	2.6	66
72	Long-term visit-to-visit office blood pressure variability increases the risk of adverse cardiovascular outcomes in patients with chronic kidney disease. Kidney International, 2013, 84, 381-389.	2.6	65

#	Article	IF	Citations
73	Association of IL-6 and a Functional Polymorphism in the IL-6 Gene with Cardiovascular Events in Patients with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 232-240.	2.2	64
74	Quantitative Value of Aldosteroneâ€Renin Ratio for Detection of Aldosteroneâ€Producing Adenoma: The Aldosteroneâ€Renin Ratio for Primary Aldosteronism (AQUARR) Study. Journal of the American Heart Association, 2017, 6, .	1.6	64
75	Hypertension in Chronic Kidney Disease Part 1. Hypertension, 2016, 67, 1093-1101.	1.3	63
76	Inflammatory proteins as predictors of cardiovascular disease in patients with end-stage renal disease. Nephrology Dialysis Transplantation, 2004, $19$ , v67-v72.	0.4	62
77	Circulating soluble receptor of advanced glycation end product inversely correlates with atherosclerosis in patients with chronic kidney disease. Kidney International, 2010, 77, 225-231.	2.6	60
78	Efficacy of a remote web-based lung ultrasound training for nephrologists and cardiologists: a LUST trial sub-project. Nephrology Dialysis Transplantation, 2016, 31, 1982-1988.	0.4	60
79	Vitamin D receptor (VDR) gene polymorphism is associated with left ventricular (LV) mass and predicts left ventricular hypertrophy (LVH) progression in end-stage renal disease (ESRD) patients. Journal of Bone and Mineral Research, 2010, 25, 313-319.	3.1	59
80	Effect of a home based, low intensity, physical exercise program in older adults dialysis patients: a secondary analysis of the EXCITE trial. BMC Geriatrics, 2018, 18, 248.	1.1	59
81	Hepatocyte growth factor predicts survival and relates to inflammation and intima media thickness in end-stage renal disease. American Journal of Kidney Diseases, 2000, 36, 945-952.	2.1	56
82	Assessment of obesity in chronic kidney disease. Current Opinion in Nephrology and Hypertension, 2012, 21, 641-646.	1.0	56
83	Hypertension in dialysis patients. Journal of Hypertension, 2017, 35, 657-676.	0.3	56
84	Low triiodothyronine and cardiomyopathy in patients with end-stage renal disease. Journal of Hypertension, 2006, 24, 2039-2046.	0.3	55
85	Left ventricular hypertrophy and nocturnal hypoxemia in hemodialysis patients. Journal of Hypertension, 2001, 19, 287-293.	0.3	52
86	Association of a Polymorphism in a Gene Encoding a Urate Transporter with CKD Progression. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1059-1065.	2.2	51
87	Asymptomatic Pulmonary Congestion and Physical Functioning in Hemodialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1343-1348.	2.2	50
88	Biomarkers of Left Atrial Volume. Hypertension, 2009, 54, 818-824.	1.3	49
89	Physical activity in chronic kidney disease and the EXerCise Introduction To Enhance trial. Nephrology Dialysis Transplantation, 2020, 35, ii18-ii22.	0.4	49
90	Serum uric acid, predicts heart failure in a large Italian cohort: search for a cut-off value the URic acid Right for heArt Health study. Journal of Hypertension, 2021, 39, 62-69.	0.3	49

#	Article	IF	Citations
91	Prospective Study of Neuropeptide Y as an Adverse Cardiovascular Risk Factor in End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2003, 14, 2611-2617.	3.0	48
92	Left Ventricular Systolic Function Monitoring in Asymptomatic Dialysis Patients: A Prospective Cohort Study. Journal of the American Society of Nephrology: JASN, 2006, 17, 1460-1465.	3.0	48
93	Heart valve calcifications, survival, and cardiovascular risk in hemodialysis patients. American Journal of Kidney Diseases, 2004, 43, 479-484.	2.1	47
94	Relationships between diuretic-related hyperuricemia and cardiovascular events: data from the URic acid Right for heArt Health study. Journal of Hypertension, 2021, 39, 333-340.	0.3	46
95	Adipose tissue cytokines, insulin sensitivity, inflammation, and cardiovascular outcomes in end-stage renal disease patients., 2005, 15, 125-130.		45
96	Uric Acid, Hypertension, and Cardiovascular and Renal Complications. Current Hypertension Reports, 2013, 15, 531-537.	1.5	45
97	A randomized multicenter trial on a lung ultrasound–guided treatment strategy in patients on chronic hemodialysis with high cardiovascular risk. Kidney International, 2021, 100, 1325-1333.	2.6	45
98	Mendelian Randomization: A New Approach to Studying Epidemiology in ESRD. American Journal of Kidney Diseases, 2006, 47, 332-341.	2.1	43
99	Hyperhomocysteinemia and arteriovenous fistula thrombosis in hemodialysis patients. American Journal of Kidney Diseases, 2005, 45, 702-707.	2.1	42
100	AGEs and carbonyl stress: potential pathogenetic factors of longâ€ŧerm uraemic complications. Nephrology Dialysis Transplantation, 2000, 15, 7-11.	0.4	41
101	Rate of Atherosclerotic Plaque Formation Predicts Cardiovascular Events in ESRD. Journal of the American Society of Nephrology: JASN, 2008, 19, 757-763.	3.0	41
102	Adiponectin and Leptin in Chronic Kidney Disease: Causal Factors or Mere Risk Markers?., 2011, 21, 87-91.		41
103	The Role of Deconditioning in the End-Stage Renal Disease Myopathy: Physical Exercise Improves Altered Resting Muscle Oxygen Consumption. American Journal of Nephrology, 2015, 41, 329-336.	1.4	41
104	Inflammation as a Mediator of the Link between Mild to Moderate Renal Insufficiency and Endothelial Dysfunction in Essential Hypertension. Journal of the American Society of Nephrology: JASN, 2006, 17, S64-S68.	3.0	39
105	Longitudinal Analysis of Vascular Function and Biomarkers of Metabolic Bone Disorders before and after Renal Transplantation. American Journal of Nephrology, 2013, 37, 126-134.	1.4	39
106	Blood Pressure Variability, Mortality, and Cardiovascular Outcomes in CKD Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 233-240.	2.2	39
107	HYPERTENSION IN HEMODIALYSIS PATIENTS: Cardiac Consequences of Hypertension in Hemodialysis Patients. Seminars in Dialysis, 2004, 17, 299-303.	0.7	38
108	The <i>ENPP1</i> Q121 Variant Predicts Major Cardiovascular Events in High-Risk Individuals. Diabetes, 2011, 60, 1000-1007.	0.3	37

#	Article	IF	Citations
109	Obesity and CKD progression: hard facts on fat CKD patients. Nephrology Dialysis Transplantation, 2013, 28, iv105-iv108.	0.4	36
110	Sympathetic neural overdrive in congestive heart failure and its correlates. Journal of Hypertension, 2019, 37, 1746-1756.	0.3	34
111	Association of uric acid with kidney function and albuminuria: the Uric Acid Right for heArt Health (URRAH) Project. Journal of Nephrology, 2022, 35, 211-221.	0.9	34
112	Obesity and nephrology: results of a knowledge and practice pattern survey. Nephrology Dialysis Transplantation, 2013, 28, iv99-iv104.	0.4	33
113	Searching for biomarker patterns characterizing carotid atherosclerotic burden in patients with reduced renal function. Nephrology Dialysis Transplantation, 2007, 22, 3521-3526.	0.4	32
114	Lung Congestion as a Risk Factor in End-Stage Renal Disease. Blood Purification, 2013, 36, 184-191.	0.9	32
115	Comparative effectiveness of different antihypertensive agents in kidney transplantation: a systematic review and meta-analysis. Nephrology Dialysis Transplantation, 2020, 35, 878-887.	0.4	32
116	High estimated pulmonary artery systolic pressure predicts adverse cardiovascular outcomes in stage 2–4 chronic kidney disease. Kidney International, 2015, 88, 130-136.	2.6	31
117	The importance of including uric acid in the definition of metabolic syndrome when assessing the mortality risk. Clinical Research in Cardiology, 2021, 110, 1073-1082.	1.5	31
118	Ultrafiltration intensification in hemodialysis patients improves hypertension but increases AV fistula complications and cardiovascular events Journal of Nephrology, 2011, 24, 465-473.	0.9	31
119	Resistin and all-cause and cardiovascular mortality: effect modification by adiponectin in end-stage kidney disease patients. Nephrology Dialysis Transplantation, 2013, 28, iv181-iv187.	0.4	30
120	Moderator's view: Ambulatory blood pressure monitoring and home blood pressure for the prognosis, diagnosis and treatment of hypertension in dialysis patients. Nephrology Dialysis Transplantation, 2015, 30, 1443-1448.	0.4	30
121	Clinical Epidemiology of Major Nontraditional Risk Factors in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2005, 25, 84-87.	1.1	29
122	Intact FGF23 and αâ€klotho during acute inflammation/sepsis in CKD patients. European Journal of Clinical Investigation, 2016, 46, 234-241.	1.7	28
123	Pulse Wave Velocity and Prognosis in End-Stage Kidney Disease. Hypertension, 2018, 71, 1126-1132.	1.3	28
124	Hepatocyte Growth Factor and Left Ventricular Geometry in End-Stage Renal Disease. Hypertension, 2003, 41, 88-92.	1.3	27
125	The GLU298ASP variant of nitric oxide synthase interacts with asymmetric dimethyl arginine in determining cardiovascular mortality in patients with end-stage renal disease. Journal of Hypertension, 2005, 23, 1825-1830.	0.3	27
126	Epidemiology of CKD Regression in Patients under Nephrology Care. PLoS ONE, 2015, 10, e0140138.	1.1	27

#	Article	IF	Citations
127	A Genetic Marker of Uric Acid Level, Carotid Atherosclerosis, and Arterial Stiffness: A Family-Based Study. American Journal of Kidney Diseases, 2015, 65, 294-302.	2.1	27
128	Nocturnal Hypertension and Altered Night–Day BP Profile and Atherosclerosis in Renal Transplant Patients. Transplantation, 2016, 100, 2211-2218.	0.5	27
129	Short-term blood pressure variability in nondialysis chronic kidney disease patients. Journal of Hypertension, 2018, 36, 2398-2405.	0.3	26
130	Sympathetic nerve traffic overactivity in chronic kidney disease: a systematic review and meta-analysis. Journal of Hypertension, 2021, 39, 408-416.	0.3	25
131	Vascular endothelial growth factor, left ventricular dysfunction and mortality in hemodialysis patients. Journal of Hypertension, 2008, 26, 1875-1882.	0.3	24
132	Urotensin II: a cardiovascular and renal update. Current Opinion in Nephrology and Hypertension, 2008, 17, 199-204.	1.0	24
133	The burden of physical inactivity in chronic kidney disease: is there an exit strategy?. Nephrology Dialysis Transplantation, 2012, 27, 2143-2145.	0.4	24
134	FGF23: A Mature Renal and Cardiovascular Risk Factor?. Blood Purification, 2013, 36, 52-57.	0.9	24
135	A Longitudinal Study of Inflammation, CKD-Mineral Bone Disorder, and Carotid Atherosclerosis after Renal Transplantation. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 471-479.	2.2	24
136	Neuropeptide Y, left ventricular mass and function in patients with end stage renal disease. Journal of Hypertension, 2003, 21, 1355-1362.	0.3	23
137	Pro-inflammatory cytokines and bone fractures in CKD patients. An exploratory single centre study. BMC Nephrology, 2012, 13, 134.	0.8	23
138	Joint effect of insulin signaling genes on cardiovascular events and on whole body and endothelial insulin resistance. Atherosclerosis, 2013, 226, 140-145.	0.4	23
139	Validity of Vascular Calcification as a Screening Tool and as a Surrogate End Point in Clinical Research. Hypertension, 2015, 66, 3-9.	1.3	23
140	Office, standardized and 24-h ambulatory blood pressure and renal function loss in renal transplant patients. Journal of Hypertension, 2018, 36, 119-125.	0.3	23
141	Chlamydia pneumoniae, overall and cardiovascular mortality in end-stage renal disease (ESRD). Kidney International, 2003, 64, 579-584.	2.6	22
142	Thyroid Function and Clinical Outcomes in Kidney Failure. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 12-14.	2.2	22
143	Immunity in arterial hypertension: associations or causalities?. Nephrology Dialysis Transplantation, 2015, 30, 1959-1964.	0.4	22
144	Sodium-glucose co-transporter-2 inhibitors for patients with diabetic and nondiabetic chronic kidney disease: a new era has already begun. Journal of Hypertension, 2021, 39, 1090-1097.	0.3	22

#	Article	IF	CITATIONS
145	Hyperkalemia in Chronic Kidney Disease in the New Era of Kidney Protection Therapies. Drugs, 2021, 81, 1467-1489.	4.9	22
146	Urotensin II and Biomarkers of Endothelial Activation and Atherosclerosis in End-Stage Renal Disease. American Journal of Hypertension, 2006, 19, 505-510.	1.0	21
147	Competitive Interaction Between Fibroblast Growth Factor 23 And Asymmetric Dimethylarginine in Patients With CKD. Journal of the American Society of Nephrology: JASN, 2015, 26, 935-944.	3.0	21
148	Subclinical pulmonary congestion is prevalent in nephrotic syndrome. Kidney International, 2016, 89, 421-428.	2.6	21
149	Prevalence and control of hypertension by 48-h ambulatory blood pressure monitoring in haemodialysis patients: a study by the European Cardiovascular and Renal Medicine (EURECA-m) working group of the ERA-EDTA. Nephrology Dialysis Transplantation, 2019, 34, 1542-1548.	0.4	21
150	Nocturnal Hypoxemia: A Neglected Cardiovascular Risk Factor in End-Stage Renal Disease?. Blood Purification, 2002, 20, 120-123.	0.9	20
151	Low parathyroid hormone and pentosidine in hemodialysis patients. American Journal of Kidney Diseases, 2002, 40, 810-815.	2.1	20
152	Ramipril Lowers Plasma FGF-23 in Patients with Diabetic Nephropathy. American Journal of Nephrology, 2014, 40, 208-214.	1.4	20
153	Respiratory muscle impairment in dialysis patients: can minimal dose of exercise limit the damage? A Preliminary study in a sample of patients enrolled in the EXCITE trial. Journal of Nephrology, 2016, 29, 863-869.	0.9	20
154	Identification of a plausible serum uric acid cut-off value as prognostic marker of stroke: the Uric Acid Right for Heart Health (URRAH) study. Journal of Human Hypertension, 2022, 36, 976-982.	1.0	20
155	Urotensin II and Cardiomyopathy in End-Stage Renal Disease. Hypertension, 2008, 51, 326-333.	1.3	19
156	Long-term blood pressure monitoring by office and 24-h ambulatory blood pressure in renal transplant patients: a longitudinal study. Nephrology Dialysis Transplantation, 2019, 34, 1558-1564.	0.4	19
157	Urotensin II in end-stage renal disease: an inverse correlate of sympathetic function and cardiac natriuretic peptides. Journal of Nephrology, 2005, 18, 727-32.	0.9	19
158	Hypertension as a cardiovascular risk factor in end-stage renal failure. Current Hypertension Reports, 2002, 4, 381-386.	1.5	18
159	The E-selectin gene polymorphism and carotid atherosclerosis in end-stage renal disease. Nephrology Dialysis Transplantation, 2006, 21, 1921-1926.	0.4	18
160	Neuropeptide Y and chronic kidney disease progression: a cohort study. Nephrology Dialysis Transplantation, 2018, 33, 1805-1812.	0.4	18
161	Blood pressure monitoring in kidney transplantation: a systematic review on hypertension and target organ damage. Nephrology Dialysis Transplantation, 2021, 36, 1326-1346.	0.4	18
162	Serum Uric Acid and Kidney Disease Measures Independently Predict Cardiovascular and Total Mortality: The Uric Acid Right for Heart Health (URRAH) Project. Frontiers in Cardiovascular Medicine, 2021, 8, 713652.	1.1	18

#	Article	IF	CITATIONS
163	The MAURO study: baseline characteristics and compliance with guidelines targets. Journal of Nephrology, 2012, 25, 1081-1090.	0.9	18
164	Obesity, diabetes, adiponectin and the kidney: a podocyte affair. Nephrology Dialysis Transplantation, 2008, 23, 3767-3770.	0.4	17
165	Fitness for Entering a Simple Exercise Program and Mortality: A Study Corollary to the Exercise Introduction to Enhance Performance in Dialysis (Excite) Trial. Kidney and Blood Pressure Research, 2014, 39, 197-204.	0.9	17
166	Mapping Progress in Reducing Cardiovascular Risk with Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2018, 13, 1432-1434.	2.2	17
167	Effects of Sevelamer Carbonate in Patients With CKD and Proteinuria: The ANSWER Randomized Trial. American Journal of Kidney Diseases, 2019, 74, 338-350.	2.1	17
168	Measuring asymmetric dimethylarginine (ADMA) in CKD: a comparison between enzyme-linked immunosorbent assay and liquid chromatography-electrospray tandem mass spectrometry. Journal of Nephrology, 2012, 25, 1016-1022.	0.9	17
169	Sympathetic nerve traffic and blood pressure changes after bilateral renal denervation in resistant hypertension: a time-integrated analysis. Nephrology Dialysis Transplantation, 2017, 32, 1351-1356.	0.4	16
170	Uric acid in chronic kidney disease: the quest for causality continues. Nephrology Dialysis Transplantation, 2018, 33, 193-195.	0.4	16
171	Hypertension in kidney transplantation: a consensus statement of the â€ <sup>-</sup> hypertension and the kidney' working group of the European Society of Hypertension. Journal of Hypertension, 2021, 39, 1513-1521.	0.3	16
172	Leptin and biochemical markers of bone turnover in dialysis patients. Journal of Nephrology, 2004, 17, 253-60.	0.9	16
173	The fat-mass and obesity-associated gene (FTO) predicts mortality in chronic kidney disease of various severity. Nephrology Dialysis Transplantation, 2012, 27, iv58-iv62.	0.4	15
174	eNOS and Caveolin-1 Gene Polymorphisms Interaction and Intima Media Thickness: A Proof of Concept Study in ESRD Patients. American Journal of Hypertension, 2012, 25, 103-108.	1.0	15
175	The use of echocardiography in observational clinical trials: the EURECA-m registry. Nephrology Dialysis Transplantation, 2013, 28, 19-23.	0.4	15
176	Pleiotropic effects of angiotensin II blockers in hemodialysis patients: myth or reality?. Kidney International, 2014, 86, 469-471.	2.6	15
177	Snoring Amplifies the Risk of Heart Failure and Mortality in Dialysis Patients. American Journal of Nephrology, 2014, 39, 536-542.	1.4	15
178	Treatment-resistant hypertension in the hemodialysis population: a 44-h ambulatory blood pressure monitoring-based study. Journal of Hypertension, 2020, 38, 1849-1856.	0.3	15
179	Can the assessment of ultrasound lung water in haemodialysis patients be simplified?. Nephrology Dialysis Transplantation, 2021, 36, 2321-2326.	0.4	15
180	Serum uric acid levels threshold for mortality in diabetic individuals: The URic acid Right for heArt Health (URRAH) project. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 1245-1252.	1.1	15

#	Article	IF	Citations
181	Atherosclerosis and the Glu298Asp Polymorphism of the eNOS Gene in White Patients With End-Stage Renal Disease. American Journal of Hypertension, 2005, 18, 1549-1555.	1.0	14
182	Obesity and the Epidemiology and Prevention of Kidney Disease: Waist Circumference Versus Body Mass Index. American Journal of Kidney Diseases, 2011, 58, 157-159.	2.1	14
183	Optimizing hypertension management in renal transplantation: a call to action. Nephrology Dialysis Transplantation, 2017, 32, 1959-1962.	0.4	14
184	Serum Erythroferrone Levels Associate with Mortality and Cardiovascular Events in Hemodialysis and in CKD Patients: A Two Cohorts Study. Journal of Clinical Medicine, 2019, 8, 523.	1.0	14
185	Assessment of hypertension in kidney transplantation by ambulatory blood pressure monitoring: a systematic review and meta-analysis. CKJ: Clinical Kidney Journal, 2022, 15, 31-42.	1.4	14
186	Traditional and nontraditional risk factors as predictors of cerebrovascular events in patients with end stage renal disease. Journal of Hypertension, 2010, 28, 2468-2474.	0.3	14
187	Reappraisal in two European cohorts ofÂtheÂprognostic power of left ventricular massÂindexÂin chronic kidney failure. Kidney International, 2017, 91, 704-710.	2.6	13
188	Lung congestion as a hidden threat in end-stage kidney disease: a call to action. Nephrology Dialysis Transplantation, 2013, 28, 2657-2660.	0.4	12
189	A polymorphism in a major antioxidant gene (Kelch-like ECH-associated protein 1) predicts incident cardiovascular events in chronic kidney disease patients. Journal of Hypertension, 2016, 34, 928-934.	0.3	12
190	Lung Ultrasound-Guided Dry-Weight Reduction in Hemodialysis Patients Does Not Affect Short-Term Blood Pressure Variability. American Journal of Hypertension, 2019, 32, 786-795.	1.0	12
191	Intravenous iron therapy and the cardiovascular system: risks and benefits. CKJ: Clinical Kidney Journal, 2021, 14, 1067-1076.	1.4	12
192	The association of uric acid with mortality modifies at old age: data from the uric acid right for heart health (URRAH) study. Journal of Hypertension, 2022, 40, 704-711.	0.3	12
193	Asymmetric and Symmetric Dimethylarginine and Sympathetic Nerve Traffic after Renal Denervation in Patients with Resistant Hypertension. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1560-1567.	2.2	11
194	Soluble Urokinase Plasminogen Activator Receptor (suPAR) and All-Cause and Cardiovascular Mortality in Diverse Hemodialysis Patients. Kidney International Reports, 2018, 3, 1100-1109.	0.4	11
195	Neuropeptide Y as a risk factor for cardiorenal disease and cognitive dysfunction in chronic kidney disease: translational opportunities and challenges. Nephrology Dialysis Transplantation, 2021, 37, ii14-ii23.	0.4	11
196	Neuropeptide Y predicts cardiovascular events in chronic kidney disease patients. Journal of Hypertension, 2019, 37, 1359-1365.	0.3	10
197	Prognostic values of left ventricular mass index in chronic kidney disease patients. Nephrology Dialysis Transplantation, 2021, 36, 665-672.	0.4	10
198	Sleep Apnea as a Cardiorenal Risk Factor in CKD and Renal Transplant Patients. Blood Purification, 2021, 50, 642-648.	0.9	10

#	Article	IF	CITATIONS
199	An Additive Effect of Endothelial Nitric Oxide Synthase Gene Polymorphisms Contributes to the Severity of Atherosclerosis in Patients on Dialysis. American Journal of Hypertension, 2007, 20, 758-763.	1.0	9
200	Neuropeptide Y and Markers of Osteoblast Activity in Dialysis Patients: A Cross-Sectional Study. American Journal of Kidney Diseases, 2007, 50, 1001-1008.	2.1	9
201	Clinical Implications of Elevated Asymmetric Dimethylarginine in Chronic Kidney Disease and End-Stage Renal Disease., 2009, 19, 25-28.		9
202	Neuropeptide Y receptor Y2 gene polymorphism interacts with plasma neuropeptide Y levels in predicting left ventricular hypertrophy in dialysis patients. Journal of Hypertension, 2010, 28, 1745-1751.	0.3	9
203	Insulin resistance and left ventricular hypertrophy in end-stage renal disease: association between the ENPP1 gene and left ventricular concentric remodelling. Nephrology Dialysis Transplantation, 2012, 27, 661-666.	0.4	9
204	High heart rate amplifies the risk of cardiovascular mortality associated with elevated uric acid. European Journal of Preventive Cardiology, 2022, 29, 1501-1509.	0.8	9
205	Heart rate, age and the risk of progression to kidney failure in patients with CKD. Journal of Nephrology, 2012, 25, 20-27.	0.9	9
206	Asymmetric dimethylarginine (ADMA) as a cardiovascular risk factor in end-stage renal disease (ESRD). European Journal of Clinical Pharmacology, 2006, 62, 131-135.	0.8	8
207	CARDIOVASCULAR AND SURVIVAL PARADOXES IN DIALYSIS PATIENTS: It Is Important to Lower Homocysteine in Dialysis Patients. Seminars in Dialysis, 2007, 20, 530-533.	0.7	8
208	Aldosterone, mortality, cardiovascular events and reverse epidemiology in end stage renal disease. European Journal of Clinical Investigation, 2015, 45, 1077-1086.	1.7	8
209	The overdriven glomerulus as a cardiovascular risk factor. Kidney International, 2018, 93, 13-15.	2.6	8
210	Circulating adiponectin modifies the FGF23 response to vitamin D receptor activation: a post hoc analysis of a double-blind, randomized clinical trial. Nephrology Dialysis Transplantation, 2018, 33, 1764-1769.	0.4	8
211	Validation of echocardiographic criteria for the clinical diagnosis of heart failure in chronic kidney disease. Nephrology Dialysis Transplantation, 2018, 33, 653-660.	0.4	8
212	Urine chloride self-measurement to monitor sodium chloride intake in patients with chronic kidney disease. Clinical Chemistry and Laboratory Medicine, 2019, 57, 1162-1168.	1.4	8
213	FGF23 and the PTH response to paricalcitol in chronic kidney disease. European Journal of Clinical Investigation, 2020, 50, e13196.	1.7	8
214	Sleepâ€Disordered Breathing and 24â€Hour Ambulatory Blood Pressure Monitoring in Renal Transplant Patients: Longitudinal Study. Journal of the American Heart Association, 2020, 9, e016237.	1.6	8
215	Aging and Left Ventricular Mass and Function in People with Endâ€Stage Renal Disease. Journal of the American Geriatrics Society, 2011, 59, 1636-1641.	1.3	7
216	Comment accompanying: obstructive sleep apnoea: a stand-alone risk factor for chronic kidney disease by Chou Yu-Ting. Nephrology Dialysis Transplantation, 2011, 26, 2072-2074.	0.4	7

#	Article	IF	Citations
217	Joint effect of insulin signaling genes on all-cause mortality. Atherosclerosis, 2014, 237, 639-644.	0.4	7
218	Highlights of the 2015 ERA-EDTA congress: chronic kidney disease, hypertension. Nephrology Dialysis Transplantation, 2016, 31, 1044-1046.	0.4	7
219	Effect of Vitamin D Receptor Activation on the AGE/RAGE System and Myeloperoxidase in Chronic Kidney Disease Patients. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-7.	1.9	7
220	Lung ultrasound to detect and monitor pulmonary congestion in patients with acute kidney injury in nephrology wards: a pilot study. Journal of Nephrology, 2020, 33, 335-341.	0.9	7
221	Excess volume removal following lung ultrasound evaluation decreases central blood pressure and pulse wave velocity in hemodialysis patients: a LUST sub-study. Journal of Nephrology, 2020, 33, 1289-1300.	0.9	7
222	The MAURO study: multiple intervention and audit in renal diseases to optimize care. Journal of Nephrology, 2008, 21, 20-2.	0.9	7
223	Chronic Kidney Disease (CKD) as a Systemic Disease: Whole Body Autoregulation and Inter-Organ Cross-Talk. Kidney and Blood Pressure Research, 2014, 39, 134-141.	0.9	6
224	Cardiovascular protection by $\hat{A}$ -blockade in hypertensive haemodialysis patients: the Hypertension in Haemodialysis Patients Treated With Atenolol or Lisinopril (HDPAL) trial. Nephrology Dialysis Transplantation, 2014, 29, 483-485.	0.4	6
225	Moderator's view: Phosphate binders in chronic kidney disease patients: a clear †No†at the moment, but stay tuned. Nephrology Dialysis Transplantation, 2016, 31, gfv404.	0.4	6
226	Physical exercise in haemodialysis patients: time to start. Nephrology Dialysis Transplantation, 2016, 31, 1196-1198.	0.4	6
227	The sirtuin1 gene associates with left ventricular myocardial hypertrophy and remodeling in two chronic kidney disease cohorts. Journal of Hypertension, 2018, 36, 1705-1711.	0.3	6
228	Vitamin D receptor activation raises soluble thrombomodulin levels in chronic kidney disease patients: a double blind, randomized trial. Nephrology Dialysis Transplantation, 2019, 34, 819-824.	0.4	6
229	Epidemiology of hyperkalemia in CKD patients under nephrological care: a longitudinal study. Internal and Emergency Medicine, 2021, 16, 1803-1811.	1.0	6
230	Left ventricular hypertrophy in chronic kidney disease. , 2015, , 837-852.		6
231	Soluble E-Selectin Is an Inverse and Independent Predictor of Left Ventricular Wall Thickness in End-Stage Renal Disease Patients. Nephron Clinical Practice, 2010, 114, c74-c80.	2.3	5
232	Salt and the heart in chronic kidney disease: an atrial connection. Nephrology Dialysis Transplantation, 2013, 28, 2210-2211.	0.4	5
233	Intact FGF23 and αâ€klotho during acute inflammation/sepsis in CKD patients. European Journal of Clinical Investigation, 2017, 47, 470-472.	1.7	5
234	Optimizing hypertension management in renal transplantation. Journal of Hypertension, 2017, 35, 2335-2338.	0.3	5

#	Article	IF	CITATIONS
235	Long-Term Changes in Sleep Disordered Breathing in Renal Transplant Patients: Relevance of the BMI. Journal of Clinical Medicine, 2020, 9, 1739.	1.0	5
236	Detecting and Treating Lung Congestion with Kidney Failure. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, 757-765.	2.2	5
237	Phosphate Binders and Clinical Outcomes in Patients with Stage 5D Chronic Kidney Disease. Seminars in Dialysis, 2015, 28, 587-593.	0.7	4
238	Norepinephrine, left ventricular disorders and volume excess in ESRD. Journal of Nephrology, 2015, 28, 729-737.	0.9	4
239	The dominant prognostic value of physical functioning among quality of life domains in end-stage kidney disease. Nephrology Dialysis Transplantation, 2018, 35, 170-175.	0.4	4
240	Inflammation is an amplifier of lung congestion by high lv filling pressure in hemodialysis patients: a longitudinal study. Journal of Nephrology, 2020, 33, 583-590.	0.9	4
241	Ambulatory blood pressure changes with lung ultrasound-guided dry-weight reduction in hypertensive hemodialysis patients: 12-month results of a randomized controlled trial. Journal of Hypertension, 2021, 39, 1444-1452.	0.3	4
242	Tissue inhibitor of metalloproteinases (TIMP-1), genetic markers of insulin resistance and cardiomyopathy in patients with kidney failure. Nephrology Dialysis Transplantation, 2012, 27, 2440-2445.	0.4	3
243	Vitamin D and methylarginines in chronic kidney disease (CKD). PLoS ONE, 2017, 12, e0185449.	1.1	3
244	Lung ultrasound-guided dry-weight reduction and echocardiographic changes in clinically euvolemic hypertensive hemodialysis patients: 12-month results of a randomized controlled trial. Hellenic Journal of Cardiology, 2022, 64, 1-6.	0.4	3
245	Value of Troponin T as a Screening Test for Left Ventricular Hypertrophy in CKD. American Journal of Kidney Diseases, 2013, 61, 689-691.	2.1	2
246	Should we extend the application of more frequent dialysis schedules? A 'yes' and a hopeful 'no'. Nephrology Dialysis Transplantation, 2015, 30, 29-32.	0.4	2
247	Arterial Stiffness as a Cardiovascular Risk Factor in Stage 5D Chronic Kidney Disease Patients: An Age Affair. American Journal of Nephrology, 2017, 45, 69-71.	1.4	2
248	Physical functioning and mortality in very old patients on dialysis. Archives of Gerontology and Geriatrics, 2019, 85, 103918.	1.4	2
249	Guest Editor: Rajiv Agarwal: Cardiovascular Risk Profile Assessment and Medication Control Should Come First. Seminars in Dialysis, 2007, 20, 405-408.	0.7	1
250	Fluid overload and post-dialysis hypertension. Nature Reviews Nephrology, 2014, 10, 623-624.	4.1	1
251	Cocoa Flavanols. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 9-11.	2.2	1
252	FP720SLEEP DISORDERED BREATHING IN RENAL TRANSPLANT PATIENTS: A LONGITUDINAL STUDY. Nephrology Dialysis Transplantation, 2018, 33, i288-i288.	0.4	1

#	Article	IF	CITATIONS
253	A new therapy for sleep apnea?. Journal of Hypertension, 2021, 39, 1098-1101.	0.3	1
254	Thyroid, Renal Function, and Cardiac Outcome., 2009,, 191-201.		1
255	Early morning hemodynamic changes and left ventricular hypertrophy and mortality in hemodialysis patients. Journal of Nephrology, 2022, , .	0.9	1
256	Clinical News. British Journal of Hospital Medicine (London, England: 2005), 2017, 78, 368-371.	0.2	0
257	Role of Novel Biomarkers in Chronic Kidney Disease: Urotensin II. , 2010, , 299-308.		O
258	Thyroid Dysfunction and Cardiovascular Disease in Chronic Kidney Disease., 2020,, 327-338.		O