Pedro E D Augusto

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1165841/pedro-e-d-augusto-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers2,872
citations31
h-index47
g-index149
ext. papers3,630
ext. citations5.1
avg, IF6.17
L-index

#	Paper	IF	Citations
144	Casting and extrusion processes to produce bio-based plastics using cassava starch modified by the dry heat treatment (DHT). <i>Innovative Food Science and Emerging Technologies</i> , 2022 , 75, 102906	6.8	O
143	Valorization of Pineapple Pomace for Food or Feed: Effects of Pre-treatment with Ethanol on Convective Drying and Quality Properties. <i>Waste and Biomass Valorization</i> , 2022 , 13, 2253	3.2	0
142	Knowledge and perception of different plastic bags and packages: A case study in Brazil. <i>Journal of Environmental Management</i> , 2022 , 301, 113881	7.9	O
141	Combining ultrasound, vacuum and/or ethanol as pretreatments to the convective drying of celery slices. <i>Ultrasonics Sonochemistry</i> , 2021 , 79, 105779	8.9	2
140	Pulsed electric fields (PEF) treatment to enhance starch 3D printing application: Effect on structure, properties, and functionality of wheat and cassava starches. <i>Innovative Food Science and Emerging Technologies</i> , 2021 , 68, 102602	6.8	7
139	An insight into the pasting properties and gel strength of starches from different sources: effect of starch concentration. <i>Scientia Agropecuaria</i> , 2021 , 24, 203-212	4.6	2
138	Ultrasound processing of fruits and vegetables, structural modification and impact on nutrient and bioactive compounds: a review. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 4376-439	1 38	5
137	Ozone Processing of Cassava Starch. Ozone: Science and Engineering, 2021, 43, 60-77	2.4	11
136	Starch modification through environmentally friendly alternatives: a review. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 61, 2482-2505	11.5	30
135	High-Pressure Homogenization on Food Enzymes 2021 , 293-314		
134	Dual-process of starch modification: Combining ozone and dry heating treatments to modify cassava starch structure and functionality. <i>International Journal of Biological Macromolecules</i> , 2021 , 167, 894-905	7.9	8
133	Enhancing carrot convective drying by combining ethanol and ultrasound as pre-treatments: Effect on product structure, quality, energy consumption, drying and rehydration kinetics. <i>Ultrasonics Sonochemistry</i> , 2021 , 70, 105304	8.9	26
132	High Pressure Homogenization in Fruit and Vegetable Juice and Puree Processing: Effects on Quality, Stability and Phytochemical Profile 2021 , 337-358		
131	Emerging technologies to enhance starch performance. Current Opinion in Food Science, 2021, 37, 26-36	9.8	19
130	Combining ethanol pre-treatment and ultrasound-assisted drying to enhance apple chips by fortification with black carrot anthocyanin. <i>Journal of the Science of Food and Agriculture</i> , 2021 , 101, 207	7 8 -308	9 ²
129	A New Ozonated Cassava Film with the Addition of Cellulose Nanofibres: Production and Characterization of Mechanical, Barrier and Functional Properties. <i>Journal of Polymers and the Environment</i> , 2021 , 29, 1908-1920	4.5	О
128	Evaluation of ozone technology as an alternative for degradation of free gossypol in cottonseed meal: a prospective study. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment,</i> 2021 , 38, 659-669	3.2	3

(2020-2021)

127	Convective drying of cambuci, a native fruit from the Brazilian Atlantic Forest: Effect of pretreatments with ethanol and freezing. <i>Journal of Food Process Engineering</i> , 2021 , 44, e13822	2.4	0
126	Structural modification on potato tissue and starch using ethanol pre-treatment and drying process. <i>Food Structure</i> , 2021 , 29, 100202	4.3	3
125	Transport properties of saturated sucrose and maltitol solutions as affected by temperature. Journal of Molecular Liquids, 2021 , 336, 116254	6	1
124	Physicochemical and functional properties of a novel starch from uvaia (Eugenia pyriformis) seed, a native fruit from Brazil. <i>Journal of Food Processing and Preservation</i> , 2021 , 45, e15845	2.1	Ο
123	Ozonation of agri-food products for reducing mycotoxin contamination: challenges in grains and particulates processing. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2021 , 56, 845-851	2.2	
122	Bio-based multilayer films: A review of the principal methods of production and challenges. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-17	11.5	3
121	Microwave and microwave-vacuum drying as alternatives to convective drying in barley malt processing. <i>Innovative Food Science and Emerging Technologies</i> , 2021 , 73, 102770	6.8	5
120	Physical properties of barley grains at hydration and drying conditions of malt production. <i>Journal of Food Process Engineering</i> , 2021 , 44, e13644	2.4	3
119	Iron-Fortified Pineapple Chips Produced Using Microencapsulation, Ethanol, Ultrasound and Convective Drying. <i>Food Engineering Reviews</i> , 2020 , 13, 726	6.5	7
118	Effect of ultrasound on goat cream hydrolysis by lipase: Evaluation on enzyme, substrate and assisted reaction. <i>LWT - Food Science and Technology</i> , 2020 , 130, 109636	5.4	12
117	Ozone modification of arracacha starch: Effect on structure and functional properties. <i>Food Hydrocolloids</i> , 2020 , 108, 106066	10.6	19
116	Ethanol pre-treatment to ultrasound-assisted convective drying of apple. <i>Innovative Food Science and Emerging Technologies</i> , 2020 , 61, 102328	6.8	23
115	Biodegradable Films Produced from Ozone-Modified Potato Starch. <i>Journal of Packaging Technology and Research</i> , 2020 , 4, 3-11	3.1	6
114	Non-thermal effects of microwave and ohmic processing on microbial and enzyme inactivation: a critical review. <i>Current Opinion in Food Science</i> , 2020 , 35, 36-48	9.8	54
113	Evaluating new lines of pigeon pea (Cajanus cajan L.) as a human food source. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14517	2.1	3
112	Challenges, trends and opportunities in food processing. Current Opinion in Food Science, 2020, 35, 72-7	'8 9.8	13
111	Starch modification by ozone: Correlating molecular structure and gel properties in different starch sources. <i>Food Hydrocolloids</i> , 2020 , 108, 106027	10.6	9
110	Preparation of cassava starch hydrogels for application in 3D printing using dry heating treatment (DHT): A prospective study on the effects of DHT and gelatinization conditions. <i>Food Research International</i> , 2020 , 128, 108803	7	30

109	Emerging Technologies for Noncarbonated Beverages Processing 2020, 233-261		1
108	Drying Accelerators to Enhance Processing and Properties: Ethanol, Isopropanol, Acetone and Acetic Acid as Pre-treatments to Convective Drying of Pumpkin. <i>Food and Bioprocess Technology</i> , 2020 , 13, 1984-1996	5.1	7
107	Ultrasound-assisted hydration of wheat grains at different temperatures and power applied: Effect on acoustic field, water absorption and germination. <i>Chemical Engineering and Processing: Process Intensification</i> , 2020 , 155, 108045	3.7	8
106	Ultrasound processing of amyloglucosidase: impact on enzyme activity, stability and possible industrial applications. <i>Acta Scientiarum - Technology</i> , 2020 , 43, e48929	0.5	3
105	Automation of a Mattson Bean Cooker: A simple and a low-cost approach. <i>Journal of Food Processing and Preservation</i> , 2020 , 44, e14769	2.1	1
104	Dry heating treatment: A potential tool to improve the wheat starch properties for 3D food printing application. <i>Food Research International</i> , 2020 , 137, 109731	7	17
103	Ultrasound and ethanol pre-treatments to improve convective drying: Drying, rehydration and carotenoid content of pumpkin. <i>Food and Bioproducts Processing</i> , 2020 , 119, 20-30	4.9	44
102	Ozonation of cassava starch to produce biodegradable films. <i>International Journal of Biological Macromolecules</i> , 2019 , 141, 713-720	7.9	21
101	Incorporation of microencapsulated hydrophilic and lipophilic nutrients into foods by using ultrasound as a pre-treatment for drying: A prospective study. <i>Ultrasonics Sonochemistry</i> , 2019 , 54, 153-	169	17
100	Using ultrasound for improving hydration and debittering of Andean lupin grains. <i>Journal of Food Process Engineering</i> , 2019 , 42, e13170	2.4	10
100 99		2.4	10
	Process Engineering, 2019, 42, e13170 Improving the infrared drying and rehydration of potato slices using simple approaches:		
99	Improving the infrared drying and rehydration of potato slices using simple approaches: Perforations and ethanol. Journal of Food Process Engineering, 2019, 42, e13089 Ozone technology as an alternative to fermentative processes to improve the oven-expansion		13
99 98	Improving the infrared drying and rehydration of potato slices using simple approaches: Perforations and ethanol. Journal of Food Process Engineering, 2019, 42, e13089 Ozone technology as an alternative to fermentative processes to improve the oven-expansion properties of cassava starch. Food Research International, 2019, 123, 56-63 Ultrasound assisted enzymatic hydrolysis of sucrose catalyzed by invertase: Investigation on	2.4	13
99 98 97	Improving the infrared drying and rehydration of potato slices using simple approaches: Perforations and ethanol. <i>Journal of Food Process Engineering</i> , 2019 , 42, e13089 Ozone technology as an alternative to fermentative processes to improve the oven-expansion properties of cassava starch. <i>Food Research International</i> , 2019 , 123, 56-63 Ultrasound assisted enzymatic hydrolysis of sucrose catalyzed by invertase: Investigation on substrate, enzyme and kinetics parameters. <i>LWT - Food Science and Technology</i> , 2019 , 107, 164-170 Kinetic and thermodynamic compensation study of the hydration of faba beans (Vicia faba L.). <i>Food</i>	2.4 7 5.4	13 22 24
99 98 97 96	Improving the infrared drying and rehydration of potato slices using simple approaches: Perforations and ethanol. <i>Journal of Food Process Engineering</i> , 2019 , 42, e13089 Ozone technology as an alternative to fermentative processes to improve the oven-expansion properties of cassava starch. <i>Food Research International</i> , 2019 , 123, 56-63 Ultrasound assisted enzymatic hydrolysis of sucrose catalyzed by invertase: Investigation on substrate, enzyme and kinetics parameters. <i>LWT - Food Science and Technology</i> , 2019 , 107, 164-170 Kinetic and thermodynamic compensation study of the hydration of faba beans (Vicia faba L.). <i>Food Research International</i> , 2019 , 119, 390-397	2.4 7 5.4	13 22 24
99 98 97 96	Improving the infrared drying and rehydration of potato slices using simple approaches: Perforations and ethanol. Journal of Food Process Engineering, 2019, 42, e13089 Ozone technology as an alternative to fermentative processes to improve the oven-expansion properties of cassava starch. Food Research International, 2019, 123, 56-63 Ultrasound assisted enzymatic hydrolysis of sucrose catalyzed by invertase: Investigation on substrate, enzyme and kinetics parameters. LWT - Food Science and Technology, 2019, 107, 164-170 Kinetic and thermodynamic compensation study of the hydration of faba beans (Vicia faba L.). Food Research International, 2019, 119, 390-397 Irradiation of mung beans (Vigna radiata): A prospective study correlating the properties of starch and grains. International Journal of Biological Macromolecules, 2019, 129, 460-470 Ozone technology to reduce zearalenone contamination in whole maize flour: degradation kinetics	2.4 7 5.4 7	13 22 24 1

(2018-2019)

91	conditions on enhancing 3D-printing applications. <i>International Journal of Biological Macromolecules</i> , 2019 , 138, 1087-1097	7.9	41	
90	Combining ozone and ultrasound technologies to modify maize starch. <i>International Journal of Biological Macromolecules</i> , 2019 , 139, 63-74	7.9	23	
89	Oat hydration kinetics at different temperatures: Evaluation, model, and validation. <i>Journal of Food Process Engineering</i> , 2019 , 42, e13159	2.4	6	
88	Combining Ionizing Irradiation and Ultrasound Technologies: Effect on Beans Hydration and Germination. <i>Journal of Food Science</i> , 2019 , 84, 3179-3185	3.4	7	
87	Structural changes caused by ultrasound pretreatment: Direct and indirect demonstration in potato cylinders. <i>Ultrasonics Sonochemistry</i> , 2019 , 52, 176-183	8.9	20	
86	Interaction between aluminium cans and beverages: Influence of catalytic ions, alloy and coating in the corrosion process. <i>Food Packaging and Shelf Life</i> , 2019 , 19, 56-65	8.2	3	
85	Properties and possible applications of ozone-modified potato starch. <i>Food Research International</i> , 2019 , 116, 1192-1201	7	29	
84	The ultrasound assisted hydration as an opportunity to incorporate nutrients into grains. <i>Food Research International</i> , 2018 , 106, 928-935	7	23	
83	Enhancing the hydration process of common beans by ultrasound and high temperatures: Impact on cooking and thermodynamic properties. <i>Journal of Food Engineering</i> , 2018 , 225, 53-61	6	30	
82	Correlating the properties of different carioca bean cultivars (Phaseolus vulgaris) with their hydration kinetics. <i>Food Research International</i> , 2018 , 107, 182-194	7	13	
81	Ozone treatment to reduce deoxynivalenol (DON) and zearalenone (ZEN) contamination in wheat bran and its impact on nutritional quality. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018 , 35, 1189-1199	3.2	37	
80	Conventional Technologies of Food Preservation 2018 , 3-23		4	
79	High Hydrostatic Pressure and High-Pressure Homogenization Processing of Fruit Juices 2018 , 393-421		14	
78	The Hydration of Grains: A Critical Review from Description of Phenomena to Process Improvements. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2018 , 17, 352-370	16.4	57	
77	Ethanol pre-treatment improves vegetable drying and rehydration: Kinetics, mechanisms and impact on viscoelastic properties. <i>Journal of Food Engineering</i> , 2018 , 233, 17-27	6	44	
76	Microstructure elements affect the mass transfer in foods: The case of convective drying and rehydration of pumpkin. <i>LWT - Food Science and Technology</i> , 2018 , 93, 102-108	5.4	20	
75	Evaluating the Guo-Campanella viscoelastic model. <i>Journal of Texture Studies</i> , 2018 , 49, 121-128	3.6	2	
74	Hydration kinetics of cereal and pulses: New data and hypothesis evaluation. <i>Journal of Food Process Engineering</i> , 2018 , 41, e12617	2.4	9	

73	Ethanol and ultrasound pre-treatments to improve infrared drying of potato slices. <i>Innovative Food Science and Emerging Technologies</i> , 2018 , 49, 65-75	6.8	49
7 2	Structure and properties of starches from Arracacha (Arracacia xanthorrhiza) roots. <i>International Journal of Biological Macromolecules</i> , 2018 , 117, 1029-1038	7.9	22
71	Peroxidase inactivation kinetics is affected by the addition of calcium chloride in fruit beverages. <i>LWT - Food Science and Technology</i> , 2018 , 89, 610-616	5.4	7
70	Ozonation of Adzuki beans (Vigna angularis): Effect on the hydration kinetics, phenolic compounds and antioxidant capacity. <i>Journal of Food Process Engineering</i> , 2018 , 41, e12893	2.4	5
69	Hydration kinetics of Carioca beans at different pHs. Journal of Food Process Engineering, 2018, 41, e12	9084	5
68	Artificial neural network for prediction of dielectric properties relevant to microwave processing of fruit juice. <i>Journal of Food Process Engineering</i> , 2018 , 41, e12815	2.4	6
67	Ultrasound processing of guava juice: Effect on structure, physical properties and lycopene in vitro accessibility. <i>Food Chemistry</i> , 2018 , 268, 594-601	8.5	51
66	Describing the Sigmoidal Behavior of Roasted White Lupin (Lupinus albus) During Hydration. Journal of Food Process Engineering, 2017 , 40, e12428	2.4	6
65	Ascorbic acid stability in fruit juices during thermosonication. <i>Ultrasonics Sonochemistry</i> , 2017 , 37, 375-3	381 9	55
64	Ozonation of whole wheat flour and wet milling effluent: Degradation of deoxynivalenol (DON) and rheological properties. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2017 , 52, 516-524	2.2	24
63	Potato starch modification using the ozone technology. Food Hydrocolloids, 2017, 66, 343-356	10.6	79
62	Ultrasound assisted acidification of model foods: Kinetics and impact on structure and viscoelastic properties. <i>Food Research International</i> , 2017 , 100, 468-476	7	8
61	Ultrasound technology enhances the hydration of corn kernels without affecting their starch properties. <i>Journal of Food Engineering</i> , 2017 , 197, 34-43	6	45
60	Using ultrasound technology for the inactivation and thermal sensitization of peroxidase in green coconut water. <i>Ultrasonics Sonochemistry</i> , 2017 , 36, 173-181	8.9	36
59	Structural and Rheological Properties of Frozen Concentrated Orange Juice (FCOJ) by Multi-Pass High-Pressure Homogenisation (MP-HPH). <i>International Journal of Food Properties</i> , 2017 , 1-11	3	1
58	Ultrasound Processing of Fruit and Vegetable Juices 2017 , 181-199		8
57	Other Mass Transfer Unit Operations Enhanced by Ultrasound 2017 , 369-389		8
56	Peach juice processed by the ultrasound technology: Changes in its microstructure improve its physical properties and stability. <i>Food Research International</i> , 2016 , 82, 22-33	7	100

(2014-2016)

55	Mechanisms for improving mass transfer in food with ultrasound technology: Describing the phenomena in two model cases. <i>Ultrasonics Sonochemistry</i> , 2016 , 29, 413-9	8.9	85	
54	Frozen Concentrated Orange Juice (FCOJ) Processed by the High Pressure Homogenization (HPH) Technology: Effect on the Ready-to-Drink Juice. <i>Food and Bioprocess Technology</i> , 2016 , 9, 1070-1078	5.1	21	
53	The ultrasound technology for modifying enzyme activity. Scientia Agropecuaria, 2016, 07, 145-150	4.6	17	
52	Principles of unit operations in food processing 2016 , 68-83		2	
51	Enhancing mung bean hydration using the ultrasound technology: description of mechanisms and impact on its germination and main components. <i>Scientific Reports</i> , 2016 , 6, 38996	4.9	45	
50	Ultrasound pre-treatment enhances the carrot drying and rehydration. <i>Food Research International</i> , 2016 , 89, 701-708	7	90	
49	From the sigmoidal to the downward concave shape behavior during the hydration of grains: Effect of the initial moisture content on Adzuki beans (Vigna angularis). <i>Food and Bioproducts Processing</i> , 2015 , 96, 43-51	4.9	34	
48	Using High Pressure Homogenization (HPH) to Change the Physical Properties of Cashew Apple Juice. <i>Food Biophysics</i> , 2015 , 10, 169-180	3.2	35	
47	Peroxidase (POD) and polyphenol oxidase (PPO) photo-inactivation in a coconut water model solution using ultraviolet (UV). <i>Food Research International</i> , 2015 , 74, 151-159	7	36	
46	Ultrasound (US) enhances the hydration of sorghum (Sorghum bicolor) grains. <i>Ultrasonics Sonochemistry</i> , 2015 , 23, 11-5	8.9	43	
45	A Comparative Study Between Technological Properties of Cashew Tree Gum and Arabic Gum. <i>Journal of Polymers and the Environment</i> , 2015 , 23, 392-399	4.5	7	
44	Describing the Food Sigmoidal Behavior During Hydration Based on a Second-Order Autocatalytic Kinetic. <i>Drying Technology</i> , 2015 , 33, 315-321	2.6	15	
43	Processing Frozen Concentrated Orange Juice (FCOJ) by High Pressure Homogenization (HPH) Technology: Changes in the Viscoelastic Properties. <i>Food Engineering Reviews</i> , 2015 , 7, 231-240	6.5	7	
42	Effect of dynamic high pressure on technological properties of cashew tree gum (Anacardium occidentale L.). <i>Carbohydrate Polymers</i> , 2015 , 129, 187-93	10.3	33	
41	Effect of ultrasound technology on barley seed germination and vigour. <i>Seed Science and Technology</i> , 2015 , 43, 297-302	0.6	27	
40	An autocatalytic kinetic model for describing microbial growth during fermentation. <i>Bioprocess and Biosystems Engineering</i> , 2015 , 38, 199-205	3.7	4	
39	Correlation between morphology, hydration kinetics and mathematical models on Andean lupin (Lupinus mutabilis Sweet) grains. <i>LWT - Food Science and Technology</i> , 2015 , 61, 290-298	5.4	35	
38	The use of high pressure homogenization (HPH) to reduce consistency of concentrated orange juice (COJ). <i>Innovative Food Science and Emerging Technologies</i> , 2014 , 26, 124-133	6.8	46	

37	Effect of dynamic high pressure on milk fermentation kinetics and rheological properties of probiotic fermented milk. <i>Innovative Food Science and Emerging Technologies</i> , 2014 , 26, 67-75	6.8	22
36	THERMAL PROCESSES Commercial Sterility (Retort) 2014 , 567-576		4
35	THERMAL PROCESS CHARACTERIZATION OF MOIST PET FOOD: PROXIMATE ANALISYS AND THERMO-PHYSICAL PROPERTIES AND THERMAL RESISTANCE OF CLOSTRIDIUM SPOROGENES. Journal of Food Processing and Preservation, 2013, 37, 126-132	2.1	2
34	Modelling the effect of temperature on the hydration kinetic of adzuki beans (Vigna angularis). <i>Journal of Food Engineering</i> , 2013 , 118, 417-420	6	54
33	Viscoelastic Properties of Tomato Juice: Applicability of the CoxâMerz Rule. <i>Food and Bioprocess Technology</i> , 2013 , 6, 839-843	5.1	18
32	Effect of high pressure homogenization (HPH) on the rheological properties of tomato juice: Creep and recovery behaviours. <i>Food Research International</i> , 2013 , 54, 169-176	7	48
31	Effect of high pressure homogenization (HPH) on the physical stability of tomato juice. <i>Food Research International</i> , 2013 , 51, 170-179	7	135
30	Effect of high pressure homogenization (HPH) on the rheological properties of tomato juice: Viscoelastic properties and the CoxâMerz rule. <i>Journal of Food Engineering</i> , 2013 , 114, 57-63	6	62
29	Multi-pass high pressure homogenization of commercial enzymes: Effect on the activities of glucose oxidase, neutral protease and amyloglucosidase at different temperatures. <i>Innovative Food Science and Emerging Technologies</i> , 2013 , 18, 83-88	6.8	30
28	Inactivation of E. coli and B. subtilis spores in ozonized cassava starch. <i>Food Science and Technology</i> , 2013 , 33, 289-294	2	1
27	Effect of temperature on dynamic and steady-state shear rheological properties of siriguela (Spondias purpurea L.) pulp. <i>Journal of Food Engineering</i> , 2012 , 108, 283-289	6	58
26	Effect of high pressure homogenization (HPH) on the rheological properties of a fruit juice serum model. <i>Journal of Food Engineering</i> , 2012 , 111, 474-477	6	66
25	Effect of high pressure homogenization (HPH) on the rheological properties of tomato juice: Time-dependent and steady-state shear. <i>Journal of Food Engineering</i> , 2012 , 111, 570-579	6	108
24	The effect of high pressure homogenization on the activity of a commercial Egalactosidase. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012 , 39, 1587-96	4.2	20
23	Modelling the effect of temperature on the lipid solid fat content (SFC). Food Research International, 2012 , 45, 132-135	7	30
22	Using the Mitschka-Briggs-Steffe Method for Evaluation of Cactus Pear Concentrated Pulps Rheological Behavior. <i>International Journal of Food Engineering</i> , 2012 , 7,	1.9	1
21	Rheological Behavior of Tomato Juice: Steady-State Shear and Time-Dependent Modeling. <i>Food and Bioprocess Technology</i> , 2012 , 5, 1715-1723	5.1	39
20	The effect of the high pressure homogenisation on the activity and stability of a commercial neutral protease from Bacillus subtilis. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 716-722	3.8	22

19	DETERMINING CONVECTIVE HEAT TRANSFER COEFFICIENT (h) FOR HEATING AND COOLING OF BOTTLES IN WATER IMMERSION. <i>Journal of Food Process Engineering</i> , 2012 , 35, 54-75	2.4	3	
18	Using Computational Fluid Dynamics (CFD) for Evaluation of Fluid Flow Through a Gate Valve. <i>International Journal of Food Engineering</i> , 2012 , 8,	1.9	4	
17	Computational fluid dynamics evaluation of liquid food thermal process in a brick shaped package. <i>Food Science and Technology</i> , 2012 , 32, 134-141	2	5	
16	Viscoelastic properties of tomato juice. <i>Procedia Food Science</i> , 2011 , 1, 589-593		5	
15	Numerical Simulation of Packed Liquid Food Thermal Process Using Computational Fluid Dynamics (CFD). <i>International Journal of Food Engineering</i> , 2011 , 7,	1.9	5	
14	Numerical evaluation of liquid food heat sterilization in a brick-shaped package. <i>Procedia Food Science</i> , 2011 , 1, 1290-1294		2	
13	Influence of fibre addition on the rheological properties of peach juice. <i>International Journal of Food Science and Technology</i> , 2011 , 46, 1086-1092	3.8	28	
12	THERMAL INACTIVATION OF LACTOBACILLUS PLANTARUM IN A MODEL LIQUID FOOD. <i>Journal of Food Process Engineering</i> , 2011 , 34, 1013-1027	2.4	8	
11	Determination of the Convective Heat Transfer Coefficient (h) in the Sterilization of Retortable Pouches. <i>International Journal of Food Engineering</i> , 2011 , 7,	1.9	5	
10	Determining the Convective Heat Transfer Coefficient (h) in Thermal Process of Foods. <i>International Journal of Food Engineering</i> , 2011 , 7,	1.9	1	
9	Thermal Inactivation of Alicyclobacillus acidoterrestris in a Model Food. <i>International Journal of Food Engineering</i> , 2011 , 7,	1.9	4	
8	DETERMINA [^] [] D DE PROPRIEDADES F [^] SICAS DO FEIJ [^] D FRADINHO. <i>Revista Brasileira De Produtos Agroindustriais</i> , 2011 , 13, 27-35		4	
7	Avalia [^] [] ^{\bargerightarrow} do escoamento de leite desnatado durante homogeneiza [^] [] ^{\bargerightarrow} a alta press [^] ^{\bargerightarrow} (HAP) por meio de fluidodin [^] ^{\bargerightarrow} fiica computacional (CFD). <i>Brazilian Journal of Food Technology</i> , 2011 , 14, 232-240	1.5	17	
6	Using Computational Fluid-Dynamics (CFD) for the evaluation of beer pasteurization: effect of orientation of cans. <i>Food Science and Technology</i> , 2010 , 30, 980-986	2	17	
5	Evaluation of Geometric Symmetry Condition in Numerical Simulations of Thermal Process of Packed Liquid Food by Computational Fluid Dynamics (CFD). <i>International Journal of Food Engineering</i> , 2010 , 6,	1.9	4	
4	Computational Fluid Dynamics Analysis of Viscosity Influence on Thermal In-Package Liquid Food Process. <i>International Journal of Food Engineering</i> , 2010 , 6,	1.9	7	
3	Evaluation of Methodologies for Mathematical Modeling of Packaged Conductive Foods Heat Process. <i>International Journal of Food Engineering</i> , 2009 , 5,	1.9	7	
2	Uvaia fruit (Eugenia pyriformis Cambess) drying: Ethanol as pre-treatment, convective drying kinetics and bioactive compounds. <i>Journal of Food Processing and Preservation</i> ,e16284	2.1	O	

Thermal processing of food: Challenges, innovations and opportunities. A position paper. *Food Reviews International*,1-26

5.5 1