

Paul V Braun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11660359/paul-v-braun-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

12,209
citations

47
h-index

99
g-index

99
ext. papers

13,249
ext. citations

14.2
avg, IF

6.46
L-index

#	Paper	IF	Citations
99	Ultralow Thermal Conductivity in Nanoporous Crystalline Fe ₃ O ₄ . <i>Journal of Physical Chemistry C</i> , 2021 , 125, 6897-6908	3.8	3
98	Electrodeposition of atmosphere-sensitive ternary sodium transition metal oxide films for sodium-based electrochemical energy storage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	3
97	Three-dimensional mesostructured binder-free nickel-based TiO ₂ /RGO lithium-ion battery negative electrodes with enhanced volumetric capacity. <i>Ceramics International</i> , 2021 , 47, 21381-21387	5.1	2
96	Archimedean lattices emerge in template-directed eutectic solidification. <i>Nature</i> , 2020 , 577, 355-358	50.4	11
95	Force-Modulated Equilibria of Mechanophore-Metal Coordinate Bonds. <i>Chemistry of Materials</i> , 2020 , 32, 3869-3878	9.6	6
94	Functional materials and devices by self-assembly. <i>MRS Bulletin</i> , 2020 , 45, 799-806	3.2	11
93	High strength metallic wood from nanostructured nickel inverse opal materials. <i>Scientific Reports</i> , 2019 , 9, 719	4.9	28
92	Modulating Noncovalent Cross-links with Molecular Switches. <i>Journal of the American Chemical Society</i> , 2019 , 141, 3597-3604	16.4	24
91	High Volumetric and Gravimetric Capacity Electrodeposited Mesostructured Sb O Sodium Ion Battery Anodes. <i>Small</i> , 2019 , 15, e1900258	11	34
90	Light-triggered thermal conductivity switching in azobenzene polymers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 5973-5978	11.5	56
89	Control of lamellar eutectic orientation via template-directed solidification. <i>Acta Materialia</i> , 2019 , 166, 715-722	8.4	2
88	Rational Design of Hierarchically Open-Porous Spherical Hybrid Architectures for Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2019 , 9, 1802816	21.8	32
87	High capacity 3D structured tin-based electroplated Li-ion battery anodes. <i>Energy Storage Materials</i> , 2019 , 17, 151-156	19.4	28
86	Reconfigurable nanoscale soft materials. <i>Current Opinion in Solid State and Materials Science</i> , 2019 , 23, 41-49	12	7
85	Template-Directed Solidification of Eutectic Optical Materials. <i>Advanced Optical Materials</i> , 2018 , 6, 1800871	7.1	15
84	Pack Aluminization Assisted Enhancement of Thermo-mechanical Properties in Nickel Inverse Opal Structures. <i>Chemistry of Materials</i> , 2018 , 30, 1648-1654	9.6	10
83	Thin Film Condensation on Nanostructured Surfaces. <i>Advanced Functional Materials</i> , 2018 , 28, 1707000	15.6	42

82	Deterministic Design of Chemistry and Mesostructure in Li-Ion Battery Electrodes. <i>ACS Nano</i> , 2018 , 12, 3060-3064	16.7	15
81	Size control of cross-linked carboxy-functionalized polystyrene particles: Four orders of magnitude of dimensional versatility. <i>European Polymer Journal</i> , 2018 , 101, 202-210	5.2	11
80	Dendritic nanostructured FeS-based high stability and capacity Li-ion cathodes.. <i>RSC Advances</i> , 2018 , 8, 38745-38750	3.7	2
79	Salt Water-Triggered Ionic Cross-Linking of Polymer Composites by Controlled Release of Functional Ions. <i>ACS Omega</i> , 2018 , 3, 16127-16133	3.9	
78	Flexible Transient Optical Waveguides and Surface-Wave Biosensors Constructed from Monocrystalline Silicon. <i>Advanced Materials</i> , 2018 , 30, e1801584	24	36
77	Electroplating lithium transition metal oxides. <i>Science Advances</i> , 2017 , 3, e1602427	14.3	45
76	Performance Modeling and Design of Ultra-High Power Microbatteries. <i>Journal of the Electrochemical Society</i> , 2017 , 164, E3122-E3131	3.9	21
75	Improved Performance in FeF ₂ Conversion Cathodes through Use of a Conductive 3D Scaffold and Al ₂ O ₃ ALD Coating. <i>Advanced Functional Materials</i> , 2017 , 27, 1702783	15.6	38
74	Electrodeposited high strength, thermally stable spectrally selective rhenium nickel inverse opals. <i>Nanoscale</i> , 2017 , 9, 11187-11194	7.7	12
73	Graphene Sandwiched Mesostructured Li-Ion Battery Electrodes. <i>Advanced Materials</i> , 2016 , 28, 7696-7024	24	68
72	High-Performance Mesostructured Organic Hybrid Pseudocapacitor Electrodes. <i>Advanced Functional Materials</i> , 2016 , 26, 903-910	15.6	52
71	High Volumetric Capacity Three-Dimensionally Sphere-Caged Secondary Battery Anodes. <i>Nano Letters</i> , 2016 , 16, 4501-7	11.5	58
70	3D Scaffolded Nickel-Tin Li-Ion Anodes with Enhanced Cyclability. <i>Advanced Materials</i> , 2016 , 28, 742-7	24	80
69	Bioresorbable silicon electronic sensors for the brain. <i>Nature</i> , 2016 , 530, 71-6	50.4	582
68	Integration of high capacity materials into interdigitated mesostructured electrodes for high energy and high power density primary microbatteries. <i>Journal of Power Sources</i> , 2016 , 315, 308-315	8.9	21
67	Quasi-ballistic Electronic Thermal Conduction in Metal Inverse Opals. <i>Nano Letters</i> , 2016 , 16, 2754-61	11.5	65
66	Thermally Functional Liquid Crystal Networks by Magnetic Field Driven Molecular Orientation. <i>ACS Macro Letters</i> , 2016 , 5, 955-960	6.6	47
65	Unveiling surface redox charge storage of interacting two-dimensional heteronanoshets in hierarchical architectures. <i>Nano Letters</i> , 2015 , 15, 2269-77	11.5	73

64	Three-Dimensionally Mesoporous Fe ₂ O ₃ Electrodes with Good Rate Performance and Reduced Voltage Hysteresis. <i>Chemistry of Materials</i> , 2015 , 27, 2803-2811	9.6	60
63	Self-assembly of monodisperse starburst carbon spheres into hierarchically organized nanostructured supercapacitor electrodes. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 9128-33	9.5	30
62	Holographic patterning of high-performance on-chip 3D lithium-ion microbatteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 6573-8	11.5	144
61	Three-dimensionally scaffolded Co ₃ O ₄ nanosheet anodes with high rate performance. <i>Journal of Power Sources</i> , 2015 , 299, 40-48	8.9	19
60	Epitaxial growth of three dimensionally structured III-V photonic crystal via hydride vapor phase epitaxy. <i>Journal of Applied Physics</i> , 2015 , 118, 224303	2.5	7
59	High Full-Electrode Basis Capacity Template-Free 3D Nanocomposite Secondary Battery Anodes. <i>Small</i> , 2015 , 11, 6265-71	11	13
58	In Operando Strain Measurement of Bicontinuous Silicon-Coated Nickel Inverse Opal Anodes for Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2015 , 5, 1500466	21.8	27
57	Enhanced Secondary Battery Anodes Based on Si and Fe ₃ O ₄ Nanoparticle Infilled Monodisperse Carbon Starburst Colloidal Crystals. <i>Particle and Particle Systems Characterization</i> , 2015 , 32, 928-933	3.1	2
56	Nanoscale thermal transport. II. 2003-2012. <i>Applied Physics Reviews</i> , 2014 , 1, 011305	17.3	1050
55	Materials Chemistry in 3D Templates for Functional Photonics. <i>Chemistry of Materials</i> , 2014 , 26, 277-286	9.6	46
54	Batteries: Knowing when small is better. <i>Nature Nanotechnology</i> , 2014 , 9, 962-3	28.7	13
53	Electrode architectures for high capacity multivalent conversion compounds: iron (II and III) fluoride. <i>RSC Advances</i> , 2014 , 4, 6730	3.7	32
52	Molecular tailoring of interfacial failure. <i>Langmuir</i> , 2014 , 30, 11096-102	4	19
51	Hydrothermal fabrication of three-dimensional secondary battery anodes. <i>Advanced Materials</i> , 2014 , 26, 7096-101	24	46
50	Photoelectrochemical behavior of hierarchically structured Si/WO ₃ core-shell tandem photoanodes. <i>Nano Letters</i> , 2014 , 14, 2310-7	11.5	71
49	Solvent Swelling Activation of a Mechanophore in a Polymer Network. <i>Macromolecules</i> , 2014 , 47, 2690-2694	5.94	78
48	Epitaxial Growth of Three-Dimensionally Mesoporous Single-Crystalline Cu ₂ O via Templated Electrodeposition. <i>Chemistry of Materials</i> , 2014 , 26, 7051-7058	9.6	13
47	Anisotropic colloidal templating of 3D ceramic, semiconducting, metallic, and polymeric architectures. <i>Advanced Materials</i> , 2014 , 26, 1740-5	24	18

46	Enabling New Classes of Templated Materials through Mesoporous Carbon Colloidal Crystals. <i>Advanced Optical Materials</i> , 2013 , 1, 300-304	8.1	14
45	High-power lithium ion microbatteries from interdigitated three-dimensional bicontinuous nanoporous electrodes. <i>Nature Communications</i> , 2013 , 4, 1732	17.4	449
44	Ultralow thermal conductivity in organoclay nanolaminates synthesized via simple self-assembly. <i>Nano Letters</i> , 2013 , 13, 2215-9	11.5	60
43	Exploiting Force Sensitive Spiroyrans as Molecular Level Probes. <i>Macromolecules</i> , 2013 , 46, 3746-3752	5.5	109
42	High power primary lithium ion microbatteries. <i>Journal of Physics: Conference Series</i> , 2013 , 476, 012087	0.3	3
41	High power rechargeable batteries. <i>Current Opinion in Solid State and Materials Science</i> , 2012 , 16, 186-198	2	145
40	Programmed size-selected permeation of ssDNA into ZnS mesoporous hollow spheres. <i>Soft Matter</i> , 2012 , 8, 4396	3.6	2
39	Room-Temperature Polydimethylsiloxane-Based Self-Healing Polymers. <i>Chemistry of Materials</i> , 2012 , 24, 4209-4214	9.6	46
38	Three-dimensional metal scaffold supported bicontinuous silicon battery anodes. <i>Nano Letters</i> , 2012 , 12, 2778-83	11.5	229
37	Effects of chemical bonding on heat transport across interfaces. <i>Nature Materials</i> , 2012 , 11, 502-6	27	458
36	Three-dimensional bicontinuous ultrafast-charge and -discharge bulk battery electrodes. <i>Nature Nanotechnology</i> , 2011 , 6, 277-81	28.7	940
35	Epitaxial growth of three-dimensionally architected optoelectronic devices. <i>Nature Materials</i> , 2011 , 10, 676-81	27	99
34	Transparent Self-Healing Polymers Based on Encapsulated Plasticizers in a Thermoplastic Matrix. <i>Advanced Functional Materials</i> , 2011 , 21, 4705-4711	15.6	64
33	Cu(2)O inverse woodpile photonic crystals by prism holographic lithography and electrodeposition. <i>Advanced Materials</i> , 2011 , 23, 2749-52	24	48
32	Template directed assembly of dynamic micellar nanoparticles. <i>Soft Matter</i> , 2011 , 7, 10252	3.6	6
31	Testing the minimum thermal conductivity model for amorphous polymers using high pressure. <i>Physical Review B</i> , 2011 , 83,	3.3	70
30	Interfacial thermal conductance in spun-cast polymer films and polymer brushes. <i>Applied Physics Letters</i> , 2010 , 97, 011908	3.4	79
29	Force-induced redistribution of a chemical equilibrium. <i>Journal of the American Chemical Society</i> , 2010 , 132, 16107-11	16.4	213

28	Holographically defined nanoparticle placement in 3D colloidal crystals. <i>Journal of the American Chemical Society</i> , 2010 , 132, 9958-9	16.4	14
27	Self-Healing Polymers 2010 ,		8
26	Coaxial electrospinning of self-healing coatings. <i>Advanced Materials</i> , 2010 , 22, 496-9	24	201
25	Multidimensional architectures for functional optical devices. <i>Advanced Materials</i> , 2010 , 22, 1084-101	24	154
24	Self-Healing Polymer Coatings. <i>Advanced Materials</i> , 2009 , 21, 645-649	24	575
23	Fabrication of Three-Dimensional Photonic Crystals Using Multibeam Interference Lithography and Electrodeposition. <i>Advanced Materials</i> , 2009 , 21, 3012-3015	24	87
22	Programming structure into 3D nanomaterials. <i>Materials Today</i> , 2009 , 12, 28-35	21.8	35
21	Force-induced activation of covalent bonds in mechanoresponsive polymeric materials. <i>Nature</i> , 2009 , 459, 68-72	50.4	1211
20	Double Direct Templated Hollow ZnS Microspheres Formed on Chemically Modified Silica Colloids. <i>Chemistry of Materials</i> , 2009 , 21, 628-634	9.6	27
19	Mesoporous ZnS nanorattles: programmed size selected access to encapsulated enzymes. <i>Nano Letters</i> , 2009 , 9, 1994-8	11.5	42
18	Microcapsules containing suspensions of carbon nanotubes. <i>Journal of Materials Chemistry</i> , 2009 , 19, 6093		87
17	Thermal conductance of hydrophilic and hydrophobic interfaces. <i>Physical Review Letters</i> , 2006 , 96, 18610-14	14	321
16	Double direct templating of periodically nanostructured ZnS hollow microspheres. <i>Journal of the American Chemical Society</i> , 2005 , 127, 16356-7	16.4	92
15	AuPd Metal Nanoparticles as Probes of Nanoscale Thermal Transport in Aqueous Solution. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 18870-18875	3.4	121
14	Glucose-Sensitive Inverse Opal Hydrogels: Analysis of Optical Diffraction Response. <i>Langmuir</i> , 2004 , 20, 3096-3106	4	213
13	Lyotropic Liquid Crystals as Nanoreactors for Nanoparticle Synthesis. <i>Chemistry of Materials</i> , 2004 , 16, 2201-2207	9.6	68
12	Roles of anionic and cationic template components in biomineralization of CdS nanorods using self-assembled DNA-membrane complexes. <i>Journal of the American Chemical Society</i> , 2004 , 126, 14157-65	16.4	46
11	Molecular imprinting of biomineralized CdS nanostructures: crystallographic control using self-assembled DNA-membrane templates. <i>Journal of the American Chemical Society</i> , 2003 , 125, 11786-7	16.4	71

10	Natural Nanobiocomposites, Biomimetic Nanocomposites, and Biologically Inspired Nanocomposites 2003 , 155-214		7
9	Colloidal metal particles as probes of nanoscale thermal transport in fluids. <i>Physical Review B</i> , 2002 , 66,	3.3	236
8	Patterned colloidal deposition controlled by electrostatic and capillary forces. <i>Physical Review Letters</i> , 2000 , 84, 2997-3000	7.4	369
7	Electrochemically grown photonic crystals. <i>Nature</i> , 1999 , 402, 603-604	50.4	387
6	CdS mineralization of hexagonal, lamellar, and cubic lyotropic liquid crystals. <i>Materials Research Bulletin</i> , 1999 , 34, 463-469	5.1	125
5	Nanostructure Templating in Inorganic Solids with Organic Lyotropic Liquid Crystals. <i>Journal of the American Chemical Society</i> , 1999 , 121, 7302-7309	16.4	206
4	Molecular manipulation of microstructures: biomaterials, ceramics, and semiconductors. <i>Science</i> , 1997 , 277, 1242-8	33.3	717
3	Lamellar semiconductor-organic nanostructures from self-assembled templates. <i>Advanced Materials</i> , 1996 , 8, 1022-1025	24	52
2	Semiconducting superlattices templated by molecular assemblies. <i>Nature</i> , 1996 , 380, 325-328	50.4	472
1	Fiber Electrodes Mesostructured on Carbon Fibers for Energy Storage. <i>ACS Applied Energy Materials</i> ,	6.1	3