

Zhifen Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11663005/publications.pdf>

Version: 2024-02-01

86
papers

3,159
citations

218677

26
h-index

175258

52
g-index

89
all docs

89
docs citations

89
times ranked

4006
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening and prioritizing substances in groundwater in the Beijing-Tianjin-Hebei region of the North China Plain based on exposure and hazard assessments. <i>Journal of Hazardous Materials</i> , 2022, 423, 127142.	12.4	8
2	Resistance risk induced by quorum sensing inhibitors and their combined use with antibiotics: Mechanism and its relationship with toxicity. <i>Chemosphere</i> , 2021, 265, 129153.	8.2	23
3	In-situ and ex-situ measurement of hydrophobic organic contaminants in soil air based on passive sampling: PAH exchange kinetics, non-equilibrium correction and comparison with traditional estimations. <i>Journal of Hazardous Materials</i> , 2021, 410, 124646.	12.4	4
4	Spatial variation, water quality, and health risk assessment of trace elements in groundwater in Beijing and Shijiazhuang, North China Plain. <i>Environmental Science and Pollution Research</i> , 2021, 28, 57046-57059.	5.3	15
5	Investigations on the influence of energy source on time-dependent hormesis: A case study of sulfadoxine to <i>Aliivibrio fischeri</i> in different cultivation systems. <i>Science of the Total Environment</i> , 2021, 775, 145877.	8.0	15
6	Hormetic dose-responses for silver antibacterial compounds, quorum sensing inhibitors, and their binary mixtures on bacterial resistance of <i>Escherichia coli</i> . <i>Science of the Total Environment</i> , 2021, 786, 147464.	8.0	8
7	Regular time-dependent cross-phenomena induced by hormesis: A case study of binary antibacterial mixtures to <i>Aliivibrio fischeri</i> . <i>Ecotoxicology and Environmental Safety</i> , 2020, 187, 109823.	6.0	18
8	Hormesis-induced gap between the guidelines and reality in ecological risk assessment. <i>Chemosphere</i> , 2020, 243, 125348.	8.2	16
9	Hormetic dose-dependent response about typical antibiotics and their mixtures on plasmid conjugative transfer of <i>Escherichia coli</i> and its relationship with toxic effects on growth. <i>Ecotoxicology and Environmental Safety</i> , 2020, 205, 111300.	6.0	20
10	Insights into the role of energy source in hormesis through diauxic growth of bacteria in mixed cultivation systems. <i>Chemosphere</i> , 2020, 261, 127669.	8.2	13
11	Similarities between the Yin/Yang Doctrine and Hormesis in Toxicology and Pharmacology. <i>Trends in Pharmacological Sciences</i> , 2020, 41, 544-556.	8.7	15
12	A trigger mechanism of herbicides to phytoplankton blooms: From the standpoint of hormesis involving cytochrome b559, reactive oxygen species and nitric oxide. <i>Water Research</i> , 2020, 173, 115584.	11.3	32
13	Rhizosphere Microbiome Assembly and Its Impact on Plant Growth. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 5024-5038.	5.2	238
14	Air-soil diffusive exchange of PAHs in an urban park of Shanghai based on polyethylene passive sampling: Vertical distribution, vegetation influence and diffusive flux. <i>Science of the Total Environment</i> , 2019, 689, 734-742.	8.0	14
15	A deep insight into the toxic mechanism for sulfonamides based on bacterial cell-cell communication. <i>Environment International</i> , 2019, 129, 185-193.	10.0	9
16	Combination of sulfonamides, silver antimicrobial agents and quorum sensing inhibitors as a preferred approach for improving antimicrobial efficacy against <i>Bacillus subtilis</i> . <i>Ecotoxicology and Environmental Safety</i> , 2019, 181, 43-48.	6.0	10
17	QSAR-based investigation on antibiotics facilitating emergence and dissemination of antibiotic resistance genes: A case study of sulfonamides against mutation and conjugative transfer in <i>Escherichia coli</i> . <i>Environmental Research</i> , 2019, 173, 87-96.	7.5	18
18	Time-Dependent Toxicities of Quorum Sensing Inhibitors to <i>Aliivibrio fischeri</i> and <i>Bacillus subtilis</i> . <i>Dose-Response</i> , 2019, 17, 155932581882293.	1.6	3

#	ARTICLE	IF	CITATIONS
19	Novel brominated flame retardants in house dust from Shanghai, China: levels, temporal variation, and human exposure. <i>Environmental Sciences Europe</i> , 2019, 31, .	5.5	24
20	Multiple-species hormetic phenomena induced by indole: A case study on the toxicity of indole to bacteria, algae and human cells. <i>Science of the Total Environment</i> , 2019, 657, 46-55.	8.0	24
21	Hormetic mechanism of sulfonamides on <i>Aliivibrio fischeri</i> luminescence based on a bacterial cell-cell communication. <i>Chemosphere</i> , 2019, 215, 793-799.	8.2	9
22	Mechanistic explanation of time-dependent cross-phenomenon based on quorum sensing: A case study of the mixture of sulfonamide and quorum sensing inhibitor to bioluminescence of <i>Aliivibrio fischeri</i> . <i>Science of the Total Environment</i> , 2018, 630, 11-19.	8.0	37
23	A study on the role that quorum sensing play in antibiotic-resistant plasmid conjugative transfer in <i>Escherichia coli</i> . <i>Ecotoxicology</i> , 2018, 27, 209-216.	2.4	21
24	A comparative study on the binary and ternary mixture toxicity of antibiotics towards three bacteria based on QSAR investigation. <i>Environmental Research</i> , 2018, 162, 127-134.	7.5	28
25	Occurrence of polybrominated diphenyl ethers in floor and elevated surface house dust from Shanghai, China. <i>Environmental Science and Pollution Research</i> , 2018, 25, 18049-18058.	5.3	16
26	A swinging seesaw as a novel model mechanism for time-dependent hormesis under dose-dependent stimulatory and inhibitory effects: A case study on the toxicity of antibacterial chemicals to <i>Aliivibrio fischeri</i> . <i>Chemosphere</i> , 2018, 205, 15-23.	8.2	27
27	Hormesis as a mechanistic approach to understanding herbal treatments in traditional Chinese medicine. , 2018, 184, 42-50.		63
28	A QSAR-based mechanistic study on the combined toxicity of antibiotics and quorum sensing inhibitors against <i>Escherichia coli</i> . <i>Journal of Hazardous Materials</i> , 2018, 341, 438-447.	12.4	32
29	Polybrominated diphenyl ethers and its methoxylated analogues in biota and sediment samples from two freshwater lakes in Yangtze River delta. <i>Environmental Earth Sciences</i> , 2017, 76, 1.	2.7	8
30	Interaction effects and mechanism of Pb pollution and soil microorganism in the presence of earthworm. <i>Chemosphere</i> , 2017, 173, 227-234.	8.2	21
31	Solving model of temperature and humidity profiles in spray cooling zone. <i>Building and Environment</i> , 2017, 123, 189-199.	6.9	31
32	A Mechanism-based QSTR Model for Acute to Chronic Toxicity Extrapolation: A Case Study of Antibiotics on Luminous Bacteria. <i>Scientific Reports</i> , 2017, 7, 6022.	3.3	12
33	The biochemical and toxicological responses of earthworm (<i>Eisenia fetida</i>) following exposure to nanoscale zerovalent iron in a soil system. <i>Environmental Science and Pollution Research</i> , 2017, 24, 2507-2514.	5.3	38
34	Bioaccumulation and toxic effects of decabromodiphenyl ether in the presence of nanoscale zero-valent iron in an earthworm's soil system. <i>Chemosphere</i> , 2017, 169, 78-88.	8.2	20
35	An analogous wood barrel theory to explain the occurrence of hormesis: A case study of sulfonamides and erythromycin on <i>Escherichia coli</i> growth. <i>PLoS ONE</i> , 2017, 12, e0181321.	2.5	9
36	A new parameter for the stimulation effect and its application in the prediction of the hormetic effect in chemical mixtures. <i>RSC Advances</i> , 2016, 6, 114698-114706.	3.6	3

#	ARTICLE	IF	CITATIONS
37	Mechanism Underlying Time-dependent Cross-phenomenon between Concentration-response Curves and Concentration Addition Curves: A Case Study of Sulfonamides-Erythromycin mixtures on <i>Escherichia coli</i> . <i>Scientific Reports</i> , 2016, 6, 33718.	3.3	8
38	Mechanism-based QSAR Models for the Toxicity of Quorum Sensing Inhibitors to Gram-negative and Gram-positive Bacteria. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2016, 97, 145-150.	2.7	6
39	The Comparison of the Combined Toxicity between Gram-negative and Gram-positive Bacteria: a Case Study of Antibiotics and Quorum-sensing Inhibitors. <i>Molecular Informatics</i> , 2016, 35, 54-61.	2.5	12
40	The mixture toxicity of environmental contaminants containing sulfonamides and other antibiotics in <i>Escherichia coli</i> : Differences in both the special target proteins of individual chemicals and their effective combined concentration. <i>Chemosphere</i> , 2016, 158, 193-203.	8.2	33
41	Similarities and differences in combined toxicity of sulfonamides and other antibiotics towards bacteria for environmental risk assessment. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 429.	2.7	12
42	Time-dependent hormesis of chemical mixtures: A case study on sulfa antibiotics and a quorum-sensing inhibitor of <i>Vibrio fischeri</i> . <i>Environmental Toxicology and Pharmacology</i> , 2016, 41, 45-53.	4.0	29
43	Prediction of mixture toxicity from the hormesis of a single chemical: A case study of combinations of antibiotics and quorum-sensing inhibitors with gram-negative bacteria. <i>Chemosphere</i> , 2016, 150, 159-167.	8.2	25
44	Where does the toxicity of metal oxide nanoparticles come from: The nanoparticles, the ions, or a combination of both?. <i>Journal of Hazardous Materials</i> , 2016, 308, 328-334.	12.4	261
45	The joint effects of sulfonamides and quorum sensing inhibitors on <i>Vibrio fischeri</i> : Differences between the acute and chronic mixed toxicity mechanisms. <i>Journal of Hazardous Materials</i> , 2016, 310, 56-67.	12.4	16
46	Novel approach for predicting the joint effects based on the enzyme-catalyzed kinetics. <i>Journal of Hazardous Materials</i> , 2016, 307, 359-367.	12.4	3
47	What are the differences between aerobic and anaerobic toxic effects of sulfonamides on <i>Escherichia coli</i> ?. <i>Environmental Toxicology and Pharmacology</i> , 2016, 41, 251-258.	4.0	9
48	A new index to assess chemicals increasing the greenhouse effect based on their toxicity to algae. <i>Environmental Toxicology and Pharmacology</i> , 2015, 40, 948-953.	4.0	1
49	Development of a New Decision Tree to Rapidly Screen Chemical Estrogenic Activities of <i>Xenopus laevis</i> . <i>Molecular Informatics</i> , 2014, 33, 115-123.	2.5	0
50	Balance between herbicidal activity and toxicity effect: A case study of the joint effects of triazine and phenylurea herbicides on <i>Selenastrum capricornutum</i> and <i>Photobacterium phosphoreum</i> . <i>Aquatic Toxicology</i> , 2014, 150, 165-174.	4.0	20
51	Study on the variation rules of the joint effects for multicomponent mixtures containing cyanogenic toxicants and aldehydes based on the transition state theory. <i>Journal of Hazardous Materials</i> , 2014, 267, 98-108.	12.4	4
52	Surfactants present complex joint effects on the toxicities of metal oxide nanoparticles. <i>Chemosphere</i> , 2014, 108, 70-75.	8.2	38
53	Combined effects of aqueous suspensions of fullerene and humic acid on the availability of polycyclic aromatic hydrocarbons: Evaluated with negligible depletion solid-phase microextraction. <i>Science of the Total Environment</i> , 2014, 493, 12-21.	8.0	19
54	The joint effects on <i>Photobacterium phosphoreum</i> of metal oxide nanoparticles and their most likely coexisting chemicals in the environment. <i>Aquatic Toxicology</i> , 2014, 154, 200-206.	4.0	33

#	ARTICLE	IF	CITATIONS
55	The underlying toxicological mechanism of chemical mixtures: A case study on mixture toxicity of cyanogenic toxicants and aldehydes to <i>Photobacterium phosphoreum</i> . <i>Toxicology and Applied Pharmacology</i> , 2013, 272, 551-558.	2.8	8
56	A docking-based receptor library of antibiotics and its novel application in predicting chronic mixture toxicity for environmental risk assessment. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 4513-4527.	2.7	22
57	Using molecular docking-based binding energy to predict toxicity of binary mixture with different binding sites. <i>Chemosphere</i> , 2013, 92, 1169-1176.	8.2	30
58	Novel approach to predicting hormetic effects of antibiotic mixtures on <i>Vibrio fischeri</i> . <i>Chemosphere</i> , 2013, 90, 2070-2076.	8.2	42
59	Efficient Oxidative Debromination of Decabromodiphenyl Ether by TiO ₂ -Mediated Photocatalysis in Aqueous Environment. <i>Environmental Science & Technology</i> , 2013, 47, 518-525.	10.0	98
60	Quantitative Structure Activity Relationships (QSAR) for Binary Mixtures at Non-Equitoxic Ratios Based on Toxic Ratios-Effects Curves. <i>Dose-Response</i> , 2013, 11, dose-response.1.	1.6	17
61	Using Molecular Docking to Compare Toxicity of Reactive Chemicals to Freshwater and Marine Luminous Bacteria. <i>Molecular Informatics</i> , 2012, 31, 809-816.	2.5	13
62	Using molecular docking between organic chemicals and lipid membrane to revise the well known octanol-water partition coefficient of the mixture. <i>Environmental Toxicology and Pharmacology</i> , 2012, 34, 59-66.	4.0	13
63	Model of Hormesis and Its Toxicity Mechanism Based on Quorum Sensing: A Case Study on the Toxicity of Sulfonamides to <i>Photobacterium phosphoreum</i> . <i>Environmental Science & Technology</i> , 2012, 46, 7746-7754.	10.0	79
64	The joint effects of sulfonamides and their potentiator on <i>Photobacterium phosphoreum</i> : Differences between the acute and chronic mixture toxicity mechanisms. <i>Chemosphere</i> , 2012, 86, 30-35.	8.2	86
65	Efficient degradation of organic pollutants with ferrous hydroxide colloids as heterogeneous Fenton-like activator of hydrogen peroxide. <i>Chemosphere</i> , 2012, 87, 111-117.	8.2	41
66	Influence factors of multicomponent mixtures containing reactive chemicals and their joint effects. <i>Chemosphere</i> , 2012, 88, 994-1000.	8.2	33
67	Atomic charges of individual reactive chemicals in binary mixtures determine their joint effects: An example of cyanogenic toxicants and aldehydes. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 270-278.	4.3	15
68	Application of the Similarity Parameter ($\hat{\rho}$) to Prediction of the Joint Effects of Nonequitoxic Mixtures. <i>Archives of Environmental Contamination and Toxicology</i> , 2012, 62, 195-209.	4.1	8
69	Study of water quality and eutrophication in Sanya coastal zone. , 2011, , .		0
70	Hydrophobicity-dependent QSARs to predict the toxicity of perfluorinated carboxylic acids and their mixtures. <i>Environmental Toxicology and Pharmacology</i> , 2011, 32, 259-265.	4.0	29
71	The research and application of spray cooling technology in Shanghai Expo. <i>Applied Thermal Engineering</i> , 2011, 31, 3726-3735.	6.0	41
72	TiO ₂ nanoparticles assembled on graphene oxide nanosheets with high photocatalytic activity for removal of pollutants. <i>Carbon</i> , 2011, 49, 2693-2701.	10.3	538

#	ARTICLE	IF	CITATIONS
73	Toxicity Prediction of Antibiotics on Luminescent Bacteria, <i>Photobacterium phosphoreum</i> , Based on Their Quantitative Structure-Activity Relationship Models. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2010, 85, 550-555.	2.7	26
74	Sono-assisted preparation of highly-efficient peroxidase-like Fe ₃ O ₄ magnetic nanoparticles for catalytic removal of organic pollutants with H ₂ O ₂ . <i>Ultrasonics Sonochemistry</i> , 2010, 17, 526-533.	8.2	355
75	Preparation and photoelectrocatalytic properties of titania/carbon nanotube composite films. <i>Carbon</i> , 2010, 48, 3369-3375.	10.3	57
76	QSAR for Predicting Joint Toxicity of Halogenated Benzenes to <i>Dicrateria zhanjiangensis</i> . <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008, 81, 525-530.	2.7	4
77	A simple hydrophobicity-based approach to predict the toxicity of unknown organic micropollutant mixtures in marine water. <i>Marine Pollution Bulletin</i> , 2005, 50, 617-623.	5.0	6
78	Prediction of the toxicological joint effects between cyanogenic toxicants and aldehydes to <i>Photobacterium phosphoreum</i> . <i>QSAR and Combinatorial Science</i> , 2005, 24, 354-363.	1.4	6
79	Influence of hydroxypropylcyclodextrins on the toxicity of mixtures. <i>Chemosphere</i> , 2005, 58, 1301-1306.	8.2	12
80	Mechanism of concentration addition toxicity: they are different for nonpolar narcotic chemicals, polar narcotic chemicals and reactive chemicals. <i>Chemosphere</i> , 2004, 54, 1691-1701.	8.2	24
81	Development of QSARs for Predicting the Joint Effects between Cyanogenic Toxicants and Aldehydes. <i>Chemical Research in Toxicology</i> , 2003, 16, 1365-1371.	3.3	18
82	Quantification of joint effect for hydrogen bond and development of QSARs for predicting mixture toxicity. <i>Chemosphere</i> , 2003, 52, 1199-1208.	8.2	29
83	Use of partition coefficients to predict mixture toxicity. <i>Water Research</i> , 2003, 37, 2223-2227.	11.3	17
84	Mechanism of the Synergistic Toxicity of Malononitrile and p-Nitrobenzaldehyde with <i>Photobacterium phosphoreum</i> . <i>Toxicology Mechanisms and Methods</i> , 2003, 13, 241-245.	2.7	13
85	Prediction of mixture toxicity with its total hydrophobicity. <i>Chemosphere</i> , 2002, 46, 305-310.	8.2	34
86	Partitioning regularity of nonionic organic mixtures in organic phase/water system. <i>Science Bulletin</i> , 2001, 46, 1422-1425.	1.7	7