Tamaki Sasaki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11664801/publications.pdf

Version: 2024-02-01

236925 223800 2,132 62 25 46 citations h-index g-index papers 67 67 67 2977 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	A case of pleuroperitoneal communication during long-term steroid therapy for dermatomyositis. Peritoneal Dialysis International, 2022, , 089686082210884.	2.3	1
2	A rare case of amyloid light-chain amyloidosis with bilateral perirenal hematoma shortly after initiation of peritoneal dialysis. CEN Case Reports, 2021, 10, 326-331.	0.9	1
3	Roxadustat and thyroid-stimulating hormone suppression. CKJ: Clinical Kidney Journal, 2021, 14, 1472-1474.	2.9	19
4	Renal cell carcinoma sharply captured by imaging technology at an early stage in a hemodialysis patient: Usefulness of noninvasive monochrome superb microvascular imaging. Hemodialysis International, 2021, 25, E26.	0.9	1
5	Effect of zinc deficiency on chronic kidney disease progression and effect modification by hypoalbuminemia. PLoS ONE, 2021, 16, e0251554.	2.5	15
6	Endothelial Dysfunction Accelerates Impairment of Mitochondrial Function in Ageing Kidneys via Inflammasome Activation. International Journal of Molecular Sciences, 2021, 22, 9269.	4.1	2
7	P0089KEAP1/NRF2 PATHWAY REGULATES GFR BY INCREASING THE GLOMERULAR EFFECTIVE AREA WITHOUT AFFECTING THE AFFERENT/EFFERENT ARTERIOLE RATIO. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	1
8	Impact of heavy rains of 2018 in western Japan: disaster-induced health outcomes among the population of Innoshima Island. Heliyon, 2020, 6, e03942.	3.2	11
9	Non-purine selective xanthine oxidase inhibitor ameliorates glomerular endothelial injury in Ins ^{Akita} diabetic mice. American Journal of Physiology - Renal Physiology, 2020, 319, F765-F772.	2.7	9
10	SO021EFFECTS OF SODIUM-GLUCOSE COTRANSPORTER 2 INHIBITOR, CANAGLIFLOZIN ON GLOMERULAR HYPERFILTRATION AND OXIDATIVE STRESS IN MICE WITH TYPE 2 DIABETES. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
11	SO022EVALUATION OF GLOMERULAR HEMODYNAMIC CHANGES BY SGLT2 INHIBITION IN TYPE 2 DIABETIC RATS USING IN VIVO IMAGING TECHNIQUES. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	O
12	Klotho is a novel therapeutic target in peritoneal fibrosis via Wnt signaling inhibition. Nephrology Dialysis Transplantation, 2020, 35, 773-781.	0.7	18
13	SP433Investigation of the suppressive effects of an SGLT2 inhibitor on glomerular hyperfiltration and oxidative stress in mice with diabetic kidney disease. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	O
14	FP570Implication of inflammasome activation in the development of peritoneal fibrosis. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
15	Bardoxolone methyl analog attenuates proteinuriaâ€induced tubular damage by modulating mitochondrial function. FASEB Journal, 2019, 33, 12253-12263.	0.5	28
16	Evaluation of Glomerular Hemodynamic Function by Empagliflozin in Diabetic Mice Using In Vivo Imaging. Circulation, 2019, 140, 303-315.	1.6	202
17	5â€Aminolevulinic acid exerts renoprotective effect via Nrf2 activation in murine rhabdomyolysisâ€induced acute kidney injury. Nephrology, 2019, 24, 28-38.	1.6	26
18	The eNOS-NO pathway attenuates kidney dysfunction via suppression of inflammasome activation in aldosterone-induced renal injury model mice. PLoS ONE, 2018, 13, e0203823.	2.5	28

#	Article	IF	CITATIONS
19	FP407EVALUATION OF THE GLOMERULAR HEMODYNAMICS BY THE SGLT2 INHIBITOR EMPAGLIFLOZIN USING IN VIVO IMAGING. Nephrology Dialysis Transplantation, 2018, 33, i173-i173.	0.7	O
20	A case of high venous pressure caused by buttonhole puncture using a painless needle with side lumens. Nihon Toseki Igakkai Zasshi, 2018, 51, 289-293.	0.1	0
21	Infiltration of M1, but not M2, macrophages is impaired after unilateral ureter obstruction in Nrf2-deficient mice. Scientific Reports, 2017, 7, 8801.	3.3	38
22	Feasibility of fluorescence energy transfer system for imaging the renoprotective effects of aliskiren in diabetic mice. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2016, 17, 147032031562570.	1.7	2
23	Klotho attenuates renal hypertrophy and glomerular injury in Ins2Akita diabetic mice. Clinical and Experimental Nephrology, 2016, 20, 671-678.	1.6	30
24	Activation of endothelial NAD(P)H oxidase accelerates early glomerular injury in diabetic mice. Laboratory Investigation, 2016, 96, 25-36.	3.7	33
25	Prevalence of gastroesophageal reflux disease symptoms and effects of esomeprazole on the quality of life related to reflux and dyspepsia in patients on maintenance hemodialysis. Clinical and Experimental Nephrology, 2016, 20, 134-142.	1.6	6
26	Relationship between vascular function indexes, renal arteriolosclerosis, and renal clinical outcomes in chronic kidney disease. Nephrology, 2015, 20, 585-590.	1.6	12
27	Deficiency of endothelial nitric oxide signaling pathway exacerbates peritoneal fibrosis in mice. Clinical and Experimental Nephrology, 2015, 19, 567-575.	1.6	11
28	Excess aldosterone is a critical danger signal for inflammasome activation in the development of renal fibrosis in mice. FASEB Journal, 2015, 29, 3899-3910.	0.5	57
29	Japan Renal Biopsy Registry and Japan Kidney Disease Registry: Committee Report for 2009 and 2010. Clinical and Experimental Nephrology, 2013, 17, 155-173.	1.6	111
30	Selective estrogen receptor modulation attenuates proteinuria-induced renal tubular damage by modulating mitochondrial oxidative status. Kidney International, 2013, 83, 662-673.	5.2	58
31	Maintenance of Endothelial Guanosine Triphosphate Cyclohydrolase I Ameliorates Diabetic Nephropathy. Journal of the American Society of Nephrology: JASN, 2013, 24, 1139-1150.	6.1	31
32	Endothelial dysfunction promotes the transition from compensatory renal hypertrophy to kidney injury after unilateral nephrectomy in mice. American Journal of Physiology - Renal Physiology, 2012, 302, F1402-F1408.	2.7	29
33	Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). Clinical and Experimental Nephrology, 2012, 16, 903-920.	1.6	91
34	Overexpression of klotho protein modulates uninephrectomy-induced compensatory renal hypertrophy by suppressing IGF-I signals. Biochemical and Biophysical Research Communications, 2011, 407, 39-43.	2.1	25
35	Mitochondrial damage-induced impairment of angiogenesis in the aging rat kidney. Laboratory Investigation, 2011, 91, 190-202.	3.7	33
36	Japan Renal Biopsy Registry: the first nationwide, web-based, and prospective registry system of renal biopsies in Japan. Clinical and Experimental Nephrology, 2011, 15, 493-503.	1.6	127

#	Article	IF	Citations
37	Comparison of Combination Therapy of Olmesartan plus Azelnidipine or Hydrochlorothiazide on Renal and Vascular Damage in SHR/NDmcr-cp Rats. Kidney and Blood Pressure Research, 2011, 34, 87-96.	2.0	10
38	<i>In Vivo</i> Visualization of Glomerular Microcirculation and Hyperfiltration in Streptozotocin-Induced Diabetic Rats. Microcirculation, 2010, 17, 103-112.	1.8	35
39	Telmisartan improves endothelial dysfunction and renal autoregulation in Dahl salt-sensitive rats. Hypertension Research, 2010, 33, 135-142.	2.7	29
40	Spontaneous glomerular deposition of immunoglobulins for ACE (Angiotensin Converting Enzyme) induces spontaneous nephropathy in diabetogenic rats. Nature Precedings, 2009, , .	0.1	0
41	Tonsillectomy and steroid pulse (TSP) therapy for patients with IgA nephropathy: a nationwide survey of TSP therapy in Japan and an analysis of the predictive factors for resistance to TSP therapy. Clinical and Experimental Nephrology, 2009, 13, 460-466.	1.6	68
42	Reactive oxygen species mediate compensatory glomerular hypertrophy in rat uninephrectomized kidney. Journal of Physiological Sciences, 2009, 59, 397-404.	2.1	18
43	Blockade of serotonin 2A receptor improves glomerular endothelial function in rats with streptozotocin-induced diabetic nephropathy. Clinical and Experimental Nephrology, 2008, 12, 119-125.	1.6	34
44	Efficacy of low-dose tacrolimus added to methotrexate in patients with rheumatoid arthritis in Japan: a retrospective study. Modern Rheumatology, 2008, 18, 379-384.	1.8	22
45	Bilateral ureteral stenosis as a complication of Henoch–Schönlein vasculitis. Modern Rheumatology, 2008, 18, 422-424.	1.8	3
46	Co-occurrence of poststreptococcal reactive arthritis and acute glomerulonephritis. Modern Rheumatology, 2008, 18, 526-528.	1.8	3
47	Angiotensin II type 1 receptor blocker ameliorates uncoupled endothelial nitric oxide synthase in rats with experimental diabetic nephropathy. Nephrology Dialysis Transplantation, 2008, 23, 3806-3813.	0.7	103
48	Abdominal pain as the initial presentation of Takayasu arteritis. Modern Rheumatology, 2008, 18, 496-498.	1.8	4
49	Amelioration of progressive renal injury by genetic manipulation of <i>Klotho</i> gene. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2331-2336.	7.1	220
50	Olmesartan Ameliorates Renovascular Injury and Oxidative Stress in Zucker Obese Rats Enhanced by Dietary Protein. American Journal of Hypertension, 2007, 20, 1085-1091.	2.0	37
51	Implication of Peritubular Capillary Loss and Altered Expression of Vascular Endothelial Growth Factor in IgA Nephropathy. Nephron Physiology, 2006, 102, p9-p16.	1.2	38
52	Acute bleeding tendency caused by chitin-chitosan preparation in a hemodialysis patient. Nihon Toseki Igakkai Zasshi, 2006, 39, 1197-1201.	0.1	0
53	A case of Vogt-Koyanagi-Harada disease that developed relapsing polychondritis. Modern Rheumatology, 2005, 15, 204-206.	1.8	3
54	NAD(P)H oxidase and uncoupled nitric oxide synthase are major sources of glomerular superoxide in rats with experimental diabetic nephropathy. American Journal of Physiology - Renal Physiology, 2005, 288, F1144-F1152.	2.7	304

#	Article	lF	CITATIONS
55	A Novel Free Radical Scavenger, Edarabone, Protects Against Cisplatin-Induced Acute Renal Damage in Vitro and in Vivo. Journal of Pharmacology and Experimental Therapeutics, 2003, 305, 1183-1190.	2.5	134
56	Expression of the fibroblast growth factor receptor 1–4 genes in glomeruli in anti-Thy1.1 mesangial proliferative glomerulonephritis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1999, 435, 501-508.	2.8	6
57	The relationship between arterial blood gas analysis and prognosis in paraquat poisoning Nihon Toseki Igakkai Zasshi, 1999, 32, 345-347.	0.1	О
58	Kinetic study of glomerular epithelial cells associated with segmental glomerular sclerotic lesions with adhesion in spontaneously diabetic WBN/Kob rats. Clinical and Experimental Nephrology, 1997, 1, 32-40.	1.6	0
59	A CASE OF ACUTE ARTERIAL OBSTRUCTION IN WHICH MNMS WAS SUCCESSFULLY PREVENTED BY HEMOFILTRATION THROUGH THE AFFECTED LIMB DURING OPERATION. The Journal of the Japanese Practical Surgeon Society, 1997, 58, 2449-2453.	0.0	2
60	Trial of bicarbonate replacement solution alone in hemofiltration of two patients with unstable hemodynamics Nihon Toseki Igakkai Zasshi, 1995, 28, 1467-1473.	0.1	0
61	A case of tumoral calcinosis complicated by infection during maintenance hemodialysis Nihon Toseki Igakkai Zasshi, 1995, 28, 351-355.	0.1	O
62	An ultrastructural study of rat glomerular epithelial cells in culture. Medical Electron Microscopy: Official Journal of the Clinical Electron Microscopy Society of Japan, 1994, 27, 49-53.	1.8	1