
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11666315/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prevalence and Symptomatic Burden of Diagnosed Endometriosis in the United States: National Estimates from a Cross-Sectional Survey of 59,411 Women. Gynecologic and Obstetric Investigation, 2017, 82, 453-461.	1.6	190
2	The direct and indirect costs associated with endometriosis: a systematic literature review. Human Reproduction, 2016, 31, 712-722.	0.9	143
3	Elagolix for Heavy Menstrual Bleeding in Women with Uterine Fibroids. New England Journal of Medicine, 2020, 382, 328-340.	27.0	138
4	The burden of endometriosis symptoms on health-related quality of life in women in the United States: a cross-sectional study. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 238-248.	2.1	110
5	Real-World Evaluation of Direct and Indirect Economic Burden Among Endometriosis Patients in the United States. Advances in Therapy, 2018, 35, 408-423.	2.9	93
6	Factors Associated with Time to Endometriosis Diagnosis in the United States. Journal of Women's Health, 2017, 26, 788-797.	3.3	92
7	The Effect of Endometriosis Symptoms on Absenteeism and Presenteeism in the Workplace and at Home. Journal of Managed Care & Specialty Pharmacy, 2017, 23, 745-754.	0.9	91
8	Long-Term Outcomes of Elagolix in Women With Endometriosis. Obstetrics and Gynecology, 2018, 132, 147-160.	2.4	91
9	Impact of Endometriosis on Life-Course Potential: A Narrative Review. International Journal of General Medicine, 2021, Volume 14, 9-25.	1.8	75
10	The direct and indirect costs of uterine fibroid tumors: a systematic review of the literature between 2000 and 2013. American Journal of Obstetrics and Gynecology, 2015, 213, 141-160.	1.3	73
11	Healthcare utilization and costs inÂwomen diagnosed with endometriosis before and after diagnosis: a longitudinal analysis ofÂclaims databases. Fertility and Sterility, 2015, 103, 163-171.	1.0	70
12	Elagolix for the management of heavy menstrual bleeding associated with uterine fibroids: results from a phase 2a proof-of-concept study. Fertility and Sterility, 2017, 108, 152-160.e4.	1.0	64
13	Risk of Developing Comorbidities Among Women with Endometriosis: A Retrospective Matched Cohort Study. Journal of Women's Health, 2018, 27, 1114-1123.	3.3	60
14	Impact of Endometriosis Diagnostic Delays on Healthcare Resource Utilization and Costs. Advances in Therapy, 2020, 37, 1087-1099.	2.9	60
15	Elagolix Alone or With Add-Back Therapy in Women With Heavy Menstrual Bleeding and Uterine Leiomyomas. Obstetrics and Gynecology, 2018, 132, 1252-1264.	2.4	51
16	Optimal Diabetes Care Outcomes Following Face-to-Face Medication Therapy Management Services. Population Health Management, 2013, 16, 28-34.	1.7	49
17	Prevalence, Symptomatic Burden, and Diagnosis of Endometriosis in Canada: Cross-Sectional Survey of 30Â000 Women. Journal of Obstetrics and Gynaecology Canada, 2020, 42, 829-838.	0.7	48
18	Impact of uterine fibroid symptoms on health-related quality of life of US women: evidence from a cross-sectional survey. Current Medical Research and Opinion, 2017, 33, 1971-1978.	1.9	46

#	Article	IF	CITATIONS
19	Comparative Efficacy and Relative Ranking of Biologics and Oral Therapies for Moderate-to-Severe Plaque Psoriasis: A Network Meta-analysis. Dermatology and Therapy, 2021, 11, 885-905.	3.0	40
20	Patient-completed or symptom-based screening tools for endometriosis: a scoping review. Archives of Gynecology and Obstetrics, 2017, 296, 153-165.	1.7	37
21	Patterns of Prescription Opioid Use in Women With Endometriosis. Obstetrics and Gynecology, 2019, 133, 1120-1130.	2.4	37
22	Comparative safety and benefit-risk profile of biologics and oral treatment for moderate-to-severe plaque psoriasis: A network meta-analysis of clinical trial data. Journal of the American Academy of Dermatology, 2021, 85, 572-581.	1.2	36
23	Patient-reported prevalence and symptomatic burden of uterine fibroids among women in the United States: findings from a cross-sectional survey analysis. International Journal of Women's Health, 2017, Volume 9, 403-411.	2.6	35
24	Incremental direct and indirect cost burden attributed to endometriosis surgeries in the United States. Fertility and Sterility, 2017, 107, 1181-1190.e2.	1.0	34
25	Reintervention Rates After Myomectomy, Endometrial Ablation, and Uterine Artery Embolization for Patients with Uterine Fibroids. Journal of Women's Health, 2018, 27, 1204-1214.	3.3	33
26	Review and evaluation of patient-centered psychosocial assessments for children with central precocious puberty or early puberty. Journal of Pediatric Endocrinology and Metabolism, 2018, 31, 485-495.	0.9	28
27	Achieving clinically meaningful response in endometriosis pain symptoms is associated with improvements in health-related quality of life and work productivity: analysis of 2 phase III clinical trials. American Journal of Obstetrics and Gynecology, 2020, 222, 592.e1-592.e10.	1.3	26
28	Impact of elagolix treatment on fatigue experienced by women with moderate to severe pain associated with endometriosis. Fertility and Sterility, 2019, 112, 298-304.e3.	1.0	24
29	Treatment Patterns, Complications, and Health Care Utilization Among Endometriosis Patients Undergoing a Laparoscopy or a Hysterectomy: A Retrospective Claims Analysis. Advances in Therapy, 2017, 34, 2436-2451.	2.9	23
30	Long-Term Benefit–Risk Profiles of Treatments for Moderate-to-Severe Plaque Psoriasis: A Network Meta-Analysis. Dermatology and Therapy, 2022, 12, 167-184.	3.0	22
31	Healthcare utilization and costs among women diagnosed with uterine fibroids: a longitudinal evaluation for 5 years pre- and post-diagnosis. Current Medical Research and Opinion, 2015, 31, 1719-1731.	1.9	21
32	Health Care Utilization and Costs Associated with Endometriosis Among Women with Medicaid Insurance. Journal of Managed Care & Specialty Pharmacy, 2019, 25, 566-572.	0.9	20
33	Retreatment Rates Among Endometriosis Patients Undergoing Hysterectomy or Laparoscopy. Journal of Women's Health, 2017, 26, 644-654.	3.3	18
34	Validation of the 4 week recall version of the Uterine Fibroid Symptom and Health-related Quality of Life (UFS-QOL) Questionnaire. Current Medical Research and Opinion, 2017, 33, 193-200.	1.9	18
35	Impact of Endometriosis on Fatigue and Productivity Impairment in a Cross-Sectional Survey of Canadian Women. Journal of Obstetrics and Gynaecology Canada, 2021, 43, 10-18.	0.7	18
36	Development and Validation of the Endometriosis Daily Pain Impact Diary Items to Assess Dysmenorrhea and Nonmenstrual Pelvic Pain. Reproductive Sciences, 2018, 25, 1567-1576.	2.5	17

#	Article	IF	CITATIONS
37	Real-world characteristics of women with endometriosis-related pain entering a multidisciplinary endometriosis program. BMC Women's Health, 2021, 21, 19.	2.0	16
38	Health-Related Quality of Life Improvements in Patients With Endometriosis Treated With Elagolix. Obstetrics and Gynecology, 2020, 136, 501-509.	2.4	14
39	Patient Preferences for Endometriosis Pain Treatments in the United States. Value in Health, 2019, 22, 728-738.	0.3	12
40	Cost–effectiveness of elagolix versus leuprolide acetate for treating moderate-to-severe endometriosis pain in the USA. Journal of Comparative Effectiveness Research, 2019, 8, 337-355.	1.4	12
41	Responsiveness Evaluation and Recommendation for Responder Thresholds for Endometriosis Health Profile-30: Analysis of Two Phase III Clinical Trials. Journal of Women's Health, 2020, 29, 253-261.	3.3	12
42	Impact of endometriosis on women's life decisions and goal attainment: a cross-sectional survey of members of an online patient community. BMJ Open, 2022, 12, e052765.	1.9	12
43	Impact of elagolix on work loss due to endometriosis-associated pain: estimates based on the results of two phase III clinical trials. Fertility and Sterility, 2019, 112, 545-551.	1.0	11
44	Cross-Sectional Survey of the Impact of Endometriosis Symptoms on Health-Related Quality of Life in Canadian Women. Journal of Obstetrics and Gynaecology Canada, 2020, 42, 1330-1338.	0.7	11
45	Short-acting and Long-acting Opioids Utilization among Women Diagnosed with Endometriosis in the United States: A Population-based Claims Study. Journal of Minimally Invasive Gynecology, 2021, 28, 297-306.e2.	0.6	11
46	National trends in inpatient endometriosis admissions: Patients, procedures and outcomes, 2006â^22015. PLoS ONE, 2019, 14, e0222889.	2.5	10
47	Examining the Relationship Between Symptomatic Burden and Self-reported Productivity Losses Among Patients With Uterine Fibroids in the United States. Journal of Occupational and Environmental Medicine, 2017, 59, 974-981.	1.7	9
48	Impact of Elagolix on Workplace and Household Productivity Among Women with Moderate to Severe Pain Associated with Endometriosis: A Pooled Analysis of Two Phase III Trials. Patient, 2019, 12, 651-660.	2.7	9
49	Clinically Meaningful Reduction in Dyspareunia Is Associated with Significant Improvements in Health-Related Quality of Life Among Women with Moderate to Severe Pain Associated with Endometriosis: A Pooled Analysis of Two Phase III Trials of Elagolix. Journal of Sexual Medicine, 2020, 17. 2427-2433.	0.6	9
50	Patients' perspectives of endometriosis-related fatigue: qualitative interviews. Journal of Patient-Reported Outcomes, 2020, 4, 33.	1.9	9
51	A survey of care pathway and health-related quality of life impact for children with central precocious puberty. Current Medical Research and Opinion, 2020, 36, 411-418.	1.9	8
52	A Longitudinal Assessment of the Impact of Endometriosis on Patients' Salary Growth and Risk of Leaving the Workforce. Advances in Therapy, 2020, 37, 2144-2158.	2.9	8
53	<p>Real-World Characterization of Women with Diagnosed Endometriosis Initiating Therapy with Elagolix Using a US Claims Database</p> . ClinicoEconomics and Outcomes Research, 2020, Volume 12, 473-479.	1.9	7
54	Changes in Healthcare Spending After Diagnosis of Comorbidities Among Endometriosis Patients: A Difference-in-Differences Analysis. Advances in Therapy, 2017, 34, 2491-2502.	2.9	6

#	Article	IF	CITATIONS
55	Development of a visual, patient-reported tool for assessing the multi-dimensional burden of endometriosis. Current Medical Research and Opinion, 2021, 37, 1443-1449.	1.9	6
56	Analysis of subsequent surgery rates among endometriosis patients who underwent surgery with and without concomitant leuprolide acetate therapy. Current Medical Research and Opinion, 2016, 32, 1073-1082.	1.9	5
57	Development of the Painful Periods Screening Tool for endometriosis. Postgraduate Medicine, 2018, 130, 694-702.	2.0	5
58	Elagolix in the treatment of endometriosis: impact beyond pain symptoms. Therapeutic Advances in Reproductive Health, 2020, 14, 263349412096451.	2.1	5
59	Responsiveness and thresholds for clinically meaningful changes in worst pain numerical rating scale for dysmenorrhea and nonmenstrual pelvic pain in women with moderate to severe endometriosis. Fertility and Sterility, 2021, 115, 423-430.	1.0	5
60	Psychometric assessment of the PROMIS Fatigue Short Form 6a in women with moderate-to-severe endometriosis-associated pain. Journal of Patient-Reported Outcomes, 2020, 4, 86.	1.9	5
61	The impact of high-risk and chronic opioid use among commercially insured endometriosis patients on health care resource utilization and costs in the United States. Women's Health, 2020, 16, 174550652096589.	1.5	5
62	Psychometric assessment of the health-related productivity questionnaire (HRPQ) among women with endometriosis. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 20, 531-539.	1.4	4
63	Estimating the Effect of Elagolix Treatment for Endometriosis on Postmenopausal Bone Outcomes: A Model Bridging Phase <scp>III</scp> Trials to an Older Realâ€World Population. JBMR Plus, 2020, 4, e10401.	2.7	4
64	Patient Characteristics Predicting the Frequency of Medication Therapy Management Visits for Patients With Diabetes. Clinical Therapeutics, 2013, 35, 534-540.	2.5	3
65	Analysis of Adherence, Persistence, and Surgery Among Endometriosis Patients Treated with Leuprolide Acetate Plus Norethindrone Acetate Add-Back Therapy. Journal of Managed Care & Specialty Pharmacy, 2016, 22, 573-587.	0.9	3
66	Elagolix reduced dyspareunia and improved health-related quality of life in premenopausal women with endometriosis-associated pain. Journal of Endometriosis and Pelvic Pain Disorders, 2019, 11, 171-180.	0.5	3
67	Health Care Utilization and Economic Burden in Patients with Central Precocious Puberty: An Assessment of the Commercially Insured and Medicaid Populations. Journal of Managed Care & Specialty Pharmacy, 2019, 25, 836-846.	0.9	3
68	Patient preferences for elagolix and leuprolide for treating endometriosis-related pain in the United States. Expert Review of Pharmacoeconomics and Outcomes Research, 2020, 21, 1-9.	1.4	3
69	Healthcare Resource Use and Costs Associated with Opioid Initiation Among Patients with Newly Diagnosed Endometriosis with Commercial Insurance in the USA. Advances in Therapy, 2020, 37, 2777-2791.	2.9	3
70	Baseline Burden of Endometriosis-Associated Pain among Women in Two Phase 3 Elagolix Studies [10Q]. Obstetrics and Gynecology, 2018, 131, 186S-187S.	2.4	2
71	National Patterns of Emergency Department Use for Women with Endometriosis, 2006–2015. Journal of Women's Health, 2020, 29, 420-426.	3.3	2
72	Translation, cultural adaptation and psychometric validation of the SF-6D measure of health-related quality of life for use in Arabic-Speaking countries. Research in Social and Administrative Pharmacy, 2020, 16, 1754-1759.	3.0	2

#	Article	IF	CITATIONS
73	A Personalized Medicine Approach Using Clinical Utility Index and Exposureâ€Response Modeling Informed by Patient Preferences Data. CPT: Pharmacometrics and Systems Pharmacology, 2021, 10, 40-47.	2.5	2
74	Baseline endometriosis-associated pain burden: Data from 1600+ women enrolled in elagolix clinical trials. Journal of Endometriosis and Pelvic Pain Disorders, 2019, 11, 117-125.	0.5	1
75	A longitudinal assessment of the impact of endometriosis on patients' salaries. Fertility and Sterility, 2019, 112, e321.	1.0	1
76	Impact of pain and nonpain co-morbidities on opioid use in women with endometriosis. Journal of Comparative Effectiveness Research, 2021, 10, 17-27.	1.4	1
77	Treatment patterns of women with endometriosis in Canada. Journal of Endometriosis and Pelvic Pain Disorders, 2021, 13, 25-31.	0.5	1
78	Pharmacist-managed protocol to implement simvastatin labeling changes in a family medicine clinic. American Journal of Health-System Pharmacy, 2014, 71, 1248-1251.	1.0	0