

J Stephen Jones

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11670538/j-stephen-jones-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

5,532
citations

45
h-index

70
g-index

168
ext. papers

6,181
ext. citations

3.4
avg, IF

5.59
L-index

#	Paper	IF	Citations
154	Diagnosis, evaluation and follow-up of asymptomatic microhematuria (AMH) in adults: AUA guideline. <i>Journal of Urology</i> , 2012 , 188, 2473-81	2.5	305
153	Role of magnetic resonance imaging before initial biopsy: comparison of magnetic resonance imaging-targeted and systematic biopsy for significant prostate cancer detection. <i>BJU International</i> , 2011 , 108, E171-8	5.6	305
152	Multitarget fluorescence in situ hybridization assay detects transitional cell carcinoma in the majority of patients with bladder cancer and atypical or negative urine cytology. <i>Journal of Urology</i> , 2003 , 169, 2101-5	2.5	245
151	Saturation technique does not improve cancer detection as an initial prostate biopsy strategy. <i>Journal of Urology</i> , 2006 , 175, 485-8	2.5	167
150	Contemporary role of systematic prostate biopsies: indications, techniques, and implications for patient care. <i>European Urology</i> , 2013 , 63, 214-30	10.2	163
149	Clinical validation of an epigenetic assay to predict negative histopathological results in repeat prostate biopsies. <i>Journal of Urology</i> , 2014 , 192, 1081-7	2.5	155
148	Reflex UroVysion testing of bladder cancer surveillance patients with equivocal or negative urine cytology: a prospective study with focus on the natural history of anticipatory positive findings. <i>American Journal of Clinical Pathology</i> , 2007 , 127, 295-301	1.9	155
147	Salvage prostate cryoablation: initial results from the cryo on-line data registry. <i>Journal of Urology</i> , 2008 , 180, 559-63; discussion 563-4	2.5	151
146	Focal cryotherapy for localized prostate cancer: a report from the national Cryo On-Line Database (COLD) Registry. <i>BJU International</i> , 2012 , 109, 1648-54	5.6	146
145	Emergence of fluoroquinolone-resistant <i>Escherichia coli</i> as cause of postprostate biopsy infection: implications for prophylaxis and treatment. <i>Urology</i> , 2011 , 77, 1035-41	1.6	129
144	Whole gland primary prostate cryoablation: initial results from the cryo on-line data registry. <i>Journal of Urology</i> , 2008 , 180, 554-8	2.5	125
143	Prostate cancer detection with office based saturation biopsy in a repeat biopsy population. <i>Journal of Urology</i> , 2004 , 172, 94-7	2.5	114
142	DNA-based molecular cytology for bladder cancer surveillance. <i>Urology</i> , 2006 , 67, 35-45; discussion 45-7	1.6	95
141	Importance of additional "extreme" anterior apical needle biopsies in the initial detection of prostate cancer. <i>Urology</i> , 2010 , 75, 1034-9	1.6	84
140	Prostate biopsy clinical and pathological variables that predict significant grading changes in patients with intermediate and high grade prostate cancer. <i>BJU International</i> , 2009 , 103, 43-8	5.6	83
139	Urinary PCA3 as a predictor of prostate cancer in a cohort of 3,073 men undergoing initial prostate biopsy. <i>Journal of Urology</i> , 2014 , 191, 1743-8	2.5	82
138	Importance of prostate volume in the European Randomised Study of Screening for Prostate Cancer (ERSPC) risk calculators: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2012 , 30, 149-55	4	81

137	Morbidity of prostate biopsy after simplified versus complex preparation protocols: assessment of risk factors. <i>Urology</i> , 2011 , 77, 910-4	1.6	80
136	Parasagittal biopsies add minimal information in repeat saturation prostate biopsy. <i>Urology</i> , 2004 , 63, 87-9	1.6	78
135	Evaluation of GSTP1 and APC methylation as indicators for repeat biopsy in a high-risk cohort of men with negative initial prostate biopsies. <i>BJU International</i> , 2012 , 110, 56-62	5.6	77
134	Saturation technique does not decrease cancer detection during followup after initial prostate biopsy. <i>Journal of Urology</i> , 2008 , 179, 1746-50; discussion 1750	2.5	76
133	Saturation biopsy for detecting and characterizing prostate cancer. <i>BJU International</i> , 2007 , 99, 1340-4	5.6	76
132	Saturation Prostate Biopsy With Periprostatic Block Can be Performed in Office. <i>Journal of Urology</i> , 2002 , 168, 2108-2110	2.5	75
131	Office based transrectal saturation biopsy improves prostate cancer detection compared to extended biopsy in the repeat biopsy population. <i>Journal of Urology</i> , 2011 , 186, 850-4	2.5	72
130	The relationship between prostate-specific antigen and prostate cancer risk: the Prostate Biopsy Collaborative Group. <i>Clinical Cancer Research</i> , 2010 , 16, 4374-81	12.9	72
129	Role of cystitis cystica et glandularis and intestinal metaplasia in development of bladder carcinoma. <i>Urology</i> , 2008 , 71, 915-8	1.6	71
128	Prostate cancer volume at biopsy predicts clinically significant upgrading. <i>Journal of Urology</i> , 2008 , 179, 896-900; discussion 900	2.5	70
127	Radical prostatectomy as primary treatment modality for locally advanced prostate cancer: a prospective analysis. <i>Urology</i> , 2006 , 67, 1253-6	1.6	70
126	Sexual function after male radical cystectomy in a sexually active population. <i>Urology</i> , 2004 , 64, 682-5; discussion 685-6	1.6	66
125	The incidence of high-grade prostatic intraepithelial neoplasia and atypical glands suspicious for carcinoma on first-time saturation needle biopsy, and the subsequent risk of cancer. <i>BJU International</i> , 2007 , 99, 770-4	5.6	63
124	The Epstein criteria predict for organ-confined but not insignificant disease and a high likelihood of cure at radical prostatectomy. <i>European Urology</i> , 2010 , 58, 90-5	10.2	58
123	Salvage focal prostate cryoablation for locally recurrent prostate cancer after radiotherapy: initial results from the cryo on-line data registry. <i>Prostate</i> , 2015 , 75, 1-7	4.2	56
122	Efficacy and Safety of Blue Light Flexible Cystoscopy with Hexaminolevulinate in the Surveillance of Bladder Cancer: A Phase III, Comparative, Multicenter Study. <i>Journal of Urology</i> , 2018 , 199, 1158-1165	2.5	56
121	Staging saturation biopsy in patients with prostate cancer on active surveillance protocol. <i>Urology</i> , 2008 , 71, 573-7	1.6	54
120	Optimal biopsy strategies for the diagnosis and staging of prostate cancer. <i>Current Opinion in Urology</i> , 2009 , 19, 232-7	2.8	53

119	Multifocal high grade prostatic intraepithelial neoplasia is a risk factor for subsequent prostate cancer. <i>Journal of Urology</i> , 2010 , 184, 1958-62	2.5	52
118	Evaluating the PCPT risk calculator in ten international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2012 , 30, 181-7	4	50
117	A nomogram for predicting upgrading in patients with low- and intermediate-grade prostate cancer in the era of extended prostate sampling. <i>BJU International</i> , 2010 , 105, 352-8	5.6	49
116	Prostate cancers diagnosed at repeat biopsy are smaller and less likely to be high grade. <i>Journal of Urology</i> , 2008 , 180, 1325-9; discussion 1329	2.5	49
115	Salvage cryoablation for locally recurrent prostate cancer following primary radiotherapy. <i>European Urology</i> , 2012 , 61, 1204-11	10.2	48
114	Does transrectal ultrasound probe configuration really matter? End fire versus side fire probe prostate cancer detection rates. <i>Journal of Urology</i> , 2009 , 181, 2077-82; discussion 2082-3	2.5	48
113	Validation of pretreatment nomograms for predicting indolent prostate cancer: efficacy in contemporary urological practice. <i>Journal of Urology</i> , 2008 , 180, 150-4; discussion 154	2.5	48
112	Can saturation biopsy predict prostate cancer localization in radical prostatectomy specimens: a correlative study and implications for focal therapy. <i>Urology</i> , 2010 , 76, 682-7	1.6	47
111	Comparison of Outcomes Between Preoperatively Potent Men Treated with Focal Versus Whole Gland Cryotherapy in a Matched Population. <i>Journal of Endourology</i> , 2015 , 29, 1193-8	2.7	45
110	Performance of prostate cancer prevention trial risk calculator in a contemporary cohort screened for prostate cancer and diagnosed by extended prostate biopsy. <i>Journal of Urology</i> , 2010 , 183, 529-33	2.5	45
109	Office based flexible cystoscopy may be less painful for men allowed to view the procedure. <i>Journal of Urology</i> , 2007 , 177, 1843-5	2.5	41
108	Primary cryoablation nadir prostate specific antigen and biochemical failure. <i>Journal of Urology</i> , 2009 , 182, 931-7	2.5	39
107	Development of improved nomogram for prediction of outcome of initial prostate biopsy using readily available clinical information. <i>Urology</i> , 2011 , 78, 392-8	1.6	36
106	Risk of prostate cancer after diagnosis of atypical glands suspicious for carcinoma on saturation and traditional biopsies. <i>Journal of Urology</i> , 2008 , 180, 911-4; discussion 914	2.5	34
105	Outcomes of salvage prostate cryotherapy stratified by pre-treatment PSA: update from the COLD registry. <i>World Journal of Urology</i> , 2013 , 31, 1321-5	4	29
104	Porcine small intestinal submucosa as a percutaneous mid-urethral sling: 2-year results. <i>BJU International</i> , 2005 , 96, 103-6	5.6	29
103	Discrepancy in prostate cancer localization between biopsy and prostatectomy specimens in patients with unilateral positive biopsy: implications for focal therapy. <i>Prostate</i> , 2012 , 72, 1179-86	4.2	28
102	Development and validation of a nomogram for predicting a positive repeat prostate biopsy in patients with a previous negative biopsy session in the era of extended prostate sampling. <i>BJU International</i> , 2010 , 106, 1309-14	5.6	26

101	Current state of urological cryosurgery: prostate and kidney. <i>BJU International</i> , 2010 , 105, 590-600	5.6	25
100	Dipstick pseudo-hematuria: unnecessary consultation and evaluation. <i>Journal of Urology</i> , 2010 , 183, 560-4.5		25
99	Primary Cryotherapy for High-Grade Clinically Localized Prostate Cancer: Oncologic and Functional Outcomes from the COLD Registry. <i>Journal of Endourology</i> , 2016 , 30, 43-8	2.7	24
98	Primary full-gland prostate cryoablation in older men (> age of 75 years): results from 860 patients tracked with the COLD Registry. <i>BJU International</i> , 2011 , 108, 508-12	5.6	24
97	Rectal sensation test helps avoid pain of apical prostate biopsy. <i>Journal of Urology</i> , 2003 , 170, 2316-8	2.5	24
96	Definition of biochemical success following primary whole gland prostate cryoablation. <i>Journal of Urology</i> , 2014 , 192, 1380-4	2.5	23
95	When serial prostate biopsy is recommended: most cancers detected are clinically insignificant. <i>BJU International</i> , 2012 , 110, 987-92	5.6	23
94	Evaluating the Prostate Cancer Prevention Trial High Grade Prostate Cancer Risk Calculator in 10 international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2014 , 32, 185-91	4	23
93	Prognostic value of initial prostate-specific antigen levels after salvage cryoablation for prostate cancer. <i>BJU International</i> , 2010 , 106, 986-90	5.6	23
92	Propensity Score-Matched Comparison of Partial to Whole-Gland Cryotherapy for Intermediate-Risk Prostate Cancer: An Analysis of the Cryo On-Line Data Registry Data. <i>Journal of Endourology</i> , 2017 , 31, 564-571	2.7	22
91	Intermediate-Term Outcomes for Men with Very Low/Low and Intermediate/High Risk Prostate Cancer Managed by Active Surveillance. <i>Journal of Urology</i> , 2017 , 198, 591-599	2.5	22
90	Feasibility and safety of retroperitoneoscopic laparoendoscopic single-site nephrectomy: technique and early outcomes. <i>BJU International</i> , 2011 , 108, 1879-85	5.6	22
89	Focal or subtotal therapy for early stage prostate cancer. <i>Current Treatment Options in Oncology</i> , 2007 , 8, 165-72	5.4	22
88	Determining the success of vasectomy. <i>BJU International</i> , 2006 , 97, 773-6	5.6	22
87	Focal therapy in the management of localized prostate cancer. <i>BJU International</i> , 2011 , 107, 1362-8	5.6	21
86	Prostate cancer detection after a negative prostate biopsy: lessons learnt in the Cleveland Clinic experience. <i>International Journal of Urology</i> , 2011 , 18, 557-68	2.3	21
85	Comparison of traditional basal and apical periprostatic block: impact on injection pain and biopsy pain. <i>BJU International</i> , 2007 , 99, 575-8	5.6	19
84	Prostate-specific antigen/solvent interaction analysis: a preliminary evaluation of a new assay concept for detecting prostate cancer using urinary samples. <i>Urology</i> , 2011 , 78, 601-5	1.6	18

83	Achieving the 100% success rate using salvage cryotherapy for locally recurrent prostate cancer: analysis of the Cryo On-Line Data (COLD) registry data. <i>BJU International</i> , 2012 , 110, 217-20	5.6	17
82	Predictors of biochemical failure in patients undergoing prostate whole-gland salvage cryotherapy: a novel risk stratification model. <i>BJU International</i> , 2013 , 112, E256-61	5.6	17
81	Management of rising prostate-specific antigen after a negative biopsy. <i>Current Urology Reports</i> , 2011 , 12, 197-202	2.9	17
80	Impact of urologic resident training on patient pain and morbidity associated with office-based cystoscopy. <i>Urology</i> , 2008 , 71, 782-6	1.6	17
79	Laparoscopic inguinal hernia repair complicates future pelvic oncologic surgery. <i>Annals of Surgery</i> , 2004 , 240, 922; author reply 922-3	7.8	17
78	PCA3-based nomogram for predicting prostate cancer and high grade cancer on initial transrectal guided biopsy. <i>Prostate</i> , 2015 , 75, 1951-7	4.2	16
77	Avoiding androgen deprivation therapy in men with high-risk prostate cancer: the role of radical prostatectomy as initial treatment. <i>Urology</i> , 2011 , 77, 946-50	1.6	16
76	Classification system: organ preserving treatment for prostate cancer. <i>Urology</i> , 2010 , 75, 1258-60	1.6	15
75	Cryoablation for locally advanced clinical stage T3 prostate cancer: a report from the Cryo-On-Line Database (COLD) Registry. <i>BJU International</i> , 2014 , 113, 714-8	5.6	13
74	Office based vasectomy can be performed by supervised urological residents with patient pain and morbidity comparable to those of a staff surgeon procedure. <i>Journal of Urology</i> , 2008 , 180, 1451-4	2.5	13
73	Impact of real-time visualization of cystoscopy findings on procedural pain in female patients. <i>Journal of Endourology</i> , 2008 , 22, 2695-8	2.7	13
72	Five-Year Biochemical Progression-Free Survival Following Salvage Whole-Gland Prostate Cryoablation: Defining Success with Nadir Prostate-Specific Antigen. <i>Journal of Endourology</i> , 2016 , 30, 624-31	2.7	13
71	Patient-reported outcomes of blue-light flexible cystoscopy with hexaminolevulinate in the surveillance of bladder cancer: results from a prospective multicentre study. <i>BJU International</i> , 2019 , 123, 35-41	5.6	12
70	Does neoadjuvant androgen deprivation therapy before primary whole gland cryoablation of the prostate affect the outcome?. <i>Urology</i> , 2014 , 83, 379-83	1.6	12
69	Disease burden predicts for favorable post salvage cryoablation PSA. <i>Urology</i> , 2010 , 76, 1157-61	1.6	12
68	Percutaneous vasectomy: a simple modification eliminates the steep learning curve of no-scalpel vasectomy. <i>Journal of Urology</i> , 2003 , 169, 1434-6	2.5	12
67	The Effect of Androgen Deprivation Therapy Before Salvage Whole-gland Cryoablation After Primary Radiation Failure in Prostate Cancer Treatment. <i>Urology</i> , 2015 , 85, 1137-1142	1.6	11
66	The utility of PSA velocity in prediction of prostate cancer and high grade cancer after an initially negative prostate biopsy. <i>Prostate</i> , 2013 , 73, 1796-802	4.2	11

65	Percentage of free prostate-specific antigen: implications in modern extended scheme prostate biopsy. <i>Urology</i> , 2011 , 77, 899-903	1.6	11
64	Transrectal saturation technique may improve cancer detection as an initial prostate biopsy strategy in men with prostate-specific antigen. <i>European Urology</i> , 2014 , 65, 1178-83	10.2	10
63	Prognostic significance of nondiagnostic molecular changes in urine detected by UroVysion fluorescence in situ hybridization during surveillance for bladder cancer. <i>Urology</i> , 2009 , 73, 347-50	1.6	10
62	A prospective evaluation of the impact of scheduled follow-up appointments with compliance rates after vasectomy. <i>BJU International</i> , 2007 , 99, 1094-7	5.6	10
61	Ultrasound probe positioning to minimize the risk of recto-urethral fistula during cryosurgical ablation of prostate cancer. <i>BJU International</i> , 2007 , 100, 58-62; discussion 62	5.6	10
60	Saturation Prostate Biopsy With Periprostatic Block Can be Performed in Office. <i>Journal of Urology</i> , 2002 , 2108-2110	2.5	10
59	Should we screen for and treat lower urinary tract dysfunction after major pelvic surgery? ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 327-9	2.3	9
58	Diagnostically challenging cases: what are atypia and dysplasia?. <i>Urologic Clinics of North America</i> , 2013 , 40, 281-93	2.9	9
57	Impact of prostate gland volume on cryoablation prostate-specific antigen outcomes. <i>Urology</i> , 2011 , 77, 994-8	1.6	9
56	For Single Dosing, Levofloxacin Is Superior to Ciprofloxacin When Combined With an Aminoglycoside in Preventing Severe Infections After Prostate Biopsy. <i>Urology</i> , 2015 , 85, 1241-6	1.6	8
55	AUA Quality Improvement Summit 2014: Conference Proceedings on Infectious Complications of Transrectal Prostate Needle Biopsy. <i>Urology Practice</i> , 2015 , 2, 172-180	0.8	8
54	Prostate-sparing cystectomy: has Pandora's box been opened?. <i>Expert Review of Anticancer Therapy</i> , 2007 , 7, 1003-14	3.5	8
53	The use of urine-based biomarkers in bladder cancer. <i>Urology</i> , 2006 , 67, 62-4	1.6	8
52	External validation of a PCA-3-based nomogram for predicting prostate cancer and high-grade cancer on initial prostate biopsy. <i>Prostate</i> , 2016 , 76, 1019-23	4.2	8
51	More Favorable Pathological Outcomes in Men with Low Risk Prostate Cancer Diagnosed on Repeat versus Initial Transrectal Ultrasound Guided Prostate Biopsy. <i>Journal of Urology</i> , 2016 , 195, 1767-72	2.5	7
50	Type of transrectal ultrasonography probe influences prostate cancer detection rates on repeat prostate biopsy. <i>BJU International</i> , 2012 , 110, E46-9	5.6	7
49	Outcomes of Active Surveillance after Initial Surveillance Prostate Biopsy. <i>Journal of Urology</i> , 2017 , 197, 84-89	2.5	7
48	Using a saturation biopsy scheme increases cancer detection during repeat biopsy in men with high-grade prostatic intra-epithelial neoplasia. <i>Urology</i> , 2011 , 78, 1115-9	1.6	7

47	Management of rising prostate-specific antigen following a negative biopsy. <i>Current Opinion in Urology</i> , 2010 , 20, 198-203	2.8	7
46	NonMuscle-Invasive Bladder Cancer (Ta, T1, and CIS) 2012 , 2335-2354.e8		7
45	Impact of 5 α -Reductase Inhibitors on Disease Reclassification among Men on Active Surveillance for Localized Prostate Cancer with Favorable Features. <i>Journal of Urology</i> , 2018 , 199, 445-452	2.5	7
44	Prognostic Significance of a Negative Confirmatory Biopsy on Reclassification Among Men on Active Surveillance. <i>Urology</i> , 2017 , 107, 184-189	1.6	6
43	Predictors of Rectourethral Fistula Formation After Primary Whole-Gland Cryoablation for Prostate Cancer: Results from the Cryo On-Line Database Registry. <i>Journal of Endourology</i> , 2018 , 32, 791-796	2.7	6
42	Early infectious complications with transponder placement for external beam radiation therapy for prostate cancer. <i>BJU International</i> , 2012 , 110, 834-9	5.6	6
41	Intraprostatic abscess as a complication of salvage cryotherapy. <i>Urology</i> , 2010 , 76, 848	1.6	6
40	Avoidance of androgen deprivation therapy in radiorecurrent prostate cancer as a clinically meaningful endpoint for salvage cryoablation. <i>Prostate</i> , 2017 , 77, 1446-1450	4.2	5
39	Rectourethral fistula after salvage cryotherapy for prostate adenocarcinoma. <i>Journal of Urology</i> , 2013 , 189, 699-700	2.5	5
38	A pretreatment nomogram for prediction of biochemical failure after primary cryoablation of the prostate. <i>Prostate</i> , 2015 , 75, 1447-53	4.2	5
37	Prediction of prostate cancer to urethra distance by a pretreatment nomogram: urethral thermoprotection implication in cryoablation. <i>Prostate Cancer and Prostatic Diseases</i> , 2013 , 16, 372-5	6.2	5
36	Low risk patients benefit from extreme anterior apical sampling on initial biopsy for prostate cancer diagnosis. <i>Prostate</i> , 2014 , 74, 1183-8	4.2	4
35	Potential benefit of transrectal saturation prostate biopsy as an initial biopsy strategy: decreased likelihood of finding significant cancer on future biopsy. <i>Urology</i> , 2014 , 83, 714-8	1.6	4
34	Identification of the variables associated with pain during transrectal ultrasonography-guided prostate biopsy in the era of periprostatic nerve block: the role of transrectal probe configuration. <i>BJU International</i> , 2013 , 111, 1281-6	5.6	4
33	Utility of percent free prostate-specific antigen in repeat prostate biopsy. <i>Urology</i> , 2011 , 78, 386-91	1.6	4
32	Open to debate. The motion: at least 18 cores are necessary to make a prostatic biopsy useful. <i>European Urology</i> , 2008 , 53, 659-62; discussion 662	10.2	4
31	Primary cryoablation for Gleason 8, 9, or 10 localized prostate cancer: Biochemical and local control outcomes from the Cryo OnLine database registry. <i>Indian Journal of Urology</i> , 2008 , 24, 490-3	0.8	4
30	Prostate Specific Antigen Nadir of 0.1 or Less Is a Predictor of Treatment Success in Men Undergoing Salvage Whole Prostate Gland Cryoablation. <i>Journal of Endourology</i> , 2017 , 31, 497-501	2.7	3

29	Optimal prostate biopsy regimen. <i>Current Urology Reports</i> , 2012 , 13, 455-9	2.9	3
28	Prospective evaluation of prostate cancer risk in candidates for inguinal hernia repair. <i>Journal of the American College of Surgeons</i> , 2009 , 209, 371-6	4.4	3
27	Laparoscopic inguinal herniorrhaphy complicating radical cystoprostatectomy. <i>Urology</i> , 2007 , 70, 1079-81.6		3
26	Older Age at Diagnosis and Initial Disease Volume Predict Grade Reclassification Risk on Confirmatory Biopsy in Patients Considered for Active Surveillance. <i>Urology</i> , 2019 , 130, 106-112	1.6	2
25	Associations Between Prostate Volume and Oncologic Outcomes in Men Undergoing Focal Cryoablation of the Prostate. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e477-e482	3.3	2
24	Urinalysis in the Evaluation of Hematuria. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2726-7	27.4	2
23	Does Any Racial Disparity Exist in Oncologic Outcomes After Primary Cryotherapy for Prostate Cancer? A Matched-pair Comparative Analysis of the Cryo On-Line Data Registry. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1073-e1076	3.3	2
22	Safe initiation of a laparoendoscopic single site living donor nephrectomy program in a small-volume transplant center. <i>Urology</i> , 2013 , 82, 352-7	1.6	2
21	Risk Factors and Predictors of Prostate Cancer in Men with Negative Repeat Saturation Biopsy. <i>UroToday International Journal</i> , 2010 , 03,		2
20	Vasectomy: A simple snip?. <i>Indian Journal of Urology</i> , 2007 , 23, 6-8	0.8	2
19	Saturation Biopsy for Detection and Characterization of Prostate Cancer 2008 , 217-229		2
18	Cryotherapy for Prostate Cancer 2016 , 165-171		1
17	Editorial comment. <i>Urology</i> , 2013 , 81, 375; discussion 375	1.6	1
16	Optimum Prostate Biopsy: Techniques and Strategies 2012 , 177-200		1
15	Cryoablation 2013 , 345-353		1
14	Approaches to Carcinoma In Situ (CIS) 2009 , 5-18		1
13	The nomogram conundrum: a demonstration of why a prostate cancer risk model in Turkish men underestimates prostate cancer risk in the USA. <i>International Urology and Nephrology</i> , 2016 , 48, 1623-9	2.3	1
12	Risk Calculators Are Only Applicable to Populations They Are Derived From. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1148-9	15.1	0

- 11 Approaches for Initial Prostate Biopsy and Antibiotic Prophylaxis. *European Urology Focus*, **2015**, 1, 109-116 o
- 10 Editorial Comment. *Journal of Urology*, **2017**, 197, 108 2.5
- 9 Office Procedures **2006**, 231-242
- 8 Transrectal Ultrasound-Guided Prostate Biopsy **2015**, 7-14
- 7 Salvage Focal Therapy for Prostate Cancer **2015**, 215-233
- 6 Determining Focal Therapy Failure and Salvage Options. *Current Clinical Urology*, **2017**, 443-446
- 5 Practical Approaches to the Management of Superficial Bladder Cancer **2011**, 193-215
- 4 Prostate Cancer Detection: Lessons Learned in the Cleveland Clinic Experience with Focus on the Negative Biopsy **2013**, 351-361
- 3 Biopsy Strategies to Detect Small Prostate Cancers **2013**, 97-101
- 2 Does prior surgical interventional therapy for BPH affect the oncological or functional outcomes after primary whole-gland prostate cryoablation for localized prostate cancer?. *Prostate Cancer and Prostatic Diseases*, **2021**, 24, 507-513 6.2
- 1 Cryosurgical Ablation of the Prostate **2018**, 1589-1604