

J Stephen Jones

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11670538/j-stephen-jones-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

5,532
citations

45
h-index

70
g-index

168
ext. papers

6,181
ext. citations

3.4
avg, IF

5.59
L-index

#	Paper	IF	Citations
154	Does prior surgical interventional therapy for BPH affect the oncological or functional outcomes after primary whole-gland prostate cryoablation for localized prostate cancer?. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 507-513	6.2	
153	Older Age at Diagnosis and Initial Disease Volume Predict Grade Reclassification Risk on Confirmatory Biopsy in Patients Considered for Active Surveillance. <i>Urology</i> , 2019 , 130, 106-112	1.6	2
152	Patient-reported outcomes of blue-light flexible cystoscopy with hexaminolevulinate in the surveillance of bladder cancer: results from a prospective multicentre study. <i>BJU International</i> , 2019 , 123, 35-41	5.6	12
151	Efficacy and Safety of Blue Light Flexible Cystoscopy with Hexaminolevulinate in the Surveillance of Bladder Cancer: A Phase III, Comparative, Multicenter Study. <i>Journal of Urology</i> , 2018 , 199, 1158-1165	2.5	56
150	Associations Between Prostate Volume and Oncologic Outcomes in Men Undergoing Focal Cryoablation of the Prostate. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e477-e482	3.3	2
149	Predictors of Rectourethral Fistula Formation After Primary Whole-Gland Cryoablation for Prostate Cancer: Results from the Cryo On-Line Database Registry. <i>Journal of Endourology</i> , 2018 , 32, 791-796	2.7	6
148	Does Any Racial Disparity Exist in Oncologic Outcomes After Primary Cryotherapy for Prostate Cancer? A Matched-pair Comparative Analysis of the Cryo On-Line Data Registry. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1073-e1076	3.3	2
147	Impact of 5 α -Reductase Inhibitors on Disease Reclassification among Men on Active Surveillance for Localized Prostate Cancer with Favorable Features. <i>Journal of Urology</i> , 2018 , 199, 445-452	2.5	7
146	Cryosurgical Ablation of the Prostate 2018 , 1589-1604		
145	Editorial Comment. <i>Journal of Urology</i> , 2017 , 197, 108	2.5	
144	Prostate Specific Antigen Nadir of 0.1 or Less Is a Predictor of Treatment Success in Men Undergoing Salvage Whole Prostate Gland Cryoablation. <i>Journal of Endourology</i> , 2017 , 31, 497-501	2.7	3
143	Propensity Score-Matched Comparison of Partial to Whole-Gland Cryotherapy for Intermediate-Risk Prostate Cancer: An Analysis of the Cryo On-Line Data Registry Data. <i>Journal of Endourology</i> , 2017 , 31, 564-571	2.7	22
142	Prognostic Significance of a Negative Confirmatory Biopsy on Reclassification Among Men on Active Surveillance. <i>Urology</i> , 2017 , 107, 184-189	1.6	6
141	Intermediate-Term Outcomes for Men with Very Low/Low and Intermediate/High Risk Prostate Cancer Managed by Active Surveillance. <i>Journal of Urology</i> , 2017 , 198, 591-599	2.5	22
140	Avoidance of androgen deprivation therapy in radiorecurrent prostate cancer as a clinically meaningful endpoint for salvage cryoablation. <i>Prostate</i> , 2017 , 77, 1446-1450	4.2	5
139	Outcomes of Active Surveillance after Initial Surveillance Prostate Biopsy. <i>Journal of Urology</i> , 2017 , 197, 84-89	2.5	7
138	Determining Focal Therapy Failure and Salvage Options. <i>Current Clinical Urology</i> , 2017 , 443-446		

137	Primary Cryotherapy for High-Grade Clinically Localized Prostate Cancer: Oncologic and Functional Outcomes from the COLD Registry. <i>Journal of Endourology</i> , 2016 , 30, 43-8	2.7	24
136	Risk Calculators Are Only Applicable to Populations They Are Derived From. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 1148-9	15.1	0
135	Urinalysis in the Evaluation of Hematuria. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2726-7	27.4	2
134	Cryotherapy for Prostate Cancer 2016 , 165-171		1
133	More Favorable Pathological Outcomes in Men with Low Risk Prostate Cancer Diagnosed on Repeat versus Initial Transrectal Ultrasound Guided Prostate Biopsy. <i>Journal of Urology</i> , 2016 , 195, 1767-72	2.5	7
132	External validation of a PCA-3-based nomogram for predicting prostate cancer and high-grade cancer on initial prostate biopsy. <i>Prostate</i> , 2016 , 76, 1019-23	4.2	8
131	Five-Year Biochemical Progression-Free Survival Following Salvage Whole-Gland Prostate Cryoablation: Defining Success with Nadir Prostate-Specific Antigen. <i>Journal of Endourology</i> , 2016 , 30, 624-31	2.7	13
130	The nomogram conundrum: a demonstration of why a prostate cancer risk model in Turkish men underestimates prostate cancer risk in the USA. <i>International Urology and Nephrology</i> , 2016 , 48, 1623-9	2.3	1
129	The Effect of Androgen Deprivation Therapy Before Salvage Whole-gland Cryoablation After Primary Radiation Failure in Prostate Cancer Treatment. <i>Urology</i> , 2015 , 85, 1137-1142	1.6	11
128	For Single Dosing, Levofloxacin Is Superior to Ciprofloxacin When Combined With an Aminoglycoside in Preventing Severe Infections After Prostate Biopsy. <i>Urology</i> , 2015 , 85, 1241-6	1.6	8
127	Comparison of Outcomes Between Preoperatively Potent Men Treated with Focal Versus Whole Gland Cryotherapy in a Matched Population. <i>Journal of Endourology</i> , 2015 , 29, 1193-8	2.7	45
126	Salvage focal prostate cryoablation for locally recurrent prostate cancer after radiotherapy: initial results from the cryo on-line data registry. <i>Prostate</i> , 2015 , 75, 1-7	4.2	56
125	AUA Quality Improvement Summit 2014: Conference Proceedings on Infectious Complications of Transrectal Prostate Needle Biopsy. <i>Urology Practice</i> , 2015 , 2, 172-180	0.8	8
124	PCA3-based nomogram for predicting prostate cancer and high grade cancer on initial transrectal guided biopsy. <i>Prostate</i> , 2015 , 75, 1951-7	4.2	16
123	A pretreatment nomogram for prediction of biochemical failure after primary cryoablation of the prostate. <i>Prostate</i> , 2015 , 75, 1447-53	4.2	5
122	Approaches for Initial Prostate Biopsy and Antibiotic Prophylaxis. <i>European Urology Focus</i> , 2015 , 1, 109-116	1.6	0
121	Transrectal Ultrasound-Guided Prostate Biopsy 2015 , 7-14		
120	Salvage Focal Therapy for Prostate Cancer 2015 , 215-233		

119	Transrectal saturation technique may improve cancer detection as an initial prostate biopsy strategy in men with prostate-specific antigen . <i>European Urology</i> , 2014 , 65, 1178-83	10.2	10
118	Low risk patients benefit from extreme anterior apical sampling on initial biopsy for prostate cancer diagnosis. <i>Prostate</i> , 2014 , 74, 1183-8	4.2	4
117	Potential benefit of transrectal saturation prostate biopsy as an initial biopsy strategy: decreased likelihood of finding significant cancer on future biopsy. <i>Urology</i> , 2014 , 83, 714-8	1.6	4
116	Urinary PCA3 as a predictor of prostate cancer in a cohort of 3,073 men undergoing initial prostate biopsy. <i>Journal of Urology</i> , 2014 , 191, 1743-8	2.5	82
115	Definition of biochemical success following primary whole gland prostate cryoablation. <i>Journal of Urology</i> , 2014 , 192, 1380-4	2.5	23
114	Does neoadjuvant androgen deprivation therapy before primary whole gland cryoablation of the prostate affect the outcome?. <i>Urology</i> , 2014 , 83, 379-83	1.6	12
113	Cryoablation for locally advanced clinical stage T3 prostate cancer: a report from the Cryo-On-Line Database (COLD) Registry. <i>BJU International</i> , 2014 , 113, 714-8	5.6	13
112	Clinical validation of an epigenetic assay to predict negative histopathological results in repeat prostate biopsies. <i>Journal of Urology</i> , 2014 , 192, 1081-7	2.5	155
111	Evaluating the Prostate Cancer Prevention Trial High Grade Prostate Cancer Risk Calculator in 10 international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2014 , 32, 185-91	4	23
110	Outcomes of salvage prostate cryotherapy stratified by pre-treatment PSA: update from the COLD registry. <i>World Journal of Urology</i> , 2013 , 31, 1321-5	4	29
109	Rectourethral fistula after salvage cryotherapy for prostate adenocarcinoma. <i>Journal of Urology</i> , 2013 , 189, 699-700	2.5	5
108	Contemporary role of systematic prostate biopsies: indications, techniques, and implications for patient care. <i>European Urology</i> , 2013 , 63, 214-30	10.2	163
107	Safe initiation of a laparoendoscopic single site living donor nephrectomy program in a small-volume transplant center. <i>Urology</i> , 2013 , 82, 352-7	1.6	2
106	Editorial comment. <i>Urology</i> , 2013 , 81, 375; discussion 375	1.6	1
105	Predictors of biochemical failure in patients undergoing prostate whole-gland salvage cryotherapy: a novel risk stratification model. <i>BJU International</i> , 2013 , 112, E256-61	5.6	17
104	Diagnostically challenging cases: what are atypia and dysplasia?. <i>Urologic Clinics of North America</i> , 2013 , 40, 281-93	2.9	9
103	Identification of the variables associated with pain during transrectal ultrasonography-guided prostate biopsy in the era of periprostatic nerve block: the role of transrectal probe configuration. <i>BJU International</i> , 2013 , 111, 1281-6	5.6	4
102	The utility of PSA velocity in prediction of prostate cancer and high grade cancer after an initially negative prostate biopsy. <i>Prostate</i> , 2013 , 73, 1796-802	4.2	11

101	Prediction of prostate cancer to urethra distance by a pretreatment nomogram: urethral thermoprotection implication in cryoablation. <i>Prostate Cancer and Prostatic Diseases</i> , 2013 , 16, 372-5	6.2	5
100	Cryoablation 2013 , 345-353		1
99	Prostate Cancer Detection: Lessons Learned in the Cleveland Clinic Experience with Focus on the Negative Biopsy 2013 , 351-361		
98	Biopsy Strategies to Detect Small Prostate Cancers 2013 , 97-101		
97	Salvage cryoablation for locally recurrent prostate cancer following primary radiotherapy. <i>European Urology</i> , 2012 , 61, 1204-11	10.2	48
96	Focal cryotherapy for localized prostate cancer: a report from the national Cryo On-Line Database (COLD) Registry. <i>BJU International</i> , 2012 , 109, 1648-54	5.6	146
95	Achieving the best ^{best} Using salvage cryotherapy for locally recurrent prostate cancer: analysis of the Cryo On-Line Data (COLD) registry data. <i>BJU International</i> , 2012 , 110, 217-20	5.6	17
94	Type of transrectal ultrasonography probe influences prostate cancer detection rates on repeat prostate biopsy. <i>BJU International</i> , 2012 , 110, E46-9	5.6	7
93	Evaluation of GSTP1 and APC methylation as indicators for repeat biopsy in a high-risk cohort of men with negative initial prostate biopsies. <i>BJU International</i> , 2012 , 110, 56-62	5.6	77
92	Early infectious complications with transponder placement for external beam radiation therapy for prostate cancer. <i>BJU International</i> , 2012 , 110, 834-9	5.6	6
91	When serial prostate biopsy is recommended: most cancers detected are clinically insignificant. <i>BJU International</i> , 2012 , 110, 987-92	5.6	23
90	Evaluating the PCPT risk calculator in ten international biopsy cohorts: results from the Prostate Biopsy Collaborative Group. <i>World Journal of Urology</i> , 2012 , 30, 181-7	4	50
89	Diagnosis, evaluation and follow-up of asymptomatic microhematuria (AMH) in adults: AUA guideline. <i>Journal of Urology</i> , 2012 , 188, 2473-81	2.5	305
88	Optimal prostate biopsy regimen. <i>Current Urology Reports</i> , 2012 , 13, 455-9	2.9	3
87	Discrepancy in prostate cancer localization between biopsy and prostatectomy specimens in patients with unilateral positive biopsy: implications for focal therapy. <i>Prostate</i> , 2012 , 72, 1179-86	4.2	28
86	Should we screen for and treat lower urinary tract dysfunction after major pelvic surgery? ICI-RS 2011. <i>Neurourology and Urodynamics</i> , 2012 , 31, 327-9	2.3	9
85	Importance of prostate volume in the European Randomised Study of Screening for Prostate Cancer (ERSPC) risk calculators: results from the prostate biopsy collaborative group. <i>World Journal of Urology</i> , 2012 , 30, 149-55	4	81
84	Optimum Prostate Biopsy: Techniques and Strategies 2012 , 177-200		1

83	NonMuscle-Invasive Bladder Cancer (Ta, T1, and CIS) 2012 , 2335-2354.e8		7
82	Percentage of free prostate-specific antigen: implications in modern extended scheme prostate biopsy. <i>Urology</i> , 2011 , 77, 899-903	1.6	11
81	Impact of prostate gland volume on cryoablation prostate-specific antigen outcomes. <i>Urology</i> , 2011 , 77, 994-8	1.6	9
80	Avoiding androgen deprivation therapy in men with high-risk prostate cancer: the role of radical prostatectomy as initial treatment. <i>Urology</i> , 2011 , 77, 946-50	1.6	16
79	Morbidity of prostate biopsy after simplified versus complex preparation protocols: assessment of risk factors. <i>Urology</i> , 2011 , 77, 910-4	1.6	80
78	Emergence of fluoroquinolone-resistant <i>Escherichia coli</i> as cause of postprostate biopsy infection: implications for prophylaxis and treatment. <i>Urology</i> , 2011 , 77, 1035-41	1.6	129
77	Prostate-specific antigen/solvent interaction analysis: a preliminary evaluation of a new assay concept for detecting prostate cancer using urinary samples. <i>Urology</i> , 2011 , 78, 601-5	1.6	18
76	Utility of percent free prostate-specific antigen in repeat prostate biopsy. <i>Urology</i> , 2011 , 78, 386-91	1.6	4
75	Development of improved nomogram for prediction of outcome of initial prostate biopsy using readily available clinical information. <i>Urology</i> , 2011 , 78, 392-8	1.6	36
74	Using a saturation biopsy scheme increases cancer detection during repeat biopsy in men with high-grade prostatic intra-epithelial neoplasia. <i>Urology</i> , 2011 , 78, 1115-9	1.6	7
73	Office based transrectal saturation biopsy improves prostate cancer detection compared to extended biopsy in the repeat biopsy population. <i>Journal of Urology</i> , 2011 , 186, 850-4	2.5	72
72	Focal therapy in the management of localized prostate cancer. <i>BJU International</i> , 2011 , 107, 1362-8	5.6	21
71	Role of magnetic resonance imaging before initial biopsy: comparison of magnetic resonance imaging-targeted and systematic biopsy for significant prostate cancer detection. <i>BJU International</i> , 2011 , 108, E171-8	5.6	305
70	Feasibility and safety of retroperitoneoscopic laparoendoscopic single-site nephrectomy: technique and early outcomes. <i>BJU International</i> , 2011 , 108, 1879-85	5.6	22
69	Primary full-gland prostate cryoablation in older men (> age of 75 years): results from 860 patients tracked with the COLD Registry. <i>BJU International</i> , 2011 , 108, 508-12	5.6	24
68	Prostate cancer detection after a negative prostate biopsy: lessons learnt in the Cleveland Clinic experience. <i>International Journal of Urology</i> , 2011 , 18, 557-68	2.3	21
67	Management of rising prostate-specific antigen after a negative biopsy. <i>Current Urology Reports</i> , 2011 , 12, 197-202	2.9	17
66	Practical Approaches to the Management of Superficial Bladder Cancer 2011 , 193-215		

65	A nomogram for predicting upgrading in patients with low- and intermediate-grade prostate cancer in the era of extended prostate sampling. <i>BJU International</i> , 2010 , 105, 352-8	5.6	49
64	Current state of urological cryosurgery: prostate and kidney. <i>BJU International</i> , 2010 , 105, 590-600	5.6	25
63	Prognostic value of initial prostate-specific antigen levels after salvage cryoablation for prostate cancer. <i>BJU International</i> , 2010 , 106, 986-90	5.6	23
62	Development and validation of a nomogram for predicting a positive repeat prostate biopsy in patients with a previous negative biopsy session in the era of extended prostate sampling. <i>BJU International</i> , 2010 , 106, 1309-14	5.6	26
61	The relationship between prostate-specific antigen and prostate cancer risk: the Prostate Biopsy Collaborative Group. <i>Clinical Cancer Research</i> , 2010 , 16, 4374-81	12.9	72
60	Dipstick pseudohematuria: unnecessary consultation and evaluation. <i>Journal of Urology</i> , 2010 , 183, 560-4.5	4.5	25
59	Intraprostatic abscess as a complication of salvage cryotherapy. <i>Urology</i> , 2010 , 76, 848	1.6	6
58	Classification system: organ preserving treatment for prostate cancer. <i>Urology</i> , 2010 , 75, 1258-60	1.6	15
57	Importance of additional "extreme" anterior apical needle biopsies in the initial detection of prostate cancer. <i>Urology</i> , 2010 , 75, 1034-9	1.6	84
56	Can saturation biopsy predict prostate cancer localization in radical prostatectomy specimens: a correlative study and implications for focal therapy. <i>Urology</i> , 2010 , 76, 682-7	1.6	47
55	Disease burden predicts for favorable post salvage cryoablation PSA. <i>Urology</i> , 2010 , 76, 1157-61	1.6	12
54	Performance of prostate cancer prevention trial risk calculator in a contemporary cohort screened for prostate cancer and diagnosed by extended prostate biopsy. <i>Journal of Urology</i> , 2010 , 183, 529-33	2.5	45
53	Multifocal high grade prostatic intraepithelial neoplasia is a risk factor for subsequent prostate cancer. <i>Journal of Urology</i> , 2010 , 184, 1958-62	2.5	52
52	Management of rising prostate-specific antigen following a negative biopsy. <i>Current Opinion in Urology</i> , 2010 , 20, 198-203	2.8	7
51	The Epstein criteria predict for organ-confined but not insignificant disease and a high likelihood of cure at radical prostatectomy. <i>European Urology</i> , 2010 , 58, 90-5	10.2	58
50	Risk Factors and Predictors of Prostate Cancer in Men with Negative Repeat Saturation Biopsy. <i>UroToday International Journal</i> , 2010 , 03,		2
49	Prospective evaluation of prostate cancer risk in candidates for inguinal hernia repair. <i>Journal of the American College of Surgeons</i> , 2009 , 209, 371-6	4.4	3
48	Prostate biopsy clinical and pathological variables that predict significant grading changes in patients with intermediate and high grade prostate cancer. <i>BJU International</i> , 2009 , 103, 43-8	5.6	83

47	Prognostic significance of nondiagnostic molecular changes in urine detected by UroVysion fluorescence in situ hybridization during surveillance for bladder cancer. <i>Urology</i> , 2009 , 73, 347-50	1.6	10
46	Primary cryoablation nadir prostate specific antigen and biochemical failure. <i>Journal of Urology</i> , 2009 , 182, 931-7	2.5	39
45	Does transrectal ultrasound probe configuration really matter? End fire versus side fire probe prostate cancer detection rates. <i>Journal of Urology</i> , 2009 , 181, 2077-82; discussion 2082-3	2.5	48
44	Optimal biopsy strategies for the diagnosis and staging of prostate cancer. <i>Current Opinion in Urology</i> , 2009 , 19, 232-7	2.8	53
43	Approaches to Carcinoma In Situ (CIS) 2009 , 5-18		1
42	Open to debate. The motion: at least 18 cores are necessary to make a prostatic biopsy useful. <i>European Urology</i> , 2008 , 53, 659-62; discussion 662	10.2	4
41	Whole gland primary prostate cryoablation: initial results from the cryo on-line data registry. <i>Journal of Urology</i> , 2008 , 180, 554-8	2.5	125
40	Role of cystitis cystica et glandularis and intestinal metaplasia in development of bladder carcinoma. <i>Urology</i> , 2008 , 71, 915-8	1.6	71
39	Staging saturation biopsy in patients with prostate cancer on active surveillance protocol. <i>Urology</i> , 2008 , 71, 573-7	1.6	54
38	Impact of urologic resident training on patient pain and morbidity associated with office-based cystoscopy. <i>Urology</i> , 2008 , 71, 782-6	1.6	17
37	Validation of pretreatment nomograms for predicting indolent prostate cancer: efficacy in contemporary urological practice. <i>Journal of Urology</i> , 2008 , 180, 150-4; discussion 154	2.5	48
36	Risk of prostate cancer after diagnosis of atypical glands suspicious for carcinoma on saturation and traditional biopsies. <i>Journal of Urology</i> , 2008 , 180, 911-4; discussion 914	2.5	34
35	Prostate cancer volume at biopsy predicts clinically significant upgrading. <i>Journal of Urology</i> , 2008 , 179, 896-900; discussion 900	2.5	70
34	Salvage prostate cryoablation: initial results from the cryo on-line data registry. <i>Journal of Urology</i> , 2008 , 180, 559-63; discussion 563-4	2.5	151
33	Prostate cancers diagnosed at repeat biopsy are smaller and less likely to be high grade. <i>Journal of Urology</i> , 2008 , 180, 1325-9; discussion 1329	2.5	49
32	Saturation technique does not decrease cancer detection during followup after initial prostate biopsy. <i>Journal of Urology</i> , 2008 , 179, 1746-50; discussion 1750	2.5	76
31	Office based vasectomy can be performed by supervised urological residents with patient pain and morbidity comparable to those of a staff surgeon procedure. <i>Journal of Urology</i> , 2008 , 180, 1451-4	2.5	13
30	Impact of real-time visualization of cystoscopy findings on procedural pain in female patients. <i>Journal of Endourology</i> , 2008 , 22, 2695-8	2.7	13

29	Primary cryoablation for Gleason 8, 9, or 10 localized prostate cancer: Biochemical and local control outcomes from the Cryo OnLine database registry. <i>Indian Journal of Urology</i> , 2008 , 24, 490-3	0.8	4
28	Saturation Biopsy for Detection and Characterization of Prostate Cancer 2008 , 217-229		2
27	Office based flexible cystoscopy may be less painful for men allowed to view the procedure. <i>Journal of Urology</i> , 2007 , 177, 1843-5	2.5	41
26	Comparison of traditional basal and apical periprostatic block: impact on injection pain and biopsy pain. <i>BJU International</i> , 2007 , 99, 575-8	5.6	19
25	A prospective evaluation of the impact of scheduled follow-up appointments with compliance rates after vasectomy. <i>BJU International</i> , 2007 , 99, 1094-7	5.6	10
24	The incidence of high-grade prostatic intraepithelial neoplasia and atypical glands suspicious for carcinoma on first-time saturation needle biopsy, and the subsequent risk of cancer. <i>BJU International</i> , 2007 , 99, 770-4	5.6	63
23	Saturation biopsy for detecting and characterizing prostate cancer. <i>BJU International</i> , 2007 , 99, 1340-4	5.6	76
22	Ultrasound probe positioning to minimize the risk of recto-urethral fistula during cryosurgical ablation of prostate cancer. <i>BJU International</i> , 2007 , 100, 58-62; discussion 62	5.6	10
21	Focal or subtotal therapy for early stage prostate cancer. <i>Current Treatment Options in Oncology</i> , 2007 , 8, 165-72	5.4	22
20	Prostate-sparing cystectomy: has Pandora's box been opened?. <i>Expert Review of Anticancer Therapy</i> , 2007 , 7, 1003-14	3.5	8
19	Reflex UroVysion testing of bladder cancer surveillance patients with equivocal or negative urine cytology: a prospective study with focus on the natural history of anticipatory positive findings. <i>American Journal of Clinical Pathology</i> , 2007 , 127, 295-301	1.9	155
18	Laparoscopic inguinal herniorrhaphy complicating radical cystoprostatectomy. <i>Urology</i> , 2007 , 70, 1079-81.6		3
17	Vasectomy: A simple snip?. <i>Indian Journal of Urology</i> , 2007 , 23, 6-8	0.8	2
16	Saturation technique does not improve cancer detection as an initial prostate biopsy strategy. <i>Journal of Urology</i> , 2006 , 175, 485-8	2.5	167
15	Radical prostatectomy as primary treatment modality for locally advanced prostate cancer: a prospective analysis. <i>Urology</i> , 2006 , 67, 1253-6	1.6	70
14	The use of urine-based biomarkers in bladder cancer. <i>Urology</i> , 2006 , 67, 62-4	1.6	8
13	DNA-based molecular cytology for bladder cancer surveillance. <i>Urology</i> , 2006 , 67, 35-45; discussion 45-7	1.6	95
12	Determining the success of vasectomy. <i>BJU International</i> , 2006 , 97, 773-6	5.6	22

11 Office Procedures **2006**, 231-242

10	Porcine small intestinal submucosa as a percutaneous mid-urethral sling: 2-year results. <i>BJU International</i> , 2005 , 96, 103-6	5.6	29
9	Prostate cancer detection with office based saturation biopsy in a repeat biopsy population. <i>Journal of Urology</i> , 2004 , 172, 94-7	2.5	114
8	Parasagittal biopsies add minimal information in repeat saturation prostate biopsy. <i>Urology</i> , 2004 , 63, 87-9	1.6	78
7	Sexual function after male radical cystectomy in a sexually active population. <i>Urology</i> , 2004 , 64, 682-5; discussion 685-6	1.6	66
6	Laparoscopic inguinal hernia repair complicates future pelvic oncologic surgery. <i>Annals of Surgery</i> , 2004 , 240, 922; author reply 922-3	7.8	17
5	Rectal sensation test helps avoid pain of apical prostate biopsy. <i>Journal of Urology</i> , 2003 , 170, 2316-8	2.5	24
4	Percutaneous vasectomy: a simple modification eliminates the steep learning curve of no-scalpel vasectomy. <i>Journal of Urology</i> , 2003 , 169, 1434-6	2.5	12
3	Multitarget fluorescence in situ hybridization assay detects transitional cell carcinoma in the majority of patients with bladder cancer and atypical or negative urine cytology. <i>Journal of Urology</i> , 2003 , 169, 2101-5	2.5	245
2	Saturation Prostate Biopsy With Periprostatic Block Can be Performed in Office. <i>Journal of Urology</i> , 2002 , 168, 2108-2110	2.5	75
1	Saturation Prostate Biopsy With Periprostatic Block Can be Performed in Office. <i>Journal of Urology</i> , 2002 , 2108-2110	2.5	10