

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1167322/aihua-zhang-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55 papers	1,230 citations	21 h-index	33 g-index
57 ext. papers	1,591 ext. citations	6.1 avg, IF	4.27 L-index

#	Paper	IF	Citations
55	Mitochondrial dysfunction mediates aldosterone-induced podocyte damage: a therapeutic target of PPAR γ . <i>American Journal of Pathology</i> , 2011 , 178, 2020-31	5.8	95
54	Deletion of microsomal prostaglandin E synthase-1 increases sensitivity to salt loading and angiotensin II infusion. <i>Circulation Research</i> , 2006 , 99, 1243-51	15.7	91
53	NLRP3 inflammasome mediates albumin-induced renal tubular injury through impaired mitochondrial function. <i>Journal of Biological Chemistry</i> , 2014 , 289, 25101-11	5.4	63
52	NLRP3 deletion protects against renal fibrosis and attenuates mitochondrial abnormality in mouse with 5/6 nephrectomy. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, F1081-8	4.3	58
51	Drp1-dependent mitophagy protects against cisplatin-induced apoptosis of renal tubular epithelial cells by improving mitochondrial function. <i>Oncotarget</i> , 2017 , 8, 20988-21000	3.3	57
50	Celastrol ameliorates cisplatin nephrotoxicity by inhibiting NF- κ B and improving mitochondrial function. <i>EBioMedicine</i> , 2018 , 36, 266-280	8.8	57
49	Mitochondrial dysfunction confers albumin-induced NLRP3 inflammasome activation and renal tubular injury. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, F857-66	4.3	56
48	Pink1/Parkin-mediated mitophagy play a protective role in cisplatin induced renal tubular epithelial cells injury. <i>Experimental Cell Research</i> , 2017 , 350, 390-397	4.2	54
47	The roles of oxidative stress, endoplasmic reticulum stress, and autophagy in aldosterone/mineralocorticoid receptor-induced podocyte injury. <i>Laboratory Investigation</i> , 2015 , 95, 1374-86	5.9	49
46	MicroRNA-709 Mediates Acute Tubular Injury through Effects on Mitochondrial Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 449-461	12.7	49
45	MicroRNA-214 promotes chronic kidney disease by disrupting mitochondrial oxidative phosphorylation. <i>Kidney International</i> , 2019 , 95, 1389-1404	9.9	37
44	Rotenone remarkably attenuates oxidative stress, inflammation, and fibrosis in chronic obstructive uropathy. <i>Mediators of Inflammation</i> , 2014 , 2014, 670106	4.3	33
43	New Insights into the PPAR γ Agonists for the Treatment of Diabetic Nephropathy. <i>PPAR Research</i> , 2014 , 2014, 818530	4.3	30
42	Activation of ERK1/2 by NADPH oxidase-originated reactive oxygen species mediates uric acid-induced mesangial cell proliferation. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, F396-406	4.3	29
41	p53/Drp1-dependent mitochondrial fission mediates aldosterone-induced podocyte injury and mitochondrial dysfunction. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, F798-F808	4.3	28
40	Albumin impairs renal tubular tight junctions via targeting the NLRP3 inflammasome. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 308, F1012-9	4.3	26
39	Prostaglandins in the pathogenesis of kidney diseases. <i>Oncotarget</i> , 2018 , 9, 26586-26602	3.3	26

38	Dysfunction of the PGC-1 β mitochondria axis confers adriamycin-induced podocyte injury. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 306, F1410-7	4.3	24
37	Genetic spectrum of renal disease for 1001 Chinese children based on a multicenter registration system. <i>Clinical Genetics</i> , 2019 , 96, 402-410	4	23
36	Progress in pathogenesis of proteinuria. <i>International Journal of Nephrology</i> , 2012 , 2012, 314251	1.7	22
35	PGC-1 β overexpression protects against aldosterone-induced podocyte depletion: role of mitochondria. <i>Oncotarget</i> , 2016 , 7, 12150-62	3.3	22
34	Protein S Protects against Podocyte Injury in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 1397-1410	12.7	20
33	Nuclear receptor PXR targets AKR1B7 to protect mitochondrial metabolism and renal function in AKI. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	19
32	Inflammasomes in the Pathophysiology of Kidney Diseases. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015 , 1, 187-93	3.3	19
31	Gasdermin E deficiency attenuates acute kidney injury by inhibiting pyroptosis and inflammation. <i>Cell Death and Disease</i> , 2021 , 12, 139	9.8	18
30	Ursodeoxycholic acid protects against cisplatin-induced acute kidney injury and mitochondrial dysfunction through acting on ALDH1L2. <i>Free Radical Biology and Medicine</i> , 2020 , 152, 821-837	7.8	14
29	mPGES-1-derived PGE2 contributes to adriamycin-induced podocyte injury. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, F492-8	4.3	14
28	MnTBAP Therapy Attenuates Renal Fibrosis in Mice with 5/6 Nephrectomy. <i>Oxidative Medicine and Cellular Longevity</i> , 2016 , 2016, 7496930	6.7	14
27	Renal tubular epithelium-targeted peroxisome proliferator-activated receptor- γ maintains the epithelial phenotype and antagonizes renal fibrogenesis. <i>Oncotarget</i> , 2016 , 7, 64690-64701	3.3	12
26	Inhibition of mitochondrial complex-1 restores the downregulation of aquaporins in obstructive nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, F777-F786	4.3	11
25	Huaier Cream Protects against Adriamycin-Induced Nephropathy by Restoring Mitochondrial Function via PGC-1 β upregulation. <i>PPAR Research</i> , 2015 , 2015, 720383	4.3	11
24	Indoxyl Sulfate Induces Mesangial Cell Proliferation via the Induction of COX-2. <i>Mediators of Inflammation</i> , 2016 , 2016, 5802973	4.3	11
23	Reactive oxygen species-initiated autophagy opposes aldosterone-induced podocyte injury. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, F669-F678	4.3	11
22	Functional Characterization of PHEX Gene Variants in Children With X-Linked Hypophosphatemic Rickets Shows No Evidence of Genotype-Phenotype Correlation. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 1718-1725	6.3	10
21	Multicenter study of the clinical features and mutation gene spectrum of Chinese children with Dent disease. <i>Clinical Genetics</i> , 2020 , 97, 407-417	4	10

20	MicroRNA-214 targets COX-2 to antagonize indoxyl sulfate (IS)-induced endothelial cell apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2020 , 25, 92-104	5.4	10
19	Adenosine kinase inhibition protects against cisplatin-induced nephrotoxicity. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, F107-F115	4.3	9
18	Estrogen-related receptor (ERR) β protects against puromycin aminonucleoside-induced podocyte apoptosis by targeting PI3K/Akt signaling. <i>International Journal of Biochemistry and Cell Biology</i> , 2016 , 78, 75-86	5.6	9
17	Hyperoside alleviates adriamycin-induced podocyte injury via inhibiting mitochondrial fission. <i>Oncotarget</i> , 2017 , 8, 88792-88803	3.3	9
16	The piRNA pathway is essential for generating functional oocytes in golden hamsters. <i>Nature Cell Biology</i> , 2021 , 23, 1013-1022	23.4	9
15	Inhibition of mitochondrial complex I activity attenuates neointimal hyperplasia by inhibiting smooth muscle cell proliferation and migration. <i>Chemico-Biological Interactions</i> , 2019 , 304, 73-82	5	7
14	A vital role for myosin-9 in puromycin aminonucleoside-induced podocyte injury by affecting actin cytoskeleton. <i>Free Radical Research</i> , 2016 , 50, 627-37	4	7
13	Inhibition of Mitochondrial Complex-1 Prevents the Downregulation of NKCC2 and ENaCl in Obstructive Kidney Disease. <i>Scientific Reports</i> , 2015 , 5, 12480	4.9	7
12	Phenotype and genotype spectra of a Chinese cohort with nephronophthisis-related ciliopathy. <i>Journal of Medical Genetics</i> , 2020 ,	5.8	7
11	Parkin Modulates ERK1/2-eNOS Signaling Pathway in Endothelial Cells. <i>Cellular Physiology and Biochemistry</i> , 2018 , 49, 2022-2034	3.9	7
10	Whole-genome sequencing revealed an interstitial deletion encompassing OCRL and SMARCA1 gene in a patient with Lowe syndrome. <i>Molecular Genetics & Genomic Medicine</i> , 2019 , 7, e876	2.3	5
9	Inhibition of the mitochondrial complex-1 protects against carbon tetrachloride-induced acute liver injury. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 115, 108948	7.5	4
8	Reduced Lon protease 1 expression in podocytes contributes to the pathogenesis of podocytopathy. <i>Kidney International</i> , 2021 , 99, 854-869	9.9	3
7	Cilomilast Ameliorates Renal Tubulointerstitial Fibrosis by Inhibiting the TGF- β -Smad2/3 Signaling Pathway. <i>Frontiers in Medicine</i> , 2020 , 7, 626140	4.9	3
6	Roxadustat prevents Ang II hypertension by targeting angiotensin receptors and eNOS. <i>JCI Insight</i> , 2021 , 6,	9.9	3
5	The Epidemiology and Management of Pediatric AKI in Asia. <i>Seminars in Nephrology</i> , 2020 , 40, 516-532	4.8	2
4	Dihydroartemisinin inhibits indoxyl sulfate (IS)-promoted cell cycle progression in mesangial cells by targeting COX-2/mPGES-1/PGE cascade. <i>American Journal of Translational Research (discontinued)</i> , 2018 , 10, 422-431	3	2
3	Disruption of mitochondrial homeostasis in chronic kidney disease: a mini-review. <i>Histology and Histopathology</i> , 2019 , 34, 835-842	1.4	2

2	Blocking AURKA with MK-5108 attenuates renal fibrosis in chronic kidney disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021 , 1867, 166227	6.9	1
1	Clinical Potential of Hypoxia Inducible Factors Prolyl Hydroxylase Inhibitors in Treating Nonanemic Diseases.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 837249	5.6	1