Richard V Goering

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11675310/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Mobile genetic elements responsible for discordant Staphylococcus aureus phenotypes and genotypes in the same blood culture bottle. Diagnostic Microbiology and Infectious Disease, 2020, 98, 115175. | 0.8 | 5 |
| 2 | Characterization of Clostridioides difficile isolates recovered from two Phase 3 surotomycin treatment trials by restriction endonuclease analysis, PCR ribotyping and antimicrobial susceptibilities. Journal of Antimicrobial Chemotherapy, 2020, 75, 3120-3125. | 1.3 | 4 |
| 3 | Updating Molecular Diagnostics for Detecting Methicillin-Susceptible and Methicillin-Resistant Staphylococcus aureus Isolates in Blood Culture Bottles. Journal of Clinical Microbiology, 2019, 57, . | 1.8 | 26 |
| 4 | Emergence of Oxacillin Resistance in Stealth Methicillin-Resistant <i>Staphylococcus aureus</i> Due to <i>mecA</i> Sequence Instability. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 1.4 | 34 |
| 5 | Changes in molecular epidemiology and antimicrobial resistance profiles of Clostridioides (Clostridium) difficile strains in the United States between 2011 and 2017. Anaerobe, 2019, 60, 102050. | 1.0 | 35 |
| 6 | Editorial: New Insights and Updates on the Molecular Epidemiology and Antimicrobial Resistance of MRSA in Humans in the Whole-Genome Sequencing Era. Frontiers in Microbiology, 2019, 10, 637. | 1.5 | 3 |
| 7 | <i>Streptococcus agalactiae</i> Strains with Chromosomal Deletions Evade Detection with Molecular Methods. Journal of Clinical Microbiology, 2019, 57, . | 1.8 | 14 |
| 8 | Evolution and Global Transmission of a Multidrug-Resistant, Community-Associated Methicillin-Resistant Staphylococcus aureus Lineage from the Indian Subcontinent. MBio, 2019, 10, . | 1.8 | 50 |
| 9 | Range Expansion and the Origin of USA300 North American Epidemic Methicillin-Resistant <i>Staphylococcus aureus</i> . MBio, 2018, 9, . | 1.8 | 42 |
| 10 | Complex Clonal Diversity of <i>Staphylococcus aureus</i> Nasal Colonization among Community Personnel, Healthcare Workers, and Clinical Students in the Eastern Province, Saudi Arabia. BioMed Research International, 2018, 2018, 1-9. | 0.9 | 11 |
| 11 | Molecular Typing Techniques: State of the Art. , 2018, , 305-326. | | 0 |
| 12 | Continued expansion of USA300-like methicillin-resistant Staphylococcus aureus (MRSA) among hospitalized patients in the United States. Diagnostic Microbiology and Infectious Disease, 2017, 88, 342-347. | 0.8 | 28 |
| 13 | Lineage II (Serovar 1/2a and 1/2c) Human Listeria monocytogenes Pulsed-Field Gel Electrophoresis Types Divided into PFGE Groups Using the Band Patterns Below 145.5 kb. Foodborne Pathogens and Disease, 2017, 14, 8-16. | 0.8 | 5 |
| 14 | Characterization of methicillin-resistant Staphylococcus aureus isolated at Tripoli Medical Center, Libya, between 2008 and 2014. Journal of Medical Microbiology, 2016, 65, 1472-1475. | 0.7 | 3 |
| 15 | Division of HumanListeria monocytogenesPulsed-Field Gel Electrophoresis (PFGE) Types Belonging to Lineage I (Serovar 4b, 1/2b, and 3b) into PFGE Groups. Foodborne Pathogens and Disease, 2015, 12, 447-453. | 0.8 | 2 |
| 16 | Direct Repeat Unit (<i>dru</i>) Typing of Methicillin-Resistant Staphylococcus pseudintermedius from Dogs and Cats. Journal of Clinical Microbiology, 2015, 53, 3760-3765. | 1.8 | 18 |
| 17 | Microbial Typing by Matrix-Assisted Laser Desorption Ionization–Time of Flight Mass Spectrometry: Do We Need Guidance for Data Interpretation?. Journal of Clinical Microbiology, 2015, 53, 760-765. | 1.8 | 92 |
| 18 | Whole genome mapping of the first reported case of KPC-2–positive Klebsiella pneumoniae ST258 in Nebraska. Diagnostic Microbiology and Infectious Disease, 2014, 79, 384-386. | 0.8 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Strain Types and Antimicrobial Resistance Patterns of Clostridium difficile Isolates from the United States, 2011 to 2013. Antimicrobial Agents and Chemotherapy, 2014, 58, 4214-4218. | 1.4 | 103 |
| 20 | Bacterial Whole-Genome Sequencing Revisited: Portable, Scalable, and Standardized Analysis for Typing and Detection of Virulence and Antibiotic Resistance Genes. Journal of Clinical Microbiology, 2014, 52, 2365-2370. | 1.8 | 250 |
| 21 | Linezolid-Resistant Staphylococcus aureus Strain 1128105, the First Known Clinical Isolate Possessing the <i>cfr</i> Multidrug Resistance Gene. Antimicrobial Agents and Chemotherapy, 2014, 58, 6592-6598. | 1.4 | 34 |
| 22 | Identification and Characterization of Linezolid-Resistant <i>cfr</i> -Positive Staphylococcus aureus USA300 Isolates from a New York City Medical Center. Antimicrobial Agents and Chemotherapy, 2014, 58, 6949-6952. | 1.4 | 20 |
| 23 | Pulsed Field Gel Electrophoresis of Staphylococcus epidermidis. Methods in Molecular Biology, 2014, 1106, 55-60. | 0.4 | 7 |
| 24 | Wound infections caused by inducible meticillin-resistant Staphylococcus aureus strains. Journal of Global Antimicrobial Resistance, 2013, 1, 79-83. | 0.9 | 11 |
| 25 | Molecular Typing Techniques: State of the Art. , 2013, , 239-261. | | 2 |
| 26 | Toxic Shock Syndrome: Characterization of Human Immune Responses to TSST-1 and Evidence for Sensitivity Thresholds. Toxicological Sciences, 2013, 134, 49-63. | 1.4 | 12 |
| 27 | Subpopulations of Staphylococcus aureus Clonal Complex 121 Are Associated with Distinct Clinical Entities. PLoS ONE, 2013, 8, e58155. | 1.1 | 43 |
| 28 | Characterization of Nasal and Blood Culture Isolates of Methicillin-Resistant Staphylococcus aureus from Patients in United States Hospitals. Antimicrobial Agents and Chemotherapy, 2012, 56, 1324-1330. | 1.4 | 105 |
| 29 | Temporal changes in the genotypes of methicillin-resistant Staphylococcus aureus strains isolated from a tertiary Malaysian hospital based on MLST, spa, and mec-associated dru typing. Diagnostic Microbiology and Infectious Disease, 2012, 74, 106-112. | 0.8 | 16 |
| 30 | The Molecular Epidemiology of the Highly Virulent ST93 Australian Community Staphylococcus aureus Strain. PLoS ONE, 2012, 7, e43037. | 1.1 | 42 |
| 31 | Characterization of a Novel Arginine Catabolic Mobile Element (ACME) and Staphylococcal Chromosomal Cassette <i>mec</i> Composite Island with Significant Homology to Staphylococcus epidermidis ACME Type II in Methicillin-Resistant Staphylococcus aureus Genotype ST22-MRSA-IV. Antimicrobial Agents and Chemotherapy, 2011, 55, 1896-1905 | 1.4 | 83 |
| 32 | Dissemination and Molecular Epidemiology of KPC-Producing Klebsiella pneumoniae Collected in Puerto Rico Medical Center Hospitals during a 1-Year Period. Epidemiology Research International, 2011, 2011, 1-8. | 0.2 | 4 |
| 33 | Comparison of Strain Typing Results for Clostridium difficile Isolates from North America. Journal of Clinical Microbiology, 2011, 49, 1831-1837. | 1.8 | 86 |
| 34 | Pulsed field gel electrophoresis: A review of application and interpretation in the molecular epidemiology of infectious disease. Infection, Genetics and Evolution, 2010, 10, 866-875. | 1.0 | 200 |
| 35 | Enhanced Discrimination of Highly Clonal ST22-Methicillin-Resistant Staphylococcus aureus IV Isolates Achieved by Combining spa , dru , and Pulsed-Field Gel Electrophoresis Typing Data. Journal of Clinical Microbiology, 2010, 48, 1839-1852. | 1.8 | 55 |
| 36 | Outbreak of Skin Infections in College Football Team Members Due to an Unusual Strain of Community-Acquired Methicillin-Susceptible <i>Staphylococcus aureus</i> . Journal of Clinical Microbiology, 2010, 48, 609-611. | 1.8 | 20 |

RICHARD V GOERING

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Impact of Strain Type on Detection of Toxigenic <i>Clostridium difficile:</i> Comparison of Molecular Diagnostic and Enzyme Immunoassay Approaches. Journal of Clinical Microbiology, 2010, 48, 3719-3724. | 1.8 | 177 |
| 38 | Outbreak of Carbapenem-Resistant Klebsiella pneumoniae in Puerto Rico Associated with a Novel Carbapenemase Variant. Infection Control and Hospital Epidemiology, 2010, 31, 476-484. | 1.0 | 89 |
| 39 | Surveillance of Carbapenem-Resistant <i>Pseudomonas aeruginosa</i> Isolates from Puerto Rican Medical Center Hospitals: Dissemination of KPC and IMP-18 I²-Lactamases. Antimicrobial Agents and Chemotherapy, 2009, 53, 1660-1664. | 1.4 | 88 |
| 40 | Phenotypic and Enzymatic Comparative Analysis of the Novel KPC Variant KPC-5 and Its Evolutionary Variants, KPC-2 and KPC-4. Antimicrobial Agents and Chemotherapy, 2009, 53, 557-562. | 1.4 | 119 |
| 41 | Methicillin-resistant Staphylococcus aureus strain USA300: origin and epidemiology. Journal of Antimicrobial Chemotherapy, 2009, 64, 441-446. | 1.3 | 380 |
| 42 | Frequent emergence and limited geographic dispersal of methicillin-resistant <i>Staphylococcus aureus</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 14130-14135. | 3.3 | 239 |
| 43 | Molecular Epidemiology of Methicillin-Resistant and Methicillin-Susceptible <i>Staphylococcus aureus</i> Isolates from Global Clinical Trials. Journal of Clinical Microbiology, 2008, 46, 2842-2847. | 1.8 | 113 |
| 44 | Prevalence of Toxic Shock Syndrome Toxin 1 (TSST-1)-Producing Strains of <i>Staphylococcus aureus</i> and Antibody to TSST-1 among Healthy Japanese Women. Journal of Clinical Microbiology, 2008, 46, 2731-2738. | 1.8 | 43 |
| 45 | Isolation and Characterization of an Epidemic Methicillin-Resistant <i>Staphylococcus aureus</i> 15 Variant in the Central United States. Journal of Clinical Microbiology, 2008, 46, 3548-3549. | 1.8 | 15 |
| 46 | Rapid Multiplex PCR Assay for Identification of USA300 Community-Associated Methicillin-Resistant Staphylococcus aureus Isolates. Journal of Clinical Microbiology, 2007, 45, 141-146. | 1.8 | 46 |
| 47 | Epidemiologic Distribution of the Arginine Catabolic Mobile Element among Selected Methicillin-Resistant and Methicillin-Susceptible Staphylococcus aureus Isolates. Journal of Clinical Microbiology, 2007, 45, 1981-1984. | 1.8 | 95 |
| 48 | Application of Molecular Techniques to the Study of Hospital Infection. Clinical Microbiology Reviews, 2006, 19, 512-530. | 5.7 | 225 |
| 49 | Characterization of a Strain of Community-Associated Methicillin-Resistant Staphylococcus aureus Widely Disseminated in the United States. Journal of Clinical Microbiology, 2006, 44, 108-118. | 1.8 | 465 |
| 50 | Plasmid-mediated, carbapenem-hydrolysing beta-lactamase, KPC-2, in Klebsiella pneumoniae isolates. Journal of Antimicrobial Chemotherapy, 2003, 51, 711-714. | 1.3 | 209 |
| 51 | Questions study on Escherichia coli susceptibility. Journal of the American Veterinary Medical Association, 2002, 220, 1139-1141. | 0.2 | 1 |
| 52 | The Molecular Epidemiology of Nosocomial Infection. , 2002, , 131-157. | | 6 |
| 53 | The Influence of Genomics on the Molecular Epidemiology of Nosocomial Pathogens. , 2002, , 113-131. | | 3 |
| 54 | EmtA, a rRNA methyltransferase conferring high-level evernimicin resistance. Molecular Microbiology, 2001, 41, 1349-1356. | 1.2 | 51 |

RICHARD V GOERING

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The molecular epidemiology of nosocomial infection: past, present and future. Reviews in Medical Microbiology, 2000, 11, 145-152. | 0.4 | 22 |
| 56 | Molecular strain typing for the clinical laboratory: Current application and future direction. Clinical Microbiology Newsletter, 2000, 22, 169-173. | 0.4 | 13 |
| 57 | How to Select and Interpret Molecular Strain Typing Methods for Epidemiological Studies of Bacterial Infections: A Review for Healthcare Epidemiologists. Infection Control and Hospital Epidemiology, 1997, 18, 426-439. | 1.0 | 377 |
| 58 | How to Select and Interpret Molecular Strain Typing Methods for Epidemiological Studies of Bacterial Infections: A Review for Healthcare Epidemiologists. Infection Control and Hospital Epidemiology, 1997, 18, 426-439. | 1.0 | 282 |
| 59 | Colonization with penicillin-nonsusceptible Streptococcus pneumoniae in urban and rural child-care centers. Pediatric Infectious Disease Journal, 1996, 15, 667-672. | 1.1 | 63 |
| 60 | Colonization with penicillin-resistant Streptococcus pneumoniae in a child-care center. Pediatric Infectious Disease Journal, 1995, 14, 879-884. | 1.1 | 109 |
| 61 | Molecular Epidemiology of Nosocomial Infection: Analysis of Chromosomal Restriction Fragment Patterns by Pulsed-Field Gel Electrophoresis. Infection Control and Hospital Epidemiology, 1993, 14, 595-600. | 1.0 | 109 |
| 62 | Molecular Epidemiology of Nosocomial Infection: Analysis of Chromosomal Restriction Fragment Patterns by Pulsed-Field Gel Electrophoresis. Infection Control and Hospital Epidemiology, 1993, 14, 595-600. | 1.0 | 121 |