

# Daniel Deutscher

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11676717/publications.pdf>

Version: 2024-02-01

39  
papers

759  
citations

471509

17  
h-index

526287

27  
g-index

39  
all docs

39  
docs citations

39  
times ranked

688  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lymphoedema, a significant health problem in Israel: A descriptive community-based study. <i>International Wound Journal</i> , 2023, 20, 1343-1360.	2.9	4
2	Efficient Screening for Fear of Movement in Outpatient Settings: Short Form and Computer Adaptive Tests for Fear Avoidance and Negative Pain Coping. <i>Physical Therapy</i> , 2022, 102, .	2.4	3
3	Development of Reliable and Valid Negative Mood Screening Tools for Orthopaedic Patients with Musculoskeletal Pain. <i>Clinical Orthopaedics and Related Research</i> , 2022, 480, 313-324.	1.5	2
4	Comparisons Between Illness and Injury Outcomes: Potential Suppression Effects by Emotional Representations. <i>International Journal of Behavioral Medicine</i> , 2021, 28, 393-400.	1.7	0
5	Associations between interim patient-reported outcome measures and functional status at discharge from rehabilitation for non-specific lumbar impairments. <i>Quality of Life Research</i> , 2020, 29, 439-451.	3.1	4
6	Clinical Interpretation of the Neck Functional Status Computerized Adaptive Test. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 875-886.	3.5	9
7	Treatment Documentation in Practice-Based Evidence Research for Patients Receiving Physical Therapy Because of Lymphedema. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 1467-1474.	0.9	1
8	Clinical utility of the Oswestry Disability Index for measuring the function of patients with low back pain. <i>Spine Journal</i> , 2018, 18, 712-713.	1.3	6
9	Impact of Risk Adjustment on Provider Ranking for Patients With Low Back Pain Receiving Physical Therapy. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 637-648.	3.5	21
10	Calibration and validation of an item bank for measuring general physical function of patients in medical rehabilitation settings. <i>Patient Related Outcome Measures</i> , 2017, Volume 9, 11-16.	1.2	2
11	Effect of Adding McKenzie Syndrome, Centralization, Directional Preference, and Psychosocial Classification Variables to a Risk-Adjusted Model Predicting Functional Status Outcomes for Patients With Lumbar Impairments. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 726-741.	3.5	13
12	Variation in Rehabilitation Treatment Patterns for Hip Fracture Treated With Arthroplasty. <i>PM and R</i> , 2016, 8, 191-207.	1.6	13
13	Measurement Issues in Anthropometric Measures of Limb Volume Change in Persons at Risk for and Living with Lymphedema: A Reliability Study. <i>Journal of Personalized Medicine</i> , 2015, 5, 341-353.	2.5	33
14	Traumatic Brain Injury Patient, Injury, Therapy, and Ancillary Treatments Associated With Outcomes at Discharge and 9 Months Postdischarge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, S304-S329.	0.9	37
15	Letters. <i>Spine</i> , 2015, 40, 666.	2.0	0
16	The Development and Psychometric Properties of the Patient Self-Report Neck Functional Status Questionnaire (NFSQ). <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 683-692.	3.5	10
17	Physical Therapists' Level of McKenzie Education, Functional Outcomes, and Utilization in Patients With Low Back Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 925-936.	3.5	9
18	Invited Commentary. <i>Physical Therapy</i> , 2014, 94, 323-324.	2.4	2

#	ARTICLE	IF	CITATIONS
19	Deep massage to posterior calf muscles in combination with neural mobilization exercises as a treatment for heel pain: A pilot randomized clinical trial. <i>Manual Therapy</i> , 2014, 19, 102-108.	1.6	34
20	The Self-Report Fecal Incontinence and Constipation Questionnaire in Patients With Pelvic-Floor Dysfunction Seeking Outpatient Rehabilitation. <i>Physical Therapy</i> , 2014, 94, 273-288.	2.4	8
21	McKenzie Lumbar Classification. <i>Spine</i> , 2014, 39, E182-E190.	2.0	26
22	Psychometric Properties and Practicability of the Self-Report Urinary Incontinence Questionnaire in Patients With Pelvic-Floor Dysfunction Seeking Outpatient Rehabilitation. <i>Physical Therapy</i> , 2013, 93, 1116-1129.	2.4	3
23	Lumbar Computerized Adaptive Test and Modified Oswestry Low Back Pain Disability Questionnaire: Relative Validity and Important Change. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 541-551.	3.5	26
24	In Tribute: Dennis L. Hart, PT, PhD, A Functional Outcome Measurement Visionary. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 489-490.	3.5	0
25	Practice-Based Evidence Research in Rehabilitation: An Alternative to Randomized Controlled Trials and Traditional Observational Studies. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, S127-S137.	0.9	105
26	Single-item screens identified patients with elevated levels of depressive and somatization symptoms in outpatient physical therapy. <i>Quality of Life Research</i> , 2012, 21, 257-268.	3.1	15
27	Change in Psychosocial Distress Associated With Pain and Functional Status Outcomes in Patients With Lumbar Impairments Referred to Physical Therapy Services. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 969-980.	3.5	23
28	Construct Validation of a Knee-Specific Functional Status Measure: A Comparative Study Between the United States and Israel. <i>Physical Therapy</i> , 2011, 91, 1072-1084.	2.4	18
29	Effect of Fear-Avoidance Beliefs of Physical Activities on a Model That Predicts Risk-Adjusted Functional Status Outcomes in Patients Treated for a Lumbar Spine Dysfunction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 336-345.	3.5	23
30	Using Intake and Change in Multiple Psychosocial Measures to Predict Functional Status Outcomes in People With Lumbar Spine Syndromes: A Preliminary Analysis. <i>Physical Therapy</i> , 2011, 91, 1812-1825.	2.4	17
31	Clinician's ability to identify neck and low back interventions: an inter-rater chance-corrected agreement pilot study. <i>Journal of Manual and Manipulative Therapy</i> , 2011, 19, 172-181.	1.2	10
32	Cross-Cultural Differences in Knee Functional Status Outcomes in a Polyglot Society Represented True Disparities Not Biased by Differential Item Functioning. <i>Physical Therapy</i> , 2010, 90, 1730-1742.	2.4	5
33	Black-White Differences in Patient Characteristics, Treatments, and Outcomes in Inpatient Stroke Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1712-1721.	0.9	18
34	Black-White Disparities in Motor Function Outcomes Taking Into Account Patient Characteristics, Nontherapy Ancillaries, Therapy Activities, and Therapy Interventions. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1722-1730.	0.9	17
35	Implementing computerized adaptive tests in routine clinical practice: experience implementing CATs. <i>Journal of Applied Measurement</i> , 2010, 11, 288-303.	0.3	14
36	Differential item functioning was negligible in an adaptive test of functional status for patients with knee impairments who spoke English or Hebrew. <i>Quality of Life Research</i> , 2009, 18, 1067-1083.	3.1	23

#	ARTICLE	IF	CITATIONS
37	Associations Between Treatment Processes, Patient Characteristics, and Outcomes in Outpatient Physical Therapy Practice. Archives of Physical Medicine and Rehabilitation, 2009, 90, 1349-1363.	0.9	74
38	Comparing patient characteristics and treatment processes in patients receiving physical therapy in the United States, Israel and the Netherlands: Cross sectional analyses of data from three clinical databases. BMC Health Services Research, 2008, 8, 163.	2.2	50
39	Implementing an Integrated Electronic Outcomes and Electronic Health Record Process to Create a Foundation for Clinical Practice Improvement. Physical Therapy, 2008, 88, 270-285.	2.4	81