

Francesca Marcon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1167947/publications.pdf>

Version: 2024-02-01

399
papers

2,413
citations

346980

22
h-index

325983

40
g-index

401
all docs

401
docs citations

401
times ranked

3083
citing authors

#	ARTICLE	IF	CITATIONS
1	Micronuclei and upper body cancers (head, neck, breast cancers) a systematic review and meta-analysis. <i>Mutation Research - Reviews in Mutation Research</i> , 2021, 787, 108358.	2.4	11
2	The hCOMET project: International database comparison of results with the comet assay in human biomonitoring. Baseline frequency of DNA damage and effect of main confounders. <i>Mutation Research - Reviews in Mutation Research</i> , 2021, 787, 108371.	2.4	45
3	Intention to treat outcomes among patients with pancreatic cancer treated using International Study Group on Pancreatic Surgery recommended pathways for resectable and borderline resectable disease. <i>ANZ Journal of Surgery</i> , 2021, 91, 1549-1557.	0.3	1
4	Assessment of the feed additive consisting of endo-1,4- α -xylanase produced by <i>Trichoderma reesei</i> CBS 114044 (ECONASE [®] XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). <i>EFSA Journal</i> , 2021, 19, e06458.	0.9	4
5	Safety and efficacy of a feed additive consisting on <i>Propionibacterium freudenreichii</i> ssp. <i>shermanii</i> ATCC PTA [®] 6752 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021, 19, e06470.	0.9	3
6	Safety for the user of the feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). <i>EFSA Journal</i> , 2021, 19, e06455.	0.9	1
7	Safety evaluation of the food enzyme endo-1,3(4)- α -glucanase from the genetically modified <i>Bacillus subtilis</i> strain DPâ€Ezm28. <i>EFSA Journal</i> , 2021, 19, e06431.	0.9	0
8	Assessment of the feed additive consisting of <i>Enterococcus faecium</i> DSM 7134 (Bonvital [®]) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021, 19, e06451.	0.9	3
9	Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by <i>Eremothecium ashbyi</i> CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). <i>EFSA Journal</i> , 2021, 19, e06462.	0.9	3
10	Safety and efficacy of the feed additive consisting of <i>Bacillus licheniformis</i> DSM 28710 (Bâ€Act [®]) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , 2021, 19, e06449.	0.9	2
11	Safety and efficacy of a feed additive consisting of serine protease produced by <i>Bacillus licheniformis</i> DSM 19670 (Ronozyme [®] ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). <i>EFSA Journal</i> , 2021, 19, e06448.	0.9	1
12	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021, 19, e06468.	0.9	1
13	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). <i>EFSA Journal</i> , 2021, 19, e06447.	0.9	5
14	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase produced by <i>Bacillus subtilis</i> LMG Sâ€15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). <i>EFSA Journal</i> , 2021, 19, e06456.	0.9	1
15	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). <i>EFSA Journal</i> , 2021, 19, e06454.	0.9	4
16	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablendâ„¢) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.9	3
17	Safety and efficacy of the additive consisting of muramidase produced by <i>Trichoderma reesei</i> DSM 32338 (Balanciusâ„¢) for use in weaned piglets (DSM Nutritional products Ltd). <i>EFSA Journal</i> , 2021, 19, e06452.	0.9	0
18	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021, 19, e06467.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Safety and efficacy of a feed additive consisting on <i>Ligilactobacillus animalis</i> ATCC PTA 6750 (formerly) Tj ETQq1 1 0.784314 rgBT / Over	0.9	0
20	Safety and efficacy of a feed additive consisting of a dried extract from <i>Garcinia gummi-gutta</i> (L.) Roxb. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06444.	0.9	3
21	Efficacy of the feed additive consisting of decoquinatate (Deccox [®]) for use in chickens for fattening (Zoetis Belgium SA). EFSA Journal, 2021, 19, e06453.	0.9	2
22	Safety and efficacy of a feed additive consisting of the seed husk of <i>Plantago ovata</i> Forssk. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06445.	0.9	0
23	Safety and efficacy of the feed additive consisting of <i>Clostridium butyricum</i> FERM BP 2789 (Miyasaka Gold [®]) Tj ETQq1 1 0.784314 rgBT / Over	0.9	2
24	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM [®]) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). EFSA Journal, 2021, 19, e06457.	0.9	1
25	Safety and efficacy of feed additives consisting of dried extracts from <i>Echinacea angustifolia</i> DC. or <i>Echinacea purpurea</i> (L.) Moench for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06446.	0.9	0
26	Safety and efficacy of the feed additive consisting of L-tryptophan produced by <i>Escherichia coli</i> KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.	0.9	1
27	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32324 for all animal species (Chr.) Tj ETQq1 1 0.784314 rgBT / Over	0.9	0
28	Safety and efficacy of a feed additive consisting of L-valine produced by <i>Corynebacterium glutamicum</i> CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.	0.9	1
29	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32325 for all animal species (Chr.) Tj ETQq1 1 0.784314 rgBT / Over	0.9	0
30	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix [®] Z) for all avian species other than laying birds (Novus Europe S.A. / N.V.). EFSA Journal, 2021, 19, e06528.	0.9	2
31	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Arctium lappa</i> L. (A. lappa dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06527.	0.9	1
32	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> PTA 6507, <i>B. velezensis</i> NRRL B 50013 and <i>B. velezensis</i> NRRL B 50104 (Enviva [®] PRO 202 GT) for turkeys for fattening (Danisco Animal) Tj ETQq0 0 0 rgBT / Over	0.9	0
33	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06541.	0.9	1
34	Safety and efficacy of a feed additive consisting of endoxylanase (ECONASE [®] XT) produced by <i>Trichoderma reesei</i> CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Oy). EFSA Journal, 2021, 19, e06536.	0.9	1
35	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). EFSA Journal, 2021, 19, e06533.	0.9	8
36	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). EFSA Journal, 2021, 19, e06529.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from <i>Citrus limon</i> (L.) Osbeck and of lime oil from <i>Citrus aurantiifolia</i> (Christm.) Swingle for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06548.	0.9	19
38	Safety and efficacy of a feed additive consisting of a tincture derived from roots of <i>Gentiana lutea</i> L. (gentian tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06547.	0.9	6
39	Safety and efficacy of an additive consisting of synthetic vitamin K1 (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). EFSA Journal, 2021, 19, e06538.	0.9	1
40	Assessment of a feed additive consisting of all- <i>rac</i> - α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). EFSA Journal, 2021, 19, e06531.	0.9	1
41	Assessment of a feed additive consisting of all- <i>rac</i> - α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). EFSA Journal, 2021, 19, e06530.	0.9	2
42	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2021, 19, e06545.	0.9	1
43	Safety and efficacy of the feed additive consisting of endo- β -xylanase produced by <i>Trichoderma reesei</i> CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal) Tj ETQq1 1 0.784314rgBT /Overl	0.9	14
44	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Panax ginseng</i> C.A. Meyer (P. ginseng dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06526.	0.9	0
45	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of <i>Ginkgo biloba</i> L. (G. biloba dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06525.	0.9	2
46	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE [®] , Cr Chromium) for all growing poultry species (Kemin Europa NV). EFSA Journal, 2021, 19, e06546.	0.9	0
47	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06540.	0.9	1
48	Safety of the feed additives consisting of L-lysine monohydrochloride and L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species (Kempex Holland B. V.). EFSA Journal, 2021, 19, e06520.	0.9	2
49	Assessment of a feed additive consisting of RRR- α -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). EFSA Journal, 2021, 19, e06532.	0.9	2
50	Safety and efficacy of an additive consisting of <i>Bacillus amyloliquefaciens</i> DSM 25840 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06522.	0.9	0
51	Safety and efficacy of the feed additives concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by <i>Corynebacterium glutamicum</i> KCCM 80183 for all animal species (CJ) Tj ETQq1 1 0.784314rgBT /Overl	0.9	14
52	Safety assessment of titanium dioxide (E171) as a food additive. EFSA Journal, 2021, 19, e06585.	0.9	93
53	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). EFSA Journal, 2021, 19, e06621.	0.9	1
54	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting <i>Salmonella Gallinarum</i> B/00111 (Bafasal [®]) for all avian species (Proteon Pharmaceuticals S.A.). EFSA Journal, 2021, 19, e06534.	0.9	7

#	ARTICLE	IF	CITATIONS
55	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). EFSA Journal, 2021, 19, e06618.	0.9	0
56	Efficacy of the feed additive containing <i>Companilactobacillus farciminis</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70 (ChemVet dk A/S). EFSA Journal, 2021, 19, e06627.	0.9	1
57	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70	0.9	3
58	Safety and efficacy of a feed additive consisting of L-histidine monohydrochloride monohydrate produced using <i>Escherichia coli</i> NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). EFSA Journal, 2021, 19, e06622.	0.9	1
59	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Citrus aurantium</i> L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06624.	0.9	2
60	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	0.9	0
61	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Kronos) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70	0.9	6
62	Safety and efficacy of an additive consisting of potassium diformate (Formiã, LHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). EFSA Journal, 2021, 19, e06617.	0.9	2
63	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of <i>Litsea cubeba</i> (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06623.	0.9	4
64	Safety and efficacy of a feed additive consisting of disodium 5'-guanylate produced with <i>Corynebacterium stationis</i> KCCM 10530 and <i>Escherichia coli</i> K12 KFCC 11067 for all animal species (C) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70	0.9	0
65	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70	0.9	0
66	Safety and efficacy of a feed additive consisting on <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). EFSA Journal, 2021, 19, e06631.	0.9	2
67	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of <i>Citrus reticulata</i> Blanco for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06625.	0.9	3
68	Safety and efficacy of the feed additive consisting of <i>Bacillus velezensis</i> CECT 5940 (Ecobiol®) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.	0.9	1
69	Safety and efficacy of feed additives consisting of Vitamin B2 (98%) and Vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70	0.9	3
70	Assessment of a feed additive consisting of vitamin B6 (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). EFSA Journal, 2021, 19, e06612.	0.9	0
71	Safety of a feed additive consisting of a tincture derived from <i>Verbascum thapsus</i> L. (great mullein) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 70	0.9	0
72	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> KCCM 80227 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06706.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Assessment of the feed additive consisting of <i>Pediococcus pentosaceus</i> DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06713.	0.9	1
74	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td	0.9	3
75	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.9	2
76	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6	0.9	19
77	Safety and efficacy of a feed additive consisting of <i>Lacticaseibacillus rhamnosus</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.9	2
78	Assessment of the feed additive consisting of <i>Pediococcus acidilactici</i> DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). EFSA Journal, 2021, 19, e06697.	0.9	1
79	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507024 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06701.	0.9	1
80	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of <i>Citrus aurantium</i> L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06709.	0.9	6
81	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). EFSA Journal, 2021, 19, e06698.	0.9	0
82	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). EFSA Journal, 2021, 19, e06714.	0.9	1
83	Safety and efficacy of an additive consisting of xanthan gum produced by <i>Xanthomonas campestris</i> strains for all animal species (Biopolymer International). EFSA Journal, 2021, 19, e06710.	0.9	2
84	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for cats and dogs (Prosol S.p.A.). EFSA Journal, 2021, 19, e06699.	0.9	1
85	Safety for the environment of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2021, 19, e06715.	0.9	1
86	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td	0.9	3
87	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507025 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.	0.9	1
88	Guidance on aneugenicity assessment. EFSA Journal, 2021, 19, e06770.	0.9	27
89	An integrated approach for chemical water quality assessment of an urban river stretch through Effect-Based Methods and emerging pollutants analysis with a focus on genotoxicity. Journal of Environmental Management, 2021, 300, 113549.	3.8	12
90	Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2021, 19, e06340.	0.9	50

#	ARTICLE	IF	CITATIONS
91	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of <i>Melissa officinalis</i> L. for all animal species (Norâ€Feed SAS). EFSA Journal, 2021, 19, e06904.	0.9	0
92	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td e06898.	0.9	0
93	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06896.	0.9	0
94	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06897.	0.9	0
95	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). EFSA Journal, 2021, 19, e06892.	0.9	0
96	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06895.	0.9	0
97	Safety and efficacy of a feed additive consisting of endoâ€1,4â€2â€xylanase produced by <i>Bacillus subtilis</i> LMG Sâ€27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). EFSA Journal, 2021, 19, e06906.	0.9	0
98	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (CalsporinÂ®) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). EFSA Journal, 2021, 19, e06903.	0.9	2
99	Assessment of the feed additive consisting of sodium benzoate (ProturalÂ®) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). EFSA Journal, 2021, 19, e06899.	0.9	0
100	Assessment of the feed additive consisting of <i>Levilactobacillus brevis</i> (formerly <i>Lactobacillus brevis</i>) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06900.	0.9	1
101	Safety and efficacy of a feed additive consisting of <i>Lactocaseibacillus rhamnosus</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06901.	0.9	3
102	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. EFSA Journal, 2021, 19, e06894.	0.9	0
103	Safety and efficacy of a feed additive consisting of an aqueous extract of <i>Citrus limon</i> (L.) Osbeck (lemon extract) for use in all animal species (Norâ€Feed SAS). EFSA Journal, 2021, 19, e06893.	0.9	4
104	Assessment of the feed additive consisting of <i>Lactocaseibacillus paracasei</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	0
105	Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> strains CNCM Iâ€4606, CNCM Iâ€5043 and CNCM Iâ€4607 and <i>Lactococcus lactis</i> CNCM Iâ€4609 for all animal species (Nolivade). EFSA Journal, 2021, 19, e06907.	0.9	2
106	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from <i>Citrus sinensis</i> (L.) Osbeck for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06891.	0.9	1
107	Safety and efficacy of a feed additive consisting of 3â€nitrooxypropanol (BovaerÂ® 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). EFSA Journal, 2021, 19, e06905.	0.9	5
108	Assessment of a feed additive consisting of allâ€racâ€alphaâ€tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06974.	0.9	3

#	ARTICLE	IF	CITATIONS
109	Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (Versele-Laga). EFSA Journal, 2021, 19, e06987.	0.9	0
110	Safety and efficacy of a feed additive consisting of galactosidase (produced by <i>Aspergillus tubingensis</i>) Tj ETQq0 0 0 rgBT /Overlock	0.9	0
111	Safety and efficacy of a feed additive consisting of isoleucine produced by <i>Corynebacterium glutamicum</i> KCCM 80185 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06977.	0.9	1
112	Safety and efficacy of a feed additive consisting of lysine monohydrochloride and lysine sulfate produced by <i>Corynebacterium glutamicum</i> CGMCC 14498 for all animal species (Kempex Holland BV). EFSA Journal, 2021, 19, e06980.	0.9	0
113	Safety and efficacy of the feed additive consisting of selenium-enriched yeast (<i>Saccharomyces</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	0.9	1
114	Safety and efficacy of a feed additive consisting of monosodium glutamate produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80187 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06982.	0.9	0
115	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous) Tj ETQq1 0.784314 rgBT /Ov	0.9	1
116	Safety and efficacy of a feed additive consisting of a tincture from the bark of <i>Cinnamomum verum</i> J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06986.	0.9	3
117	Risk adjusted assessment of individual surgeon's pancreatic fistula outcomes. Hpb, 2020, 22, 452-460.	0.1	7
118	Safety and efficacy of monosodium glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.	0.9	4
119	Safety and efficacy of STENOROL® (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. EFSA Journal, 2020, 18, e06169.	0.9	2
120	Safety and efficacy of Sorbiflore® ADVANCE (<i>Lactobacillus rhamnosus</i> CNCM 3698 and <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock	0.9	3
121	Safety and efficacy of Correlink®, ABS747 <i>Bacillus subtilis</i> (<i>Bacillus velezensis</i> NRRL 67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.	0.9	3
122	Safety and efficacy of <i>Bacillus subtilis</i> PB6 (<i>Bacillus velezensis</i> ATCC PTA 6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. EFSA Journal, 2020, 18, e06280.	0.9	7
123	Assessment of the application for renewal of authorisation of Biosprint® (<i>Saccharomyces cerevisiae</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	0.9	2
124	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. EFSA Journal, 2020, 18, e06064.	0.9	3
125	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B6) as a feed additive for all animal species. EFSA Journal, 2020, 18, e06289.	0.9	1
126	Trinational Study Exploring the Early Impact of the COVID-19 Pandemic on Organ Donation and Liver Transplantation at National and Unit Levels. Transplantation, 2020, 104, 2234-2243.	0.5	20

#	ARTICLE	IF	CITATIONS
127	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06160.	0.9	3
128	Safety of a tincture derived from <i>Artemisia vulgaris</i> L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06206.	0.9	0
129	Safety and efficacy of Aextra® XAP 104 TPT (endo-1,4-xylanase, protease and alpha-amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. EFSA Journal, 2020, 18, e06165.	0.9	1
130	Safety and efficacy of l-lysine sulfate produced by fermentation using <i>Corynebacterium glutamicum</i> KFCC 11043 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06203.	0.9	9
131	Safety and efficacy of <i>Lactobacillus parafarraginis</i> DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.	0.9	12
132	Safety and efficacy of BioWorma® (<i>Duddingtonia flagrans</i> NCIMB 30336) as a feed additive for all grazing animals. EFSA Journal, 2020, 18, e06208.	0.9	5
133	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06211.	0.9	16
134	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06214.	0.9	6
135	Safety and efficacy of ethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06210.	0.9	5
136	Safety and efficacy of montmorillonite-celite (FIMIX 1g557) for all animal species. EFSA Journal, 2020, 18, e06095.	0.9	0
137	Safety and efficacy of Avatec® 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2020, 18, e06202.	0.9	3
138	Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. EFSA Journal, 2020, 18, e06205.	0.9	3
139	Safety and efficacy of OptiPhos® PLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. EFSA Journal, 2020, 18, e06204.	0.9	3
140	Safety and efficacy of microcrystalline cellulose for all animal species. EFSA Journal, 2020, 18, e06209.	0.9	4
141	Safety and efficacy of methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06212.	0.9	6
142	Safety of ammonium formate (E295) for all animal species. EFSA Journal, 2020, 18, e06076.	0.9	0
143	Safety and efficacy of l-tryptophan produced by fermentation with <i>Escherichia coli</i> KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.	0.9	1
144	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with <i>Escherichia coli</i> NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072.	0.9	2

#	ARTICLE	IF	CITATIONS
145	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2020, 18, e06162.	0.9	0
146	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.	0.9	8
147	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM 3698 and Lactobacillus Tj ETQq1 1 0.784314 rgBT / Overlock 10 Tf 50) as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.	0.9	3
148	Safety and efficacy of l-Valine produced by fermentation using Corynebacterium glutamicum CGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.	0.9	2
149	NK cells in pancreatic cancer demonstrate impaired cytotoxicity and a regulatory IL-10 phenotype. OncoImmunology, 2020, 9, 1845424.	2.1	38
150	Safety and efficacy of Bonvital® (Enterococcus faecium DSM 7134) as a feed additive for laying hens. EFSA Journal, 2020, 18, e06277.	0.9	2
151	Safety and efficacy of concentrated liquid l-Lysine (base) and l-Lysine monohydrochloride produced by fermentation with Corynebacterium casei KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285.	0.9	6
152	Safety of methanethiol [12.003] when used as a feed additive for all animal species. EFSA Journal, 2020, 18, e06288.	0.9	1
153	Safety and efficacy of Correlink®, ABS1781 Bacillus subtilis (Bacillus velezensis NRRL B67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.	0.9	2
154	Safety and Efficacy of L-Histidine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80212 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06287.	0.9	1
155	Safety and efficacy of Nimicoat® (carvacrol) as a zootechnical additive for weaned piglets. EFSA Journal, 2020, 18, e06070.	0.9	2
156	Safety and efficacy of GalliPro® Fit (Bacillus subtilis DSM 32324, Bacillus subtilis DSM 32325 and) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 laying/breeding. EFSA Journal, 2020, 18, e06094.	0.9	4
157	Safety and efficacy of Lactobacillus rhamnosus CNCM 3698 and Lactobacillus farciminis CNCM 3699 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06082.	0.9	5
158	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM 3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. EFSA Journal, 2020, 18, e06083.	0.9	2
159	Safety and efficacy of propyl gallate for all animal species. EFSA Journal, 2020, 18, e06069.	0.9	5
160	Safety and efficacy of l-Valine produced by fermentation using Escherichia coli KCCM 80159 for all animal species. EFSA Journal, 2020, 18, e06074.	0.9	4
161	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06137.	0.9	0
162	Safety and efficacy of OptiPhos® PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. EFSA Journal, 2020, 18, e06141.	0.9	3

#	ARTICLE	IF	CITATIONS
163	Safety and efficacy of "dry grape extract 60"™ when used as feed flavouring for dogs. EFSA Journal, 2020, 18, e06067.	0.9	0
164	Safety and efficacy of Capsozyme SB Plus (α-galactosidase and endo-1,4-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06086.	0.9	1
165	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM 3740) as a feed additive for weaned piglets. EFSA Journal, 2020, 18, e06084.	0.9	0
166	Statement on the safety and efficacy of perlite for ruminants and poultry. EFSA Journal, 2020, 18, e06138.	0.9	2
167	Scientific Opinion of the Scientific Panel on Plant Protection Products and their Residues (PPR Panel) on the genotoxic potential of triazine amine (metabolite common to several sulfonylurea active) Tj ETQq1 1 0.784314 rgBT /@verlock	0.9	1
168	Safety and efficacy of a dried aqueous ethanol extract of Melissa officinalis L. leaves when used as a sensory additive for all animal species. EFSA Journal, 2020, 18, e06016.	0.9	2
169	Safety and efficacy of lysine monohydrochloride and lysine sulfate produced using Corynebacterium glutamicum CGMCC 7.266 for all animal species. EFSA Journal, 2020, 18, e06019.	0.9	8
170	Recurrence patterns of pancreatic cancer after pancreatoduodenectomy: systematic review and a single-centre retrospective study. Hpb, 2020, 22, 1240-1249.	0.1	24
171	Safety and efficacy of isoleucine produced by fermentation with Corynebacterium glutamicum KCCM 80189 for all animal species. EFSA Journal, 2020, 18, e06021.	0.9	4
172	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06001.	0.9	1
173	Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. EFSA Journal, 2020, 18, e06017.	0.9	3
174	Safety evaluation of the food enzyme xylanase from the genetically modified Trichoderma reesei strain RF5703. EFSA Journal, 2020, 18, e05974.	0.9	0
175	Safety of lignosulphonate for all animal species. EFSA Journal, 2020, 18, e06000.	0.9	0
176	Safety and efficacy of tryptophan produced by fermentation using Escherichia coli CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.	0.9	1
177	Safety and efficacy of cystine produced using Pantoea ananatis strain NITE BP02525 for all animal species. EFSA Journal, 2020, 18, e06020.	0.9	0
178	Assessment of the application for renewal of authorisation of isoleucine produced by Escherichia coli FERM ABP10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. EFSA Journal, 2020, 18, e06022.	0.9	0
179	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). EFSA Journal, 2020, 18, e06023.	0.9	1
180	Safety and efficacy of ProEquo® (Lactobacillus plantarum DSM 11520) as a feed additive for horses. EFSA Journal, 2020, 18, e06143.	0.9	1

#	ARTICLE	IF	CITATIONS
181	Safety and efficacy of STABILFLORÂ® as a zootechnical feed additive for pigs for fattening. EFSA Journal, 2020, 18, e06145.	0.9	0
182	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from <i>Curcuma longa</i> L. rhizome when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06146.	0.9	5
183	Safety and efficacy of TechnoSporeÂ® (<i>Bacillus coagulans</i> DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. EFSA Journal, 2020, 18, e06158.	0.9	1
184	Safety and efficacy of OptiPhosÂ® PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. EFSA Journal, 2020, 18, e06161.	0.9	1
185	Safety of l-tryptophan produced using <i>Escherichia coli</i> CGMCC 11674 for all animal species. EFSA Journal, 2020, 18, e06168.	0.9	1
186	Safety and efficacy of APSA PHYTAFEEDÂ® (6 phytase) as a feed additive for laying hens and other laying birds. EFSA Journal, 2020, 18, e06142.	0.9	1
187	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06164.	0.9	1
188	Safety and efficacy of FSF10000 and FLF1000 (3 phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. EFSA Journal, 2020, 18, e06015.	0.9	1
189	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06139.	0.9	0
190	Safety and efficacy of IMP (disodium 5-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. EFSA Journal, 2020, 18, e06140.	0.9	3
191	Safety and efficacy of essential oil, oleoresin and tincture from <i>Zingiber officinale</i> Roscoe when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06147.	0.9	3
192	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM 3399 for all animal species. EFSA Journal, 2020, 18, e06144.	0.9	0
193	Safety and efficacy of DSPÂ® (Na ₂ EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and origanum) Tj ETQq _{1,0,9} 0.7843 ₂ 14 rgBT	0.9	0
194	Assessment of the application for renewal of the authorisation of <i>Pediococcus pentosaceus</i> DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.	0.9	5
195	Safety and efficacy of a dried aqueous ethanol extract of leaves from <i>Olea europaea</i> L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06018.	0.9	0
196	Safety and efficacy of AvailaÂ®Cr (chromium chelate of DL-methionine) as a feed additive for dairy cows. EFSA Journal, 2020, 18, e06026.	0.9	5
197	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06012.	0.9	0
198	Safety and efficacy of APSA PHYTAFEEDÂ® 20,000 GR/L (6 phytase) as a feed additive for pigs for fattening. EFSA Journal, 2020, 18, e05979.	0.9	3

#	ARTICLE	IF	CITATIONS
199	Statement on the safety and efficacy of Shellac for all animal species. EFSA Journal, 2020, 18, e06065.	0.9	1
200	Safety and efficacy of L-glutamine produced using Corynebacterium glutamicum NITE BP02524 for all animal species. EFSA Journal, 2020, 18, e06075.	0.9	5
201	Safety evaluation of the food enzyme endo-1,4- α -xylanase and β -glucanase from Disporotrichum dimorphosporum strain DXL. EFSA Journal, 2020, 18, e05975.	0.9	0
202	Safety and efficacy of L-cysteine hydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80180 and Escherichia coli KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003.	0.9	1
203	Assessment of the application for renewal of the authorisation of Amaferm® (fermentation product) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.9	3
204	Assessment of the application for renewal of authorisation of Ecobiol® (Bacillus amyloliquefaciens) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 for laying. EFSA Journal, 2020, 18, e06014.	0.9	3
205	Safety and efficacy of octa-1,4-cyclohexane, pentacyclohexane, octacyclohexane, octacyclohexyl acetate, isopulegol and 5-methylheptane-2-one, belonging to chemical group 5 and of isopulegone and β -damascone belonging to chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2020, 18, e06002.	0.9	4
206	Assessment of the application for renewal of authorisation of Formiã,ç LHS (potassium diformate) for sows. EFSA Journal, 2020, 18, e06024.	0.9	3
207	Safety and efficacy of Natugrain® TS/TS L (endo-1,4- β -xylanase and endo-1,4- β -glucanase) as a feed additive for sows. EFSA Journal, 2020, 18, e06025.	0.9	1
208	Safety and efficacy of Avizyme® 1505 (endo-1,4- β -xylanase, subtilisin and alpha-amylase) for all poultry species. EFSA Journal, 2020, 18, e06027.	0.9	0
209	De Novo VPS4A Mutations Cause Multisystem Disease with Abnormal Neurodevelopment. American Journal of Human Genetics, 2020, 107, 1129-1148.	2.6	38
210	Safety and efficacy of L-lysine monohydrochloride produced by fermentation with Corynebacterium glutamicum DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.	0.9	8
211	Assessment of the application for renewal of the authorisation of Calsporin® (Bacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.9	4
212	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with Corynebacterium glutamicum KCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.	0.9	5
213	Safety of potassium diformate (Formiã,ç LHS) as a feed additive for sows, from ADDCON EUROPE GmbH. EFSA Journal, 2020, 18, e06339.	0.9	4
214	Assessment of the application for renewal of authorisation of AveMix® XG 10 (endo-1,4- β -xylanase) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	0
215	Safety evaluation of the food enzyme with β -glucanase and β -xylanase activities from the Trichoderma reesei strain DPcNya67. EFSA Journal, 2020, 18, .	0.9	0
216	Assessment of the application for renewal of the authorisation of Actisaf® Sc 47 (Saccharomyces) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	1

#	ARTICLE	IF	CITATIONS
217	Safety and efficacy of <i>Lactobacillus buchneri</i> DSM 29026 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06159.	0.9	1
218	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.	0.9	1
219	Safety of vitamin B12 (in the form of cyanocobalamin) produced by <i>Ensifer adhaerens</i> CNCM 5541 for all animal species. EFSA Journal, 2020, 18, e06335.	0.9	1
220	Safety and efficacy of L-threonine produced using <i>Escherichia coli</i> CGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.	0.9	0
221	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06337.	0.9	0
222	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. EFSA Journal, 2020, 18, e06338.	0.9	1
223	Assessment of the application for renewal of authorisation of endo-1,4- α -xylanase produced by <i>Aspergillus niger</i> CBS 109.713 and endo-1,4- α -glucanase produced by <i>Aspergillus niger</i> DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.	0.9	0
224	Assessment of the application for renewal of authorisation of 6-phytase produced by <i>Trichoderma reesei</i> CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. EFSA Journal, 2020, 18, e06336.	0.9	0
225	Efficacy of Cygro [®] 10G (maduramicin ammonium) for turkeys. EFSA Journal, 2020, 18, e06079.	0.9	2
226	Safety and efficacy of L-cysteine monohydrochloride monohydrate produced by fermentation using <i>Escherichia coli</i> KCCM 80109 and <i>Escherichia coli</i> KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.	0.9	1
227	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. EFSA Journal, 2020, 18, e06066.	0.9	0
228	Assessment of the application for renewal of authorisation of AviPlus [®] as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. EFSA Journal, 2020, 18, e06063.	0.9	1
229	Safety and efficacy of Panavital feed (D-glyceric acid) for chickens for fattening. EFSA Journal, 2020, 18, e06068.	0.9	0
230	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06281.	0.9	1
231	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06282.	0.9	1
232	Safety and efficacy of sodium selenate as feed additive for ruminants. EFSA Journal, 2019, 17, e05788.	0.9	2
233	Safety and efficacy of Bergazym [®] P100 (endo-1,4- α -xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. EFSA Journal, 2019, 17, e05781.	0.9	0
234	Evaluation of the clinical and economic impact of delays to surgery in patients with periampullary cancer. BJS Open, 2019, 3, 476-484.	0.7	6

#	ARTICLE	IF	CITATIONS
235	Safety evaluation of the food enzyme maltogenic amylase from genetically modified <i>Escherichia coli</i> (strain BLASC). EFSA Journal, 2019, 17, e05769.	0.9	0
236	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05782.	0.9	3
237	Safety and efficacy of L-histidine monohydrochloride monohydrate produced using <i>Corynebacterium glutamicum</i> KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.	0.9	5
238	Safety and efficacy of L-histidine monohydrochloride monohydrate produced using <i>Corynebacterium glutamicum</i> KCCM 80179 for all animal species. EFSA Journal, 2019, 17, e05784.	0.9	2
239	Safety and efficacy of Natuphos® E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. EFSA Journal, 2019, 17, e05789.	0.9	1
240	Efficacy of <i>Bacillus subtilis</i> DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. EFSA Journal, 2019, 17, e05793.	0.9	2
241	Safety of an essential oil from <i>Origanum vulgare</i> subsp. <i>hirtum</i> (Link) Letsw. var. Vulkan when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05794.	0.9	4
242	Safety and efficacy of AviPlus® as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. EFSA Journal, 2019, 17, e05795.	0.9	1
243	Assessment of the application for renewal of authorisation of L-arginine produced by fermentation using <i>Corynebacterium glutamicum</i> NITE SD 00285 for all animal species. EFSA Journal, 2019, 17, e05720.	0.9	1
244	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. EFSA Journal, 2019, 17, e05722.	0.9	0
245	Modification of the conditions of the authorisation of BioPlus® 2B (<i>Bacillus licheniformis</i> DSM 5749) Tj ETQq1 1 0,784314,rgBT /Over	0.9	1
246	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. EFSA Journal, 2019, 17, e05728.	0.9	6
247	Safety and efficacy of L-tryptophan produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80176 for all animal species. EFSA Journal, 2019, 17, e05729.	0.9	6
248	Safety and efficacy of FRA® Octazyme C Dry (endo-1,4- α -xylanase, mannan-endo-1,4- α -mannosidase, α -amylase,) Tj ET weaned piglets and chickens for fattening. EFSA Journal, 2019, 17, e05730.	0.9	1
249	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05792.	0.9	3
250	Safety and efficacy of Biomin® DCaP as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. EFSA Journal, 2019, 17, e05724.	0.9	4
251	Safety and efficacy of L-histidine monohydrochloride monohydrate produced by fermentation with <i>Escherichia coli</i> (NITE BP02526) for all animal species. EFSA Journal, 2019, 17, e05785.	0.9	2
252	Safety and efficacy of <i>Bacillus licheniformis</i> DSM 32457 as a silage additive for all animal species. EFSA Journal, 2019, 17, e05787.	0.9	2

#	ARTICLE	IF	CITATIONS
253	Safety and efficacy of 3â€¢phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. EFSA Journal, 2019, 17, e05791.	0.9	3
254	Safety and efficacy of a tincture derived from Artemisia vulgaris L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05879.	0.9	2
255	Modification of the terms of authorisation regarding the maximum inclusion level of MaxibanÂ® G160 (narsin and nicarbazin) for chickens for fattening. EFSA Journal, 2019, 17, e05786.	0.9	4
256	Safety and efficacy of RONOZYMEÂ® WX CT/L (endoâ€¢1,4â€¢xylanase) as a feed additive for sows for reproduction. EFSA Journal, 2019, 17, e05790.	0.9	1
257	Safety and efficacy of Beltherm MP/ML (endoâ€¢1,4â€¢betaâ€¢xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2019, 17, e05609.	0.9	2
258	Safety and efficacy of RobenzÂ® 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. EFSA Journal, 2019, 17, e05613.	0.9	3
259	Safety and efficacy of lâ€¢ryptophan produced by fermentation with EscherichiaÂcoli KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694.	0.9	5
260	Safety and efficacy of lâ€¢ryptophan produced by fermentation with Escherichia coli KCCM 80152 for all animal species. EFSA Journal, 2019, 17, e05695.	0.9	5
261	Safety and efficacy of HemicellÂ®â€¢L (endoâ€¢1,4â€¢mannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05641.	0.9	0
262	Safety evaluation of the food enzyme phospholipase C from a genetically modified Komagataella phaffii (strain PRF). EFSA Journal, 2019, 17, e05682.	0.9	2
263	Safety and efficacy of muramidase from Trichoderma reesei DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. EFSA Journal, 2019, 17, e05686.	0.9	2
264	Assessment of the application for renewal of authorisation of BactocellÂ® (Pediococcus acidilactici) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 laying and its extension of use to all growing pigs and all avian species. EFSA Journal, 2019, 17, e05690.	0.9	5
265	Safety and efficacy of APSA PHYTAFEEDÂ® 20,000 GR/L (6â€¢phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.	0.9	6
266	Safety and efficacy of LevucellÂ® SB (Saccharomyces cerevisiae CNCM lâ€¢1079) as a feed additive for turkeys for fattening. EFSA Journal, 2019, 17, e05693.	0.9	1
267	Assessment of the application for renewal of authorisation of PHYZYMEÂ® XP 5000 G/L (6â€¢phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. EFSA Journal, 2019, 17, e05701.	0.9	2
268	Assessment of the application for renewal of the authorisation of PHYZYMEÂ® XP 10000 TPT/L (6â€¢phytase) as a feed additive for all avian species and all swine species. EFSA Journal, 2019, 17, e05702.	0.9	1
269	Assessment of the application for renewal of authorisation of BiosprintÂ® (SaccharomycesÂcerevisiae) Tj ETQq1 1 0,784314,3rgBT /Over	0.9	3
270	Safety and efficacy of an essential oil from Elettaria cardamomum (L.) Maton when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05721.	0.9	5

#	ARTICLE	IF	CITATIONS
271	Safety and efficacy of Levucell SC [®] (<i>Saccharomyces cerevisiae</i> CNCM 1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. EFSA Journal, 2019, 17, e05723.	0.9	1
272	Safety and efficacy of VevoVital [®] (benzoic acid) as feed additive for pigs for fattening. EFSA Journal, 2019, 17, e05727.	0.9	0
273	Safety and efficacy of Bacillus [®] subtilis DSM 28343 for pigs for fattening. EFSA Journal, 2019, 17, e05725.	0.9	0
274	Safety and efficacy of lutein and lutein/zeaxanthin extracts from <i>Tagetes[®] erecta</i> for poultry for fattening and laying (except turkeys). EFSA Journal, 2019, 17, e05698.	0.9	3
275	Can sustained exposure to PFAS trigger a genotoxic response? A comprehensive genotoxicity assessment in mice after subacute oral administration of PFOA and PFBA. Regulatory Toxicology and Pharmacology, 2019, 106, 169-177.	1.3	33
276	Safety and efficacy of Probion forte [®] (<i>Bacillus[®]subtilis</i> KCCM 10941P and <i>Bacillus[®]coagulans</i> KCCM) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.9	0
277	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2019, 17, e05604.	0.9	1
278	Safety and efficacy of l [®] valine produced using <i>Corynebacterium[®] glutamicum</i> CGMCC 11675 for all animal species. EFSA Journal, 2019, 17, e05611.	0.9	4
279	Guidance on the assessment of the safety of feed additives for the environment. EFSA Journal, 2019, 17, e05648.	0.9	218
280	Assessment of the application for renewal of authorisation of Natugrain [®] Wheat TS and TS L (endo [®] 1,4 [®] beta [®] xyylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA Journal, 2019, 17, e05652.	0.9	2
281	Safety and efficacy of an essential oil of <i>Origanum[®] vulgare</i> ssp. <i>hirtum</i> (Link) leetsw. for all poultry species. EFSA Journal, 2019, 17, e05653.	0.9	4
282	Safety evaluation of the food enzyme glucan 1,4 [®] alpha [®] maltotetrahydrolase from <i>Bacillus[®] licheniformis</i> (strain DP [®] zr46). EFSA Journal, 2019, 17, e05684.	0.9	0
283	Safety and efficacy of Biomin [®] DC [®] as a zootechnical feed additive for weaned piglets. EFSA Journal, 2019, 17, e05688.	0.9	3
284	Safety and efficacy of l [®] leucine produced by fermentation with <i>Escherichia[®] coli</i> NITE BP [®] 02351 for all animal species. EFSA Journal, 2019, 17, e05689.	0.9	1
285	Safety and efficacy of l [®] arginine produced by fermentation with <i>Corynebacterium[®] glutamicum</i> KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696.	0.9	0
286	Safety and efficacy of l [®] lysine monohydrochloride and concentrated liquid l [®] lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strain KCCM 10227 for all animal species. EFSA Journal, 2019, 17, e05697.	0.9	12
287	Safety of erythrosine for ornamental fish. EFSA Journal, 2019, 17, e05699.	0.9	0
288	Efficacy of <i>Saccharomyces cerevisiae</i> NBRC 0203, <i>Lactobacillus plantarum</i> NBRC 3070 and <i>Lactobacillus casei</i> NBRC 3425 as a technological additive (silage additive) for all animal species. EFSA Journal, 2019, 17, e05700.	0.9	1

#	ARTICLE	IF	CITATIONS
289	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2019, 17, e05651.	0.9	3
290	Safety evaluation of the food enzyme β -D-glucanase, xylanase and cellulase from <i>Mycothermus thermophiloides</i> (strain NZYM 66T). EFSA Journal, 2019, 17, e05631.	0.9	0
291	Safety and efficacy of L-tryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.248 for all animal species. EFSA Journal, 2019, 17, e05601.	0.9	5
292	Safety and efficacy of L-threonine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80117 for all animal species. EFSA Journal, 2019, 17, e05602.	0.9	1
293	Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species. EFSA Journal, 2019, 17, e05643.	0.9	12
294	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. EFSA Journal, 2019, 17, e05645.	0.9	5
295	Assessment of the application for renewal of authorisation of Bonvital® (<i>Enterococcus faecium</i> DSM Tj ETQq1 10,784314 rgBT / Over	0.9	3
296	Safety and efficacy of 26 compounds belonging to chemical group 3 (1,2-unsaturated straight-chain and) Tj ETQq0 0 0 rgBT / Overl	0.9	16
297	Safety and efficacy of TYFERA,® (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05608.	0.9	2
298	Assessment of the application for renewal of authorisation of GalliPro® (<i>Bacillus subtilis</i> DSM 17299) for chickens for fattening. EFSA Journal, 2019, 17, e05687.	0.9	0
299	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V.. EFSA Journal, 2019, 17, e05606.	0.9	5
300	Assessment of the application for renewal of the authorisation of Natuphos (3-phytase) as a feed additive for poultry and pigs. EFSA Journal, 2019, 17, e05640.	0.9	1
301	Safety and efficacy of Calsporin® (<i>Bacillus subtilis</i> DSM 15544) for all poultry species. EFSA Journal, 2019, 17, e05605.	0.9	3
302	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. EFSA Journal, 2019, 17, e05614.	0.9	0
303	Assessment of the application for renewal of authorisation of Levucell SC (<i>Saccharomyces cerevisiae</i>) Tj ETQq1 10,784314 rgBT / Overl	0.9	3
304	Safety and efficacy of L-tryptophan produced with <i>Escherichia coli</i> CGMCC 11674 for all animal species. EFSA Journal, 2019, 17, e05642.	0.9	7
305	Safety and efficacy of Actisaf® Sc47 (<i>Saccharomyces cerevisiae</i> CNCM 14407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. EFSA Journal, 2019, 17, e05600.	0.9	2
306	Safety and efficacy of L-threonine produced by fermentation with <i>Corynebacterium glutamicum</i> for all animal species. EFSA Journal, 2019, 17, e05603.	0.9	2

#	ARTICLE	IF	CITATIONS
307	Modification of the terms of the authorisation of Natuphos [®] E as a feed additive for chickens for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05607.	0.9	1
308	Safety and efficacy of Beltherm MP/ML (endo β -xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. EFSA Journal, 2019, 17, e05610.	0.9	1
309	Safety and efficacy of Bonvital (Enterococcus faecium, DSM 7134) as an additive in water for drinking for sows. EFSA Journal, 2019, 17, e05612.	0.9	4
310	Safety and efficacy of Probiotic Lactina [®] (Enterococcus faecium NBIMCC 8270,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 637 Td (Lactobacillus acidophilus) as a feed additive for sows, lactating and weaned rabbits. EFSA Journal, 2019, 17, e05646.	0.9	5
311	Safety and efficacy of Cinergy [®] Life B3 HiCon (Bacillus amyloliquefaciens NRRL B β 50508,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 637 Td as a feed additive for fattening and minor porcine species. EFSA Journal, 2019, 17, e05647.	0.9	2
312	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. EFSA Journal, 2019, 17, e05649.	0.9	1
313	Safety evaluation of the food enzyme α -amylase from Aspergillus oryzae (strain DP β Bzb41). EFSA Journal, 2019, 17, e05899.	0.9	2
314	Safety and efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05883.	0.9	0
315	Safety evaluation of the food enzyme beta β -galactosidase from Bacillus sp. (strain M3 β). EFSA Journal, 2019, 17, e05827.	0.9	1
316	Safety and efficacy of APSA PHYTAFEED [®] 20,000 GR/L (6 β -phytase) as a feed additive for piglets (suckling) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 637 Td	0.9	4
317	Safety and efficacy of APSA PHYTAFEED [®] 20,000 GR/L (6 β -phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05893.	0.9	3
318	Safety and efficacy of a tincture derived from Verbascum thapsus L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05910.	0.9	1
319	Safety and efficacy of l β -methionine produced by fermentation with Corynebacterium glutamicum KCCM 80184 and Escherichia coli KCCM 80096 for all animal species. EFSA Journal, 2019, 17, e05917.	0.9	4
320	Safety and efficacy of Belfeed B MP/ML (endo β -xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. EFSA Journal, 2019, 17, e05892.	0.9	1
321	Safety of ethyl ester of β -carotenoic acid as a feed additive for poultry for fattening and poultry for laying. EFSA Journal, 2019, 17, e05911.	0.9	1
322	Safety evaluation of the food enzyme cellulase from Trichoderma reesei (strain DP β Nzc36). EFSA Journal, 2019, 17, e05839.	0.9	2
323	Safety of Lactococcus lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05890.	0.9	0
324	Safety and efficacy of Elancoban [®] G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. EFSA Journal, 2019, 17, e05891.	0.9	3

#	ARTICLE	IF	CITATIONS
325	Assessment of the application for renewal of authorisation of ECONASE [®] XT (endo- α -1,4-xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2019, 17, e05880.	0.9	2
326	Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll [®] Stay [®] Pink 10% CWS) for salmonids, crustaceans and other fish. EFSA Journal, 2019, 17, e05920.	0.9	11
327	Efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05881.	0.9	2
328	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using Corynebacterium glutamicum strains NRRL B-67439 or NRRL B-67535 for all animal species. EFSA Journal, 2019, 17, e05886.	0.9	10
329	Safety and efficacy of an essential oil from Origanum vulgare ssp. hirtum (Link) letsw. for all animal species. EFSA Journal, 2019, 17, e05909.	0.9	11
330	Safety and efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for piglets (suckling and) minor porcine species. EFSA Journal, 2019, 17, e05884.	0.9	0
331	Assessment of the application for renewal of authorisation of Biosprint [®] (Saccharomyces cerevisiae) for all animal species. EFSA Journal, 2019, 17, e05843.	0.9	3
332	Safety of butylated hydroxy anisole (BHA) for all animal species. EFSA Journal, 2019, 17, e05913.	0.9	1
333	Efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. EFSA Journal, 2019, 17, e05882.	0.9	0
334	Safety of L-threonine produced by fermentation with Escherichia coli CGMCC 11473 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05885.	0.9	1
335	Safety for the environment of Monimax [®] (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. EFSA Journal, 2019, 17, e05888.	0.9	3
336	Efficacy of RONOZYME [®] WX (endo- α -1,4-xylanase) as a feed additive for laying hens. EFSA Journal, 2019, 17, e05919.	0.9	1
337	Safety and efficacy of Clâ€FERâ€ (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05916.	0.9	3
338	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2019, 17, e05914.	0.9	2
339	Safety of Lancer [®] (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2019, 17, e05912.	0.9	3
340	Assessment of the application for renewal of authorisation of Yea [®] Sacc [®] (Saccharomyces cerevisiae) for horses. EFSA Journal, 2019, 17, e05918.	0.9	0
341	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for all fish and shrimps and its extension of use for all crustaceans. EFSA Journal, 2019, 17, e05691.	0.9	5
342	Utilization of Declined Liver Grafts Yields Comparable Transplant Outcomes and Previous Decline Should Not Be a Deterrent to Graft Use. Transplantation, 2018, 102, e211-e218.	0.5	51

#	ARTICLE	IF	CITATIONS
343	Proof of concept: liver splitting during normothermic machine perfusion. <i>Journal of Surgical Case Reports</i> , 2018, 2018, rjx218.	0.2	20
344	Defining Benchmarks in Liver Transplantation. <i>Annals of Surgery</i> , 2018, 267, 419-425.	2.1	168
345	Safety and efficacy of Monteban [®] G100 (narsin) for ducks for fattening. <i>EFSA Journal</i> , 2018, 16, e05461.	0.9	2
346	Safety evaluation of the food enzyme Î±-amylase from a genetically modified <i>Aspergillus Niger</i> (strain Tj ETQq0 0,0 rgBT /Overlock 10 TF)	0,9	3
347	Safety evaluation of the food enzyme endo-1,4-Î²-xylanase from a genetically modified <i>Aspergillus Niger</i> (strain XEA). <i>EFSA Journal</i> , 2018, 16, e05228.	0.9	1
348	Scientific Opinion on Flavouring Group Evaluation 203, Revision 2 (FGE.203Rev2): Î±,Î²-unsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.4 of FGE.19 with two or more conjugated double bonds and with or without additional non-conjugated double bonds. <i>EFSA Journal</i> , 2018, 16, e05322.	0.9	5
349	Scientific Opinion of Flavouring Group Evaluation 411 (FGE.411): 2-(4-methylphenoxy)-1H-pyrazol-3-yl-(thiophen-2-ylmethyl)acetamide from chemical group 30 (miscellaneous substances). <i>EFSA Journal</i> , 2018, 16, e05421.	0,9	0
350	Scientific Opinion on Flavouring Group Evaluation 200, Revision 1 (FGE.200 Rev.1): 74 Î±,Î²-unsaturated aliphatic aldehydes and precursors from chemical subgroup 1.1.1 of FGE.19. <i>EFSA Journal</i> , 2018, 16, e05422.	0.9	8
351	Scientific Opinion on Flavouring Group Evaluation 201 Revision 2 (FGE.201Rev2): 2-alkylated, aliphatic, acyclic alpha,beta-unsaturated aldehydes and precursors, with or without additional double bonds, from chemical subgroup 1.1.2 of FGE.19. <i>EFSA Journal</i> , 2018, 16, e05423.	0.9	5
352	Safety evaluation of the food enzyme glucan 1,4-Î±-glucosidase from a genetically modified <i>Aspergillus Niger</i> (strain NZYM [®] BW). <i>EFSA Journal</i> , 2018, 16, e05446.	0.9	0
353	Safety evaluation of the food enzyme endo-1,4-Î²-xylanase from a genetically modified <i>Trichoderma reesei</i> (strain DP [®] Nzd22). <i>EFSA Journal</i> , 2018, 16, e05479.	0.9	6
354	Safety evaluation of the food enzyme Î±-amylase from a genetically modified <i>Bacillus licheniformis</i> (strain NZYM [®] AV). <i>EFSA Journal</i> , 2018, 16, e05318.	0.9	1
355	Safety evaluation of food enzyme xylanase from a genetically modified <i>Bacillus subtilis</i> (strain LMG) Tj ETQq1 1 0.784314 rgBT /Overlock 10 TF)	0,9	3
356	Safety evaluation of the food enzyme aqualysin 1 from a genetically modified <i>Bacillus subtilis</i> (strain Tj ETQq0 0 0 rgBT /Overlock 10 TF)	0,9	2
357	Safety evaluation of the food enzyme xylanase from a genetically modified <i>Bacillus subtilis</i> strain TD160(229). <i>EFSA Journal</i> , 2018, 16, e05008.	0.9	3
358	Safety evaluation of the food enzyme maltogenic amylase from a genetically modified <i>Bacillus subtilis</i> (strain NZYM [®] SM). <i>EFSA Journal</i> , 2018, 16, e05171.	0.9	1
359	Assessment of the application for renewal of authorisation of selenomethionine produced by <i>Saccharomyces cerevisiae</i> CNCM I [®] 3060 (selenised yeast inactivated) for all animal species. <i>EFSA Journal</i> , 2018, 16, e05386.	0.9	9
360	Safety and efficacy of L-threonine produced by fermentation using <i>Escherichia coli</i> CGMCC 7.232 for all animal species. <i>EFSA Journal</i> , 2018, 16, e05458.	0.9	6

#	ARTICLE	IF	CITATIONS
361	Safety and efficacy of Hostazym [®] X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. EFSA Journal, 2018, 16, e05456.	0.9	1
362	Safety evaluation of the food enzyme alpha-amylase from a genetically modified <i>Aspergillus niger</i> (strain Tj ETQq0 0.0 rgBT /Overlock 10 T	0.9	1
363	Safety and efficacy of <i>Lactobacillus hilgardii</i> CNCM I4785 and <i>Lactobacillus buchneri</i> CNCM I4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.	0.9	1
364	Efficacy of Bergazym [®] P100 (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2018, 16, e05457.	0.9	1
365	Safety and efficacy of Monimax [®] (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05459.	0.9	8
366	Safety and efficacy of Monteban [®] G100 (narsin) for chickens for fattening. EFSA Journal, 2018, 16, e05460.	0.9	3
367	Safety and efficacy of a super critical carbon dioxide extract of <i>Humulus lupulus</i> L. flos when used as a feed flavouring for all animal species. EFSA Journal, 2018, 16, e05462.	0.9	1
368	Safety of zinc chelate of methionine sulfate for the target species. EFSA Journal, 2018, 16, e05463.	0.9	0
369	Safety and efficacy of vitamin B2 (riboflavin 5-phosphate ester monosodium salt) for all animal species when used in water for drinking. EFSA Journal, 2018, 16, e05531.	0.9	5
370	Scientific Opinion of Flavouring Group Evaluation 406 (FGE.406): (S)-1-((4-amino-2-dioxido-1H-benzo[c][1,2,6]thiadiazin-5-yl)oxy)methyl)piperidin-1-yl)-2-methylbutan-1-yl)acetate EFSA Journal, 2018, 16, e05120.	0.9	0
371	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. EFSA Journal, 2018, 16, e05387.	0.9	2
372	Scientific opinion on flavouring group evaluation 77, revision 3 (FGE.77Rev3): consideration of pyridine, pyrrole and quinoline derivatives evaluated by JECFA (63rd meeting) structurally related to pyridine, pyrrole, indole and quinoline derivatives evaluated by EFSA in FGE.24Rev2. EFSA Journal, 2018, 16, e05226.	0.9	1
373	Development and multicentre validation of a prognostic model to predict resectability of pancreatic head malignancy. BJS Open, 2018, 2, 319-327.	0.7	1
374	Safety evaluation of food enzyme glucan 1,4-alpha-D-glucan-1,4-maltohydrolase produced with a genetically modified <i>Bacillus subtilis</i> (strain MAM). EFSA Journal, 2018, 16, e05168.	0.9	1
375	Safety evaluation of the food enzyme alpha-amylase from a genetically modified <i>Bacillus licheniformis</i> (strain NZYM-AN). EFSA Journal, 2018, 16, e05317.	0.9	1
376	Safety evaluation of the food enzyme glucose oxidase from a genetically modified <i>Aspergillus oryzae</i> (strain NZYM-KP). EFSA Journal, 2018, 16, e05319.	0.9	2
377	Assessment of the application for renewal of authorisation of Levucell [®] SC (<i>Saccharomyces</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.9	1
378	Pancreatoduodenectomy for periampullary cancer and biliary obstruction: impact of a pathway to avoid preoperative biliary drainage. Lancet, The, 2017, 389, S80.	6.3	0

#	ARTICLE	IF	CITATIONS
379	Telomerase activity, telomere length and <i>hTERT</i> DNA methylation in peripheral blood mononuclear cells from monozygotic twins with discordant smoking habits. <i>Environmental and Molecular Mutagenesis</i> , 2017, 58, 551-559.	0.9	8
380	A reduced time to surgery within a "fast track" pathway for periampullary malignancy is associated with an increased rate of pancreatoduodenectomy. <i>Hpb</i> , 2017, 19, 713-720.	0.1	42
381	Gene promoter methylation and DNA repair capacity in monozygotic twins with discordant smoking habits. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2015, 779, 57-64.	0.9	15
382	Novel Epigenetic Changes Unveiled by Monozygotic Twins Discordant for Smoking Habits. <i>PLoS ONE</i> , 2015, 10, e0128265.	1.1	49
383	DNA damage response in monozygotic twins discordant for smoking habits. <i>Mutagenesis</i> , 2013, 28, 135-144.	1.0	7
384	The safety of a pancreaticoduodenectomy in patients older than 80 years: risk vs. benefits. <i>Hpb</i> , 2012, 14, 583-588.	0.1	72
385	Diet-related telomere shortening and chromosome stability. <i>Mutagenesis</i> , 2012, 27, 49-57.	1.0	66
386	Pol kappa partially rescues MMR-dependent cytotoxicity of O6-methylguanine. <i>DNA Repair</i> , 2012, 11, 579-586.	1.3	13
387	Effect of intraoperative fluid volume on perioperative outcomes after pancreaticoduodenectomy for pancreatic adenocarcinoma. <i>Journal of Surgical Oncology</i> , 2012, 105, 81-84.	0.8	40
388	Gene expression in response to ionizing radiation and family history of gastric cancer. <i>Familial Cancer</i> , 2011, 10, 107-118.	0.9	1
389	Percutaneous treatment of thoracic duct injuries. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 2844-2848.	1.3	36
390	A meta-analysis of prospective randomized trials comparing minimally invasive and open distal gastrectomy for cancer. <i>Journal of Surgical Oncology</i> , 2011, 104, 544-551.	0.8	14
391	Unsuitability of lymphoblastoid cell lines as surrogate of cryopreserved isolated lymphocytes for the analysis of DNA double-strand break repair activity. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2010, 684, 98-105.	0.4	16
392	Toxic and genotoxic effects of oral administration of furan in mouse liver. <i>Mutagenesis</i> , 2010, 25, 305-314.	1.0	39
393	Evaluation of radiation-induced chromosome instability in subjects with a family history of gastric cancer. <i>Biomarkers</i> , 2009, 14, 226-234.	0.9	7
394	Role of resection margins in patients treated with breast conservation surgery. <i>Cancer</i> , 2008, 112, 1923-1931.	2.0	40
395	Effects of folic acid deficiency and MTHFR C677T polymorphism on spontaneous and radiation-induced micronuclei in human lymphocytes. <i>Mutagenesis</i> , 2006, 21, 327-333.	1.0	49
396	Assessment of individual sensitivity to ionizing radiation and DNA repair efficiency in a healthy population. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2003, 541, 1-8.	0.9	67

#	ARTICLE	IF	CITATIONS
397	Analysis of chromosome segregation in cytokinesis-blocked human lymphocytes: non-disjunction is the prevalent damage resulting from low dose exposure to spindle poisons. <i>Mutagenesis</i> , 1996, 11, 335-340.	1.0	37
398	Sex chromosome loss and non-disjunction in women: Analysis of chromosomal segregation in binucleated lymphocytes. <i>Chromosoma</i> , 1996, 104, 461-467.	1.0	3
399	Simultaneous detection of X-chromosome loss and non-disjunction in cytokinesis-blocked human lymphocytes by in situ hybridization with a centromeric DNA probe; implications for the human lymphocyte in vitro micronucleus assay using cytochalasin B. <i>Mutagenesis</i> , 1994, 9, 225-232.	1.0	69