

Sonja Yokum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11682767/publications.pdf>

Version: 2024-02-01

33
papers

3,780
citations

279701

23
h-index

434063

31
g-index

33
all docs

33
docs citations

33
times ranked

3581
citing authors

#	ARTICLE	IF	CITATIONS
1	In search of the most reproducible neural vulnerability factors that predict future weight gain: analyses of data from six prospective studies. <i>Social Cognitive and Affective Neuroscience</i> , 2021, ,	1.5	8
2	Test-retest reliability of functional MRI food receipt, anticipated receipt, and picture tasks. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 764-779.	2.2	5
3	Much Ado About Missingness: A Demonstration of Full Information Maximum Likelihood Estimation to Address Missingness in Functional Magnetic Resonance Imaging Data. <i>Frontiers in Neuroscience</i> , 2021, 15, 746424.	1.4	7
4	Neural Vulnerability Factors That Predict Future Weight Gain. <i>Current Obesity Reports</i> , 2021, 10, 435-443.	3.5	13
5	Evidence that a novel transdiagnostic eating disorder treatment reduces reward region response to the thin beauty ideal and high-calorie binge foods. <i>Psychological Medicine</i> , 2021, , 1-11.	2.7	2
6	Relation of <i>FTO</i> to BOLD response to receipt and anticipated receipt of food and monetary reward, food images, and weight gain in healthy weight adolescents. <i>Social Cognitive and Affective Neuroscience</i> , 2020, 15, 1135-1144.	1.5	5
7	Weight-Related Differences in Salience, Default Mode, and Executive Function Network Connectivity in Adolescents. <i>Obesity</i> , 2020, 28, 1438-1446.	1.5	14
8	Neuroimaging of compulsive disorders. , 2019, , 329-358.		2
9	Weight gain is associated with changes in neural response to palatable food tastes varying in sugar and fat and palatable food images: a repeated-measures fMRI study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1275-1286.	2.2	27
10	Effects of gymnemic acids lozenge on reward region response to receipt and anticipated receipt of high-sugar food. <i>Physiology and Behavior</i> , 2018, 194, 568-576.	1.0	12
11	Pilot test of a novel food response and attention training treatment for obesity: Brain imaging data suggest actions shape valuation. <i>Behaviour Research and Therapy</i> , 2017, 94, 60-70.	1.6	85
12	Neural vulnerability factors that increase risk for future weight gain.. <i>Psychological Bulletin</i> , 2016, 142, 447-471.	5.5	157
13	Gain in Body Fat Is Associated with Increased Striatal Response to Palatable Food Cues, whereas Body Fat Stability Is Associated with Decreased Striatal Response. <i>Journal of Neuroscience</i> , 2016, 36, 6949-6956.	1.7	60
14	Neural systems implicated in obesity as an addictive disorder. <i>Progress in Brain Research</i> , 2016, 223, 329-346.	0.9	25
15	Relation of the multilocus genetic composite reflecting high dopamine signaling capacity to future increases in BMI. <i>Appetite</i> , 2015, 87, 38-45.	1.8	26
16	Reward Region Responsivity Predicts Future Weight Gain and Moderating Effects of the Taq1A Allele. <i>Journal of Neuroscience</i> , 2015, 35, 10316-10324.	1.7	118
17	A pilot randomized trial of a cognitive reappraisal obesity prevention program. <i>Physiology and Behavior</i> , 2015, 138, 124-132.	1.0	46
18	Relation of obesity to neural activation in response to food commercials. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 932-938.	1.5	118

#	ARTICLE	IF	CITATIONS
19	Individual differences in striatum activity to food commercials predict weight gain in adolescents. <i>Obesity</i> , 2014, 22, n/a-n/a.	1.5	91
20	Brain reward region responsivity of adolescents with and without parental substance use disorders.. <i>Psychology of Addictive Behaviors</i> , 2014, 28, 805-815.	1.4	35
21	Neural Vulnerability Factors that Increase Risk for Weight Gain: Prevention and Treatment Implications. , 2014, , 73-86.		0
22	Elevated Reward Region Responsivity Predicts Future Substance Use Onset But Not Overweight/Obesity Onset. <i>Biological Psychiatry</i> , 2013, 73, 869-876.	0.7	66
23	Caloric deprivation increases responsivity of attention and reward brain regions to intake, anticipated intake, and images of palatable foods. <i>NeuroImage</i> , 2013, 67, 322-330.	2.1	116
24	Relative ability of fat and sugar tastes to activate reward, gustatory, and somatosensory regions. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1377-1384.	2.2	167
25	Multilocus Genetic Composite Reflecting Dopamine Signaling Capacity Predicts Reward Circuitry Responsivity. <i>Journal of Neuroscience</i> , 2012, 32, 10093-10100.	1.7	122
26	An fMRI study of obesity, food reward, and perceived caloric density. Does a low-fat label make food less appealing?. <i>Appetite</i> , 2011, 57, 65-72.	1.8	128
27	Attentional Bias to Food Images Associated With Elevated Weight and Future Weight Gain: An fMRI Study. <i>Obesity</i> , 2011, 19, 1775-1783.	1.5	335
28	Neural Correlates of Food Addiction. <i>Archives of General Psychiatry</i> , 2011, 68, 808.	13.8	566
29	Youth at Risk for Obesity Show Greater Activation of Striatal and Somatosensory Regions to Food. <i>Journal of Neuroscience</i> , 2011, 31, 4360-4366.	1.7	298
30	Reward circuitry responsivity to food predicts future increases in body mass: Moderating effects of DRD2 and DRD4. <i>NeuroImage</i> , 2010, 50, 1618-1625.	2.1	289
31	Body mass correlates inversely with inhibitory control in response to food among adolescent girls: An fMRI study. <i>NeuroImage</i> , 2010, 52, 1696-1703.	2.1	438
32	Weight Gain Is Associated with Reduced Striatal Response to Palatable Food. <i>Journal of Neuroscience</i> , 2010, 30, 13105-13109.	1.7	336
33	Dopamine-Based Reward Circuitry Responsivity, Genetics, and Overeating. <i>Current Topics in Behavioral Neurosciences</i> , 2010, 6, 81-93.	0.8	63