

Jeremy B Tuttle

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11684412/publications.pdf>

Version: 2024-02-01

62
papers

3,888
citations

156536

32
h-index

145109

60
g-index

64
all docs

64
docs citations

64
times ranked

3399
citing authors

#	ARTICLE	IF	CITATIONS
1	Nerve growth factor attenuates oxidant-induced β -amyloid neurotoxicity in sporadic Alzheimer's disease cybrids. <i>Journal of Neurochemistry</i> , 2010, 114, 1605-1618.	2.1	23
2	New Tools to Study Bladder Dysfunction. <i>Journal of Urology</i> , 2010, 183, 423-424.	0.2	4
3	Fiberoptic imaging for urologic surgery. <i>Current Urology Reports</i> , 2009, 10, 60-64.	1.0	6
4	Fiberoptic Imaging of Cavernous Nerves In Vivo. <i>Journal of Urology</i> , 2007, 178, 2694-2700.	0.2	52
5	Blockade of angiotensin II and aging: is the spontaneously hypertensive rat a suitable model?. <i>Journal of Hypertension</i> , 2006, 24, 27.	0.3	1
6	Mechanisms of Disease: the role of nerve growth factor in the pathophysiology of bladder disorders. <i>Nature Reviews Urology</i> , 2006, 3, 101-110.	1.4	177
7	Endogenous oxidative stress in sporadic Alzheimer's disease neuronal cybrids reduces viability by increasing apoptosis through pro-death signaling pathways and is mimicked by oxidant exposure of control cybrids. <i>Neurobiology of Disease</i> , 2005, 19, 312-322.	2.1	57
8	Activation of p38 and N-acetylcysteine-sensitive c-Jun NH2-terminal kinase signaling cascades is required for induction of apoptosis in Parkinson's disease cybrids. <i>Molecular and Cellular Neurosciences</i> , 2005, 28, 452-461.	1.0	39
9	Altered intracellular signaling and reduced viability of Alzheimer's disease neuronal cybrids is reproduced by β -amyloid peptide acting through receptor for advanced glycation end products (RAGE). <i>Molecular and Cellular Neurosciences</i> , 2005, 29, 333-343.	1.0	55
10	The role of corticotropin releasing factor and its antagonist, astressin, on micturition in the rat. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2005, 123, 26-35.	1.4	75
11	Brain-derived growth factor and glial cell line-derived growth factor use distinct intracellular signaling pathways to protect PD cybrids from HO-induced neuronal death. <i>Neurobiology of Disease</i> , 2005, 20, 141-154.	2.1	58
12	1342: Increased Excitability of Voltage-Gated Sodium Channels in a Rat Model of Bladder Outlet Obstruction. <i>Journal of Urology</i> , 2004, 171, 353-354.	0.2	3
13	Editorial: Spontaneous Contractile Activity in Rat Bladder. <i>Journal of Urology</i> , 2003, 170, 280-280.	0.2	1
14	Methylpyridinium (MPP+)- and nerve growth factor-induced changes in pro- and anti-apoptotic signaling pathways in SH-SY5Y neuroblastoma cells. <i>Brain Research</i> , 2002, 952, 98-110.	1.1	50
15	ACTIVATION OF THE TRANSCRIPTION FACTORS NUCLEAR FACTOR- κ B AND ACTIVATOR PROTEIN-1 IN BLADDER SMOOTH MUSCLE EXPOSED TO OUTLET OBSTRUCTION AND MECHANICAL STRETCHING. <i>Journal of Urology</i> , 2001, 165, 633-639.	0.2	16
16	HISTOLOGICAL AND NEUROTROPHIC CHANGES TRIGGERED BY VARYING MODELS OF BLADDER INFLAMMATION. <i>Journal of Urology</i> , 2001, 166, 1111-1118.	0.2	111
17	Chronic reduction in complex I function alters calcium signaling in SH-SY5Y neuroblastoma cells. <i>Brain Research</i> , 2001, 891, 94-105.	1.1	68
18	HISTOLOGICAL AND NEUROTROPHIC CHANGES TRIGGERED BY VARYING MODELS OF BLADDER INFLAMMATION. <i>Journal of Urology</i> , 2001, , 1111-1118.	0.2	5

#	ARTICLE	IF	CITATIONS
19	Stretch-activated signaling of nerve growth factor secretion in bladder and vascular smooth muscle cells from hypertensive and hyperactive rats. <i>Journal of Cellular Physiology</i> , 2000, 183, 289-300.	2.0	60
20	Altered neural control of micturition in the aged F344 rat. <i>Urological Research</i> , 2000, 28, 348-354.	1.5	34
21	Calcium homeostasis and nerve growth factor secretion from vascular and bladder smooth muscle cells. <i>Cell and Tissue Research</i> , 2000, 299, 201-211.	1.5	4
22	Mitochondrial DNA-depleted neuroblastoma (Rho ^Δ) cells exhibit altered calcium signaling. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2000, 1496, 341-355.	1.9	16
23	ALTERED NGF REGULATION MAY LINK A GENETIC PREDISPOSITION FOR HYPERTENSION WITH HYPERACTIVE VOIDING. <i>Journal of Urology</i> , 1999, 161, 1372-1377.	0.2	33
24	PERSISTENTLY INCREASED VOIDING FREQUENCY DESPITE RELIEF OF BLADDER OUTLET OBSTRUCTION. <i>Journal of Urology</i> , 1999, 161, 1689-1693.	0.2	54
25	Mitochondrial impact on nerve growth factor production in vascular smooth muscle-derived cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1999, 1473, 305-320.	1.1	0
26	The spontaneously hypertensive rat: insight into the pathogenesis of irritative symptoms in benign prostatic hyperplasia and young anxious males. <i>Experimental Physiology</i> , 1999, 84, 137-147.	0.9	104
27	ACTIVATION OF THE TRANSCRIPTION FACTORS AP-1 AND NF kappa B IN RESPONSE TO BLADDER OUTLET OBSTRUCTION AND MECHANICAL STRETCH. <i>Journal of Urology</i> , 1999, , 39.	0.2	1
28	PERSISTENTLY INCREASED VOIDING FREQUENCY DESPITE RELIEF OF BLADDER OUTLET OBSTRUCTION. <i>Journal of Urology</i> , 1999, , 1689-1693.	0.2	4
29	ALTERED NGF REGULATION MAY LINK A GENETIC PREDISPOSITION FOR HYPERTENSION WITH HYPERACTIVE VOIDING. <i>Journal of Urology</i> , 1999, , 1372-1377.	0.2	3
30	Neurally mediated hyperactive voiding in spontaneously hypertensive rats. <i>Brain Research</i> , 1998, 790, 151-159.	1.1	77
31	Increased nerve growth factor mRNA stability may underlie elevated nerve growth factor secretion from hypertensive vascular smooth muscle cells. <i>Molecular Brain Research</i> , 1998, 62, 167-174.	2.5	28
32	Mechanisms of Increased NGF Production in Vascular Smooth Muscle of the Spontaneously Hypertensive Rat. <i>Experimental Cell Research</i> , 1998, 241, 186-193.	1.2	36
33	Arterial Nerve Growth Factor (NGF) mRNA, Protein, and Vascular Smooth Muscle Cell NGF Secretion in Hypertensive and Hyperactive Rats. <i>Experimental Cell Research</i> , 1998, 244, 196-205.	1.2	21
34	Mitochondria in Sporadic Amyotrophic Lateral Sclerosis. <i>Experimental Neurology</i> , 1998, 153, 135-142.	2.0	159
35	Altered regulation of bladder nerve growth factor and neurally mediated hyperactive voiding. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998, 275, R1279-R1286.	0.9	42
36	Spinal and peripheral mechanisms contributing to hyperactive voiding in spontaneously hypertensive rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998, 275, R1366-R1373.	0.9	77

#	ARTICLE	IF	CITATIONS
37	Regulation of Nerve Growth Factor Secretion in Smooth Muscle Cells Cultured from Rat Bladder Body, Base and Urethra. <i>Journal of Urology</i> , 1997, 157, 2000-2006.	0.2	38
38	Calcium Homeostasis and Reactive Oxygen Species Production in Cells Transformed by Mitochondria from Individuals with Sporadic Alzheimer's Disease. <i>Journal of Neuroscience</i> , 1997, 17, 4612-4622.	1.7	247
39	Efferent and afferent neuronal hypertrophy associated with micturition pathways in spontaneously hypertensive rats. , 1997, 16, 293-303.		43
40	Synergistic increase in nerve growth factor secretion by cultured vascular smooth muscle cells treated with injury-related growth factors. , 1997, 47, 277-286.		16
41	MPP+ induced apoptotic cell death in SH-SY5Y neuroblastoma cells: An electron microscope study. , 1997, 48, 226-237.		76
42	Immunity to Nerve Growth Factor Prevents Afferent Plasticity Following Urinary Bladder Hypertrophy. <i>Journal of Urology</i> , 1996, 155, 379-385.	0.2	142
43	Origin and functional consequences of the complex I defect in Parkinson's disease. <i>Annals of Neurology</i> , 1996, 40, 663-671.	2.8	619
44	Immunity to Nerve Growth Factor Prevents Afferent Plasticity Following Urinary Bladder Hypertrophy. <i>Journal of Urology</i> , 1996, , 379-385.	0.2	5
45	ALTERED SIGNALLING IN VASCULAR SMOOTH MUSCLE FROM SPONTANEOUSLY HYPERTENSIVE RATS MAY LINK MEDIAL HYPERTROPHY, VESSEL HYPERINNERVATION AND ELEVATED NERVE GROWTH FACTOR. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995, 22, S117-S119.	0.9	19
46	NERVE GROWTH FACTOR, VESSEL INNERVATION AND HYPERTENSIVE PROGRESSION IN THE INBRED DAHL SS/Jr AND SR/Jr RATS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995, 22, S23-S25.	0.9	3
47	The Neuronal Response to Bladder Outlet Obstruction, a Role for NGF. <i>Advances in Experimental Medicine and Biology</i> , 1995, 385, 41-54.	0.8	22
48	Neural input regulates tissue NGF and growth of the adult rat urinary bladder. <i>Journal of the Autonomic Nervous System</i> , 1994, 49, 147-158.	1.9	108
49	NGF, bFGF AND CNTF increase survival of major pelvic ganglion neurons cultured from the adult rat. <i>Neuroscience Letters</i> , 1994, 173, 94-98.	1.0	36
50	Differential Distribution of Purine Metabolizing Enzymes Between Glia and Neurons. <i>Journal of Neurochemistry</i> , 1994, 62, 1144-1153.	2.1	44
51	Receptor-Mediated Stimulation and Inhibition of Nerve Growth Factor Secretion by Vascular Smooth Muscle. <i>Experimental Cell Research</i> , 1993, 208, 350-361.	1.2	53
52	Pharmacology of Nerve Growth Factor Output by Target Cells. <i>Annals of the New York Academy of Sciences</i> , 1993, 692, 273-276.	1.8	13
53	Nerve growth factor responsiveness of cultured major pelvic ganglion neurons from the adult rat. <i>Brain Research</i> , 1992, 588, 29-40.	1.1	36
54	Spatial association of renin-containing cells and nerve fibers in developing rat kidney. <i>Pediatric Nephrology</i> , 1991, 5, 690-695.	0.9	39

#	ARTICLE	IF	CITATIONS
55	The expression and posttranslational modification of a neuron-specific β -tubulin isotype during chick embryogenesis. <i>Cytoskeleton</i> , 1990, 17, 118-132.	4.4	550
56	Soluble and membrane-bound factors together account for target dependence of cultured parasympathetic neurons. <i>Developmental Brain Research</i> , 1990, 56, 281-289.	2.1	4
57	Adenosine Formation and Release by Embryonic Chick Neurons and Glia in Cell Culture. <i>Journal of Neurochemistry</i> , 1989, 53, 1852-1860.	2.1	90
58	[³ H]acetylcholine synthesis in cultured ciliary ganglion neurons: Effects of myotube membranes. <i>Developmental Biology</i> , 1987, 119, 290-298.	0.9	12
59	Target influences on [³ H]ACh synthesis and release by ciliary ganglion neurons in vitro. <i>Developmental Biology</i> , 1983, 97, 255-263.	0.9	20
60	Long-term survival and development of dissociated parasympathetic neurons in culture. <i>Brain Research</i> , 1980, 183, 161-180.	1.1	68
61	Diphenylhydantoin inhibits ionic excitation of mouse neuroblastoma cells. <i>Brain Research</i> , 1975, 99, 209-212.	1.1	9
62	Ionic excitation of a clone of mouse neuroblastoma. <i>Brain Research</i> , 1975, 84, 129-135.	1.1	20